

ACCUMETRIC INC. -- SILICONE ELASTOMER PRIMER -- 8040-00-877-9872

=====
Product Identification
=====

Product ID:SILICONE ELASTOMER PRIMER

MSDS Date:05/11/1995

FSC:8040

NIIN:00-877-9872

Kit Part:Y

MSDS Number: CFDDD

=== Responsible Party ===

Company Name:ACCUMETRIC INC.

Address:350 RING ROAD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Info Phone Num:502-769-3385 FAX: 502-765-2412

Emerg

ency Phone Num:800-424-9300

Preparer's Name:GARY HARTLAGE

CAGE:58149

=== Contractor Identification ===

Company Name:ACCUMETRIC INC

Address:350 RING RD

Box:843

City:ELIZABETHTOWN

State:KY

ZIP:42701

Country:US

Phone:502-769-3385

CAGE:58149

=====
Composition/Information on Ingredients
=====

Ingred Name:ETHYLENE GLYCOL METHYL ETHER (SARA 313)

CAS:109-86-4

RTECS #:KL5775000

Fraction by Wt: 3.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:25 PPM

ACGIH TLV:5 PPM

Ingred Name:ETHYL BE

NZENE (SARA 313)
CAS:100-41-4
RTECS #:DA0700000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM STEL 125
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TETRAPROPYL SILICATE
CAS:682-01-9
Fraction by Wt: 5.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:XYLENE (SARA 313) (CERCLA)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 7.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM STEL 150
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000
LBS

Ingred Name:TETRABUTYL TITANATE
CAS:5593-70-4
RTECS #:XR1585000
Fraction by Wt: 5.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:LIGHT ALIPHATIC PETROLEUM
CAS:64742-89-8
Fraction by Wt: 85.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:400 PPM

Ingred Name:TETRA (2-METHOXYETHOXY) SILANE
CAS:2157-45-1
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY IRRITATE THE SKIN, CAUSE BURNS,
HARMFUL ABSORPTION. MAY SEVERLY IRRITATE EYES, CAUSE CORNEAL
INJURY, REDNESS, SWELLING, PAIN, WATERING. INHALATION: DROWSINESS,
IRRITATION, INJURY TO BLOOD, LUNGS, LIVER, KIDNEYS, NS,
REPRODUCTIVE ORGANS, BRAIN. INGESTION: SEVERE INJURY. PULMONARY
EDEMA.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:63.0F

,17.2C

Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR SCBA AND FULL PROTECTIVE GEAR. USE WATER
TO COOL CONTAINERS.EVACUATE AREA.

Unusual Fire/Explosion Hazard:VAPORS ARE >AIR & CAN TRAVEL TO IGNITION
SOURCES & FLASH BACK. STATIC ELECTRICITY MAY ACCUMULATE & IGNITE
VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITS. USE NONSPARKING
TOOLS/EQUIPMENT. EVAC AREA. STORE C

LEAN UP MATERIALS UNDER WATER TO

PREVENT SPONTANEOUS COMBUSTION. MOP/WIPE/SOAK UP WITH ABSORBENT AND
CONTAINERIZE. CLEAN SLIPPERY SURF ACES. DIKE LARGE SPILLS. USE
PROTECTIVEEQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED & AWAY FROM
IGNITS, OXIDIZERS, MOISTURE.

Other Precautions:GROUND AND BOND CONTAINERS WHEN TRANSFERRING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FULL FACE ORGAINC VAPOR/DUST/MIST TYPE.

Ventilation:LOCAL EXHAUST RECOMMENDED.

Protective Gloves:SILVER SHIELD.

Eye Protection:CHEMICAL WORKER'S GOGGLES.

Supplemental Safety and Health

KEY1:F2. THIS ENTRY DESCRIBES PART 2 OF A TWO PART KIT. SEE THIS SAME
NSN, P/N IND A, FOR PART 1 DATA. MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:NA

Vapor Pres:NOT EST.

Spec Gravity:0.76

Evaporation Rate

& Reference:NA

Solubility in Water:NONE

Appearance and Odor:COLORLESS LIQUID; SOLVENT ODOR.

Percent Volatiles by Volume:NE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL MAY CAUSE A REACTION.

Stability Condition to Avoid:NONE.

Hazardous Decomposition Products:CARBON OXIDES & TRACES OF INCOMPLETELY
BURNED CARBON COMPOUNDS. SILICONE DIOXIDE. METAL OXIDES.
FORMALDEHYDE.

===== Disposal Co
nsiderations =====

Waste Disposal Methods:IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL
ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek
competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.