

BOSTIC -- BOSTIK ADH 1096M 1 QT CAN -- 8040-01-125-4675

=====  
Product Identification  
=====

Product ID:BOSTIK ADH 1096M 1 QT CAN

MSDS Date:08/07/1996

FSC:8040

NIIN:01-125-4675

MSDS Number: CFDDZ

=== Responsible Party ===

Company Name:BOSTIC

Country:US

Info Phone Num:800-227-0332

Emergency Phone Num:800-227-0332

CAGE:LO494

=== Contractor Identification ===

Company Name:BOSTIC

Country:US

Phone:800-7

26-7845

CAGE:LO494

Company Name:BOSTIK INC.

Address:211 BOSTON ST

Box:City:MIDDLETON

State:MA

ZIP:01949

Country:US

Phone:978-777-0100/800-227-0332

CAGE:5W425

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MAGNESIUM OXIDE

CAS:1309-48-4

RTECS #:OM3850000

Fraction by Wt: 1.3%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:5 MG/M3

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 27.0%

Other REC Limi

ts:NONE RECOMMENDED

ACGIH TLV:200 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:SOLVENT NAPHTHA

CAS:64742-89-8

Fraction by Wt: 15.5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:300 PPM

Ingred Name:TOLUENE (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 23.6%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (N-HEXANE) (CERCLA)

CAS:110-54-3

RTECS #:MN9275000

Fraction

by Wt: 9.4%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT EST.

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

==== Hazards Identification =====

LD50 LC50 Mixture:LC50 1500-25 PPM

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:IRRITATION, DIZZINESS, WEAKNESS,  
GIDDINESS, DROWSINESS, LETHARGY, TROUBLE BREATHING, DEFATTING,  
HEADACHE, INCOORDINATION, NAUSE

A, DIARRHEA, VOMITING, NARCOSIS.

TARGET ORGANS: CNS, HEART, KIDNEY, LIVER , SKIN, LUNGS. CHRONIC:  
DERMATITIS/CNS/KIDNEY/LIVER DAMAGE.

Medical Cond Aggravated by Exposure:SKIN ALLERGY, CARDIOVASCULAR  
DISEASE

===== First Aid Measures =====

First Aid:INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIF  
RESP (MOUTH-TO-MOUTH). IF TROUBLE BREATHING, GIVE OXYGEN. CALL DR.  
SKIN: FLUSH W/LOTS WATER >15 MIN. CALL DR. EYE: FLUSH W/PLENTY OF

WATER > 15 MIN. CALL DR.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:0F,-18C

Lower Limits:1.36

Upper Limits:8.66

Extinguishing Media:WATER SPRAY, FOAM, DRY CHEMICAL, CARBON DIOXIDE.

Fire Fighting Procedures:USE SCBA & PROTECTIVE CLOTHING.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB. CONTAINERIZE IN STEEL DRUMS.  
THOROUGHLY CLEAN AREA W/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL AREA AWAY FROM SUNLIGHT  
& IGNIT SOURCES. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

Other Precautions:USE W/ADEQUATE VENTILATION IN AREA FREE OF FLAME OR  
SPARK.

===== Exposure Controls/Personal Protection =====

Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL (GENERAL) ACCEPTIBLE.

Protective Gloves:NEOPRENE/NITRILE/IMPERVIOUS PLASTIC

Eye Protection:SAFETY GLASSES W/FULL FACE S

HELD.

Other Protective Equipment:SAFETY SHOWER/EYEBATH.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:150 TO 232F

Vapor Pres:74.0

Vapor Density:2.97

Spec Gravity:0.86

Evaporation Rate & Reference:4.4 (BUAC=1)

Solubility in Water:7.3%

Appearance and Odor:AMBER LIQUID, KETONE ODOR

Percent Volatiles by Volume:83.7

===== Stability and Reactivity Data =====

Stability Indicator/Materials to

Avoid:YES

NK

Stability Condition to Avoid:STRONG OXIDIZERS, HALOGENS, STRONG  
ALKALIES, STRONG ACIDS, STRONG MINERAL ACIDS, AMINES, AMMONIA,  
ALKALIES.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, WATER  
VAPOR, OXIDES OF NITROGEN, INOCUOUS/TOXIC FUMES, HYDROGEN CHLORIDE

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.  
EPA #D001.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.