View NSN Online: https://aerobasegroup.de/nsn/9150-01-113-2047

Product ID: FYRQUEL 220 MLT MSDS Date:03/07/1997 FSC:9150 NIIN:01-113-2047 MSDS Number: CFFGR === Responsible Party === Company Name: AKZO CHEMICALS INC. Address:300 S RIVERSIDE PLAZA City:CHICAGO State:IL ZIP:60606 Country:US Info Phone Num:312-906-7522 Emergency Phone Num:312-906-7054,800-424-9300(CHEMTRE C) Preparer's Name: PRODUCT SAFETY CAGE:1F176 === Contractor Identification === Company Name: AKZO CHEMICALS INC Address:STATE RT 2 Box:1712 City:GALLIPOLIS FERRY State:WV ZIP:25515-1721 Country:US Phone:304-675-1150 CAGE:1F176 Company Name: AKZO NOBEL CHEMICALS INC Address:300 S. RIVERSIDE PLAZA Box:City:CHICAGO State:IL ZIP:60606-6613 Country:US Phone:312-906-7500 TECH: 800-828-792 CAGE:97854

Ingred Name:TRIPHENYL PHOSPHATE CA

S:115-86-6 RTECS #:TC8400000 Fraction by Wt: 15-25% Other REC Limits:NONE RECOMMENDED OSHA PEL:3 MG/M3 ACGIH TLV:3 MG/M3; 9596

Ingred Name:BUTYLATED TRIPHENYL PHOSPHATE MIXTURE Fraction by Wt: 75-85% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD 50 ORAL RAT IS > 5000 MG/KG. Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN & EYE CONTACT MAY RESULT IN IRRITATION. INHALATION MAY CAUSE RESPIRATORY IRRITATION. INHALATION OR INGESTION OF TRIPHENYL PHOSPHATE MAY CAUSE CHLINESTERAE INHIBITION. INGESTION MAY CAUSE GI TRACT IRRITATION. CHRONIC: PROLONGED/REPEATED EXPOSURE MAY CAUSE SKIN AND/OR EYE IRRITATION. Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN. Effects of Overexposure: IRRITATION OF EYES, SKIN, RESPIRATORY TRACT. SYM PTOMS OF CHOLINESTERASE INHIBITION ARE SALIVATION, SWEATING, HEADACHE, NAUSEA, MUSCLE TWITCHING, TREMORS, INCOORDINATION, BLURRED VISION, TEARS, ABDOMIN AL CRAMPS, DIARRHEA AND CHEST DISCOMFORT. MAY LEAD TO CONVULSIONS, PULMONARY EDEMA, RESPIRATORY

FAILURE AND DEATH.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IN ALL CASES GET MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 1

5 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRAT ION AS NEEDED. INGESTED-CONTACT POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY! DO NOT INDUCE VOMITING! NOTE: ATROPINE IS ANTODOTAL; 2-PAM ALSO IS WHEN IN CONJUNCTION WITH ATROPINE.

Flash Point Method:PMCC Flash Point:475F,246C Extinguishing Media:USE WATER SPRAY, CARBON DIO XIDE, OR DRY CHEMICALS EXTINGUISHING AGENTS.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED FULL-FACE, SCBA AND IMPERVIOUS PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS TO PREVENT RUPTURE. Unusual Fire/Explosion Hazard:THIS PRODUCT IS NOT DEFINED AS FLAMMABLE OR COMBUSTIBLE. IS SELF-EXTINGUISHING. MATERIAL IS NOT SENSITIVE TO STATIC DISCHARGE OR PHYSICAL IMPACT. DECOMPOSES.

=====

Spill Release Procedures: VENTILATE AREA. WEAR PROTECTIVE CLOTHING AND EQUIPMENT. ABSORB SPILL WITH INERT MATERIAL AND PLACE IN COVERED DISPOSAL CONTAINER.BRUSH AREA WITH LAUNDRY DETERGENT AND WATER. DIKE WATER FOR DISPOSAL. D O NOT ALLOW CONTAMINATED WATER TO ENTERWATERWAYS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY, WELL VENTILATED AREA.

PROTECT FROM PHYSICAL DAMAGE, HEAT, AND IGNITION SOURCES. KEEP CONTAINERS CLOSED.

Other Precautions:STORE AWAY FROM FOODSTUFFS. AVOID PROLONGED STORAGE AT ELEVATED TEMPERATURES UNDER WET ALKALINE OR ACIDIC CONDITIONS.PREVENT MOISTURE CONDENSATION IN THE CONTAINER.AT TEMPERATURES BELOW 40F IMPROVED P UMPING RATES MAY BE ACHIEVED BY WARMING.

Respiratory Protection:NONE REQUIRED WITH ADEQUATE VENTILATION. WHER E

ADEQUATE VENTILATION IS NOT AVAILABLE USE NIOSH-APPROVED RESPIRATOR WITH DUST,MIST AND FUME FILTERS.FOR HIGHER LEVEL OF PROTECTION USE NIOSH-APPROVED POS ITIVE-PRESSURE,AIR-SUPPLIED RESPIRATOR.

Ventilation:LOCAL EXHAUST VENTILATION.

Protective Gloves: IMPERVIOUS GLOVES.

Eye Protection: CHEMICAL SAFETY GOGGLES.

Other Protective Equipment: PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE

EXPOSURE. EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices: WASH AFTER HANDLING AND BEFORE

EATING, DRINKING OR SMOKING. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health ALL FOOD SHOULD BE KEPT IN A SEPARATE AREA AWAY FROM THE STORAGE/USE LOCATION. EATING, DRINKING, AND SMOKING SHOULD BE PROHIBITED IN AREAS WHERE THERE IS A POTENTIAL FOR SIGNIFICANT EXPOSURE TO THIS M ATERIAL.

HCC:V1 Melt/Freeze Pt:M.P/F.P Text:0F,-18C Vapor Pres: