

EASTMAN KODAK COMPANY -- 123 0432 EKTACOLOR RA DEVELOPER REPLENISHER,PART C --
6750-01-354-1029

===== Product Identification =====

Product ID:123 0432 EKTACOLOR RA DEVELOPER REPLENISHER,PART C

MSDS Date:05/09/1997

FSC:6750

NIIN:01-354-1029

MSDS Number: CFFJQ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone

Num:716-477-3194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Informa

tion on Ingredients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 55 - 60%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:POTASSIUM CARBONATE
CAS:584-08-7
RTECS #:TS7750000
Fraction by Wt: 35 - 40%
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Fraction by Wt: 1 - 5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty
:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:SUBSTITUTED PHOSPHONATE/PHOSPHONIC
ACID,(1-HYDROXYETHYLIDENE)DI-
CAS:2809-21-4
RTECS #:SZ8562100
Fraction by Wt: 100C
Vapor Pres:18 @ 68F
Vapor Density:0.6
Spec Gravity:1.415
pH:>13
Solubility in Water:COMPLETE
Appearance and Odor:COLORLESS LIQUID - ODORLESS
Percent Volatiles by Volume:60- 70

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ACIDS
Stability Condition to Avoid:NONE
Hazar

dous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL IS SUBJECT TO
FEDERAL, STATE OR LOCAL REGULATIONS. NEUTRALIZE WITH ACID AND FLUSH
TO SEWER WITH LARGE AMOUNT OF WATER, IF ALLOWED. SINCE EMPTIED
CONTAINERS RETAIN PROD UCT RESIDUE, FOLLOW LABEL WARNINGS EVENEMPTY
ONES

Disclaimer (provided with this information by the compiling agencies):
This information is formulated fo
r use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.