

ACCESS PRODUCTS LLC (IMAGING SYSTEMS) -- CANON PX (92274 A) PX CARTRIDGE  
REPLACEMENT TONER -- 6850-01-416-7995

===== Product Identification =====

Product ID:CANON PX (92274 A) PX CARTRIDGE REPLACEMENT TONER

MSDS Date:07/01/1995

FSC:6850

NIIN:01-416-7995

MSDS Number: CFFLF

=== Responsible Party ===

Company Name:ACCESS PRODUCTS LLC (IMAGING SYSTEMS)

Address:4160 CENTER PARK DR

City:COLORADO SPRINGS

State:CO

ZIP:80909

Country:US

Info Phone Num:719-573-0800/800-798-7799

Emergency Phone Num:719-573-0800/800-798-7799

CAGE:0G4A2

=== Contractor Identification ===

Company Name:IMAGING SYSTEMS LLC DBA ACCESS PRODUCTS INC

Address:4160 CENTER PARK DR

Box:City:COLORADO SPRINGS

State:CO

ZIP:80916

Country:US

Phone:719-573-0800

CAGE:0G4A2

===== Composition/Information on Ingredients =====

Ingred Name:STYRENE ACRYLIC COPOLYMER

Fraction by Wt: 45 - 60%

Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNETIC OXIDE

Fraction by Wt: 25 - 35%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CCA

Fraction by Wt: 1 - 2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYWAX

Fraction by Wt: 1 - 4%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POST ADDITIVES

Fraction by Wt: 1 - 2%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Re

ports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, RESPIRATORY TRACT.  
ACUTE- NO KNOWN HEALTH HAZARD WHEN USED AS INTENDED. EYES:MAY CAUSE  
TRANSIENT IRRITATION. SKIN:LOW HAZARD FOR RECOMMENDED HANDLING.  
INHALE:MAY CAUSE COUGH. ORAL: EXPECTED TO BE A LOW INGESTION  
HAZARD. CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION, GASPING, COUGHING  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE  
-EXISTING EYE  
PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE  
TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.  
SKIN:WASH WITH SOAP & WATER. ORAL:DRINK 1-2 GLASSES OF WATER. SEEK  
MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS  
PERSON.

===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:NOT RELEVANT  
Upper Limits:NOT RELEVANT  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL. WATER  
SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION  
PRODUCTS MAY BE FORMED.  
Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE  
DUST-AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:CAREFULLY, SWEEP MATERIAL ONTO PAPER AND PLACE  
IN A FIBER CARTON. CLEAN SPILL AREA THOROUGHLY TO REMOVE RESIDUAL  
CONTAMINATION. DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILL OF  
POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR  
EXPLOSION.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precaution

s:KEEP CONTAINER CLOSED. STORE AWAY FROM  
STRONG OXIDIZING AGENTS. MINIMIZE DUST GENERATION AND ACCUMULATION.  
Other Precautions:AVOID CONTACT WITH EYES. USE WITH ADEQUATE  
VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF  
CHILDREN. DO NOT BREATHE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.  
Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 4-6 RM VALUME/HR)  
SHOULD BE USED. VENTILATION RATES S  
HOULD BE MATCHED TO CONDITIONS.  
Protective Gloves:RUBBER/LATEX FOR REPEATED CONTACT  
Eye Protection:GOGGLES RECOMMENDED  
Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER  
Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
NRC/State Lic Num:NOT RELEVANT  
Spec Gravity:1.25 - 1.65  
Viscosity:NOT RELEVANT  
Evaporation Rate & R  
eference:NOT RELEVANT  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:FINE POWDER - SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:DUST FORMATION  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
OXIDES OF IRON

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL MAY BE SU

BJECT

TO FEDERAL, STATE OR LOCAL REGULATIONS. INCINERATE OR LANDFILL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsi

bility for the suitability of this information to their particular situation.