View NSN Online: https://aerobasegroup.de/nsn/6810-00-237-2922

CAROLINA BIOGOLICAL SUPPLY CO -- BARIUM CHLORIDE, DIHYDRATE ACS, 84-6708

6810-00-237-2922

Product ID:BARIUM CHLORIDE, DIHYDRATE ACS, 84-6708

MSDS Date:05/12/1997

FSC:6810

NIIN:00-237-2922

MSDS Number: CFKXX === Responsible Party ===

Company Name: CAROLINA BIOGOLICAL SUPPLY CO

Address:2700 YORK RD

City:BURLINGTON

State:NC

ZIP:27215-3387

Country:US

Info Phone Num:910

-584-0381

Emergency Phone Num:910-584-0381/800-424-9300(CHEMTREC)

CAGE:59896

=== Contractor Identification ===

Company Name: CAROLINA BIOLOGICAL SUPPLY CO

Address:2700 YORK RD Box:City:BURLINGTON

State:NC

ZIP:27215-3387 Country:US

Phone:800-227-1150/910-584-0381

CAGE:59896

======= Composition/Information on Ingredients ========

Ingred Name: BARIUM CHLORIDE DIHYDRATE

CAS:10326-27-9 RTECS #:CQ8751000 Fraction by Wt: 99- 100%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:0.5 MG BA/M3

ACGI

**ONIC-IRRITATION OF** 

RESPIRATORY SYSTEM, CENTRAL NERVOUS SYSTEM DAMAGE, DAMAGE TO SPLEEN, LIVER AND BONE MARROW.

**Explanation of Carcinogenicity:NONE** 

Effects of Overexposure:IRRITATION, DISCOMFORT, PAIN, TEARING, BLURRING OF VISION, NAUSEA, HEADACHE, DIZZINESS, VOMITING, WEAKNESS, DIARRHEA

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYE/SKIN:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALE D:MOVE TO FRESH

AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:IF CONSCIOUS, DRINK PLENTY OF WATE R & INDUCE VOMITING IMMEDIATELY AS DIRECTED BY MEDICAL PERSONNEL. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

============ Fire Fighting Measures ==============

Flash Point:NONE

Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT


Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SU

RROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE.

======== Accidental Release Measures ==========

Spill Release Procedures:WEAR PROTECTIVE CLOTHING, RESPIRATORY EQUIPMENT SUITABLE FOR TOXIC DUSTS. SWEEP, SCOOP/PICK UP SPILLED MATERIAL. AVOID DUST DISPERSAL. PACKAGE FOR DISPOSAL



Viscosity: NOT RELEVANT **Evaporat** 

Percent Volatiles by Volume:0
========= Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES Hazardous Decomposition Products:HYDROGEN CHLORIDE
======== Disposal Considerations =============

Appearance and Odor: COLORLESS CRYSTALS - ODORLESS

ion Rate & Dr. Reference: NOT RELEVANT

Solubility in Water: COMPLETE (100%)

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE & LOCAL ENVIRONMENTAL REGULATION
S. REUSING OR RECYCLING IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.