

THERMAL CERAMICS -- INSULATING FIREBRICK PRODUCTS -- 9350-00-229-4185

=====
Product Identification
=====

Product ID:INSULATING FIREBRICK PRODUCTS

MSDS Date:10/01/1990

FSC:9350

NIIN:00-229-4185

MSDS Number: CFLCF

=== Responsible Party ===

Company Name:THERMAL CERAMICS

Address:2102 OLD SAVANNAH RD

Box:923

City:AUGUSTA

State:GA

ZIP:30906

Country:US

Info Phone Num:706-796-4200

Emergency Phone Num:706

-796-4200

CAGE:0UHC8

=== Contractor Identification ===

Company Name:THERMAL CERAMICS

Address:P.O. BOX 923 MS 300

Box:City:AUGUSTA

State:GA

ZIP:30903

Country:US

Phone:800-722-5681

CAGE:0UHC8

Company Name:THURSTON C E AND SONS INC

Address:2605 COFER RD

Box:24717

City:RICHMOND

State:VA

ZIP:23224

Country:US

Phone:804-231-4436

CAGE:7A143

=====
Composition/Information on Ingredients
=====

Ingred Name:REFRACTORY INSULATING FIREBRICK

CAS:66402-68-4

Other REC Limits:NONE RECOMMENDED

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES- MAY CAUSE TEMPORARY IRRITATION.
SKIN- MAY CAUSE TEMPORARY IRRITATION. INHALATION- MAY CAUSE
TEMPORARY IRRITATION. INGESTION- MAY CAUE TEMPORARY IRRINATION.
Effects of Overexposure:EYES, SKIN, INHALATION, AND INGESTION- MAY
CAUSE TEMPORARY DISCOMFORT.
Medical Cond Ag
gravated by Exposure:MAY AGGRAVATE BRONCHIAL DISORDERS.

==== First Aid Measures =====

First Aid:EYES- FLUSH WITH PLENTY OF WATER. IF IRRITATION PERSISTS,
CALL A PHYSICIAN. SKIN- WASH WITH MILD SOAP AND WATER.
INHALATION- REMOVE TO FRESH AIR. INGESTION- DRINK PLENTY OF WATER.

==== Handling and Storage =====

Other Precautions:NONE

==== Exposure Controls/Personal Protection =====

Respirato
ry Protection:DUST RESPIRATOR IN COMPLIANCE WITH OSHA STANDARD
29 CFR 1910.134 (MSHA/NIOSH-APPROVED, AIR PURIFYING, HALF MASK OR
FULL FACEPIECE RESPIRATOR WITH APPROPRIATE FILTER PAD OR
CARTFIDGE).
Ventilation:LOCAL OR GENERAL MECHANICAL EXHAUST.
Protective Gloves:RECOMMENDED.
Eye Protection:GOGGLES/SAFETY GLASSES RECOMMENDED.
Other Protective Equipment:AS REQUIRED TO MEET APPLICABLE OSHA
STANDARDS.
Supplemental Safety and Health
NONE

==== Physical/Chemical Proper
ties =====

HCC:N1
Spec Gravity:0.5-1.3
Solubility in Water:INSOLUBLE
Appearance and Odor:POROUS BRICK. NO ODOR.

==== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:NONE

==== Disposal Considerations =====

Waste Disposal Methods:WASTES ARE NOT HAZARDOUS WASTES AS DEFINED BY
RCRA (40 CFR 261). COMPLY WITH FEDERAL, STATE, AND LOCAL
REGULATIONS. MET

HOD: LANDFILL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.