

ITW DEVCON -- STAINLESS STEEL PUDDY, (ST) HARDENER. -- 8030-00-268-7934

=====
Product Identification
=====

Product ID:STAINLESS STEEL PUDDY, (ST) HARDENER.

MSDS Date:10/01/1993

FSC:8030

NIIN:00-268-7934

Kit Part:Y

MSDS Number: CFMYX

=== Responsible Party ===

Company Name:ITW DEVCON

Address:30 ENDICOTT STREET

City:CANVERS

State:MA

ZIP:01923

Country:US

Info Phone Num:800-424-9300 (CHEMTREC)

Emergen

cy Phone Num:508-777-1100

CAGE:0RZG3

=== Contractor Identification ===

Company Name:ITW DEVCON

Address:30 ENDICOTT ST

City:DANVERS

State:MA

ZIP:01923-3712

Country:US

Phone:978-777-1100

CAGE:0RZG3

Company Name:R. S. HUGHES CO.

Address:6530 5TH PL S

Box:81084

City:SEATTLE

State:WA

ZIP:98108

Country:US

Phone:206-767-4463

CAGE:9H439

=====
Composition/Information on Ingredients
=====

Ingred Name:TRIETHYLENE TETRAMINE

CAS:112-24-3

RTECS #:YE6650000

Fraction by Wt: 40-60.0%

Other RE

C Limits:NONE RECOMMENDED

Ingred Name:POLYAMIDE OF C18 FATTY ACID DIMERS & TETA

CAS:68410-23-1

Fraction by Wt: 50-70.0%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 2460 MG/KG, 820 DERMAL.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRITATION, BURN. SKIN:

IRRITATION, BURN. INHAL: IRRITATION, NAUSEA, V

OMIT. INGEST: BURN,

GI IRRITATION & ULCERATION. CHRONIC: SKIN: SENSITIZATION, ITCHING,

RASH, SWELLING. INHAL: SENSITIZATION, ASTHMA-LIKE RESPIRATORY

REACTION, LIVER/KIDNEY EFFECTS.

Medical Cond Aggravated by Exposure:ASTHMA, BRONCHITIS & SKIN

IRRITATION.

===== First Aid Measures =====

First Aid:EYE: IMMEDIATELY FLUSH W/CLEAN WATER >15 MINUTES, LIFT LIDS, GET IMMEDIATE MEDICAL AID. SKIN: IMMEDIATELY REMOVE CONTAMINATED CLOTHES/SHOES, WASH BEFORE REUSE. WASH

WELL W/SOAP & WARM WATER, CALL DR. INHAL: GET FRESH

AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED, CALL DR.

INGEST: DO NOT INDUCE VOMIT. DILUTE W/LOTS OF MILK/WATER, GET IMMEDIATE MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>200F,>93C

Lower Limits:NE

Upper Limits:NE

Extinguishing Media:WATER, CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:USE SCBA & SUFFICIENT PROTECTIVE GEAR TO PREVENT ALL SKIN/EYE CONTACT

CT.

Unusual Fire/Explosion Hazard:DECOMPOSITION PRODUCES HAZARDOUS FUMES.

===== Accidental Release Measures =====

Spill Release Procedures:PREVENT SKIN/EYE CONTACT. REMOVE CONTAM CLOTHES/SHOES. ABSORB. SCRAPE UP & TRANSFER TO IMPERVIOUS CONTAINER. SCRUB AREA W/STRONG DETERGENT & WATER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA IN CLSD CNTNR. KEEP HANDS AWAY FROM EYE WHIL

E HANDLING. REMOVE CONTAM CLOTHES, WASH BEFORE REUSE. DISCARD CONTAM LEATHER GOODS

Other Precautions:IF SANDED/MACHINED AFTER CURING, A TLV OF 10 MG/M3 SHOULD BE OBSERVED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:MECHANICAL (GENERAL) IS ADEQUATE. LOCAL EXHAUST RECOMMENDED.

Protective Gloves:CHEMICAL RESISTANT, RUBBER.

Eye Protection:SAFETY GLASES W/SIDE SHIELDS.

Other Protecti

ve Equipment:AS NEEDED TO PREVENT SKIN CONTACT.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>450F,>232C

Melt/Freeze Pt:M.P/F.P Text:NE

Vapor Pres:1.0

Spec Gravity:0.98

pH:10-11

Evaporation Rate & Reference: