

THIRD COAST PACKAGING INC -- ATF MERCON/DEXRON III -- 9150-00-657-4959

=====
Product Identification
=====

Product ID:ATF MERCON/DEXRON III

MSDS Date:11/19/1996

FSC:9150

NIIN:00-657-4959

MSDS Number: CFRDW

=== Responsible Party ===

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77546

Country:US

Info Phone Num:713-482-9212

Emergency Phone Num:

800-424-9300(CHEMTREC)

CAGE:0P418

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:THIRD COAST PACKAGING INC

Address:18410 W CLOVER LN

Box:367

City:FRIENDSWOOD

State:TX

ZIP:77549

Country:US

Phone:281-482-9212;914-838-7204

CAGE:0P418

=====
Composition/Information on Ingredients
=====

Ingred Name:SOLVENT REFINED, HYDROTREA

TED LIGHT PARAFFINIC DISTILLATE
CAS:64742-55-8
RTECS #:PY8036500
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHOXYLATED LONG CHAINED ALKYL AMINE
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

Ingred Name:DIPHENYLAMINE, 0.01-0.09%.
CAS:122-39-4
RTECS #:JJ7800000
Fraction by Wt: SEE ING
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3; 9596

Ingred Name:C.I. SOLVENT RED 164
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

Ingred Name:XYLENES
(O-,M-,P- ISOMERS) (SARA 313) (CERCLA)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 160C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:NOT KNOWN
Upper Limits:NOT KNOWN
Extinguishing Media:USE FOAM,WATER SPRAY,DRY POWDER,CARBON DIOXIDE
(CO2).WATER CAN BE USED TO COOL/PROTECT EXPO MATL.
Fire Fighting Procedures:APPROACH FIRE UPWIND SIDE.AVOID BREATH
SMOKE/FUME/MIST/VAP ON DOWNWIND SIDE.DONT ENTER FIRE AREA W/O FULL
BUNKER EQPMT INCLUDE NIOSH APPROV POSITIVE (SUPPLEMEN)
U
Unusual Fire/Explosion Hazard:TOXIC FUMES/GAS/VAP MAY EVOLVE ON
BURNING.CNTNRS MAY RUPTURE FRM INTERNAL PRESSURE IF CONFINED TO
FIRE AREA.COOL W/H2O.GET NONESSENTIAL PERSONNEL OUT OF AREA.

===== Accidental Release Measures =====

Spill Release Procedures:PPE MUST BE WORN(SEE MSDS).VENTILATE AREA IF
SPILL IN CONFINED SPACE OR OTHER POORLY VENTI AREA.DIKE TO CONTAIN
SPILL.PICK UP FREE LIQ FOR RECYLCE &/OR DISPOSAL.RESIDUAL LIQ &/OR
SOLID CAN BE ABSOR

BED ON INERT MATL.KEEP FROM SEWERS/NATURALWATERWAYS.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FRM HEAT/FLAME.USE W/ADEQUATE VENTI.AVOID BREATH VAP.DONT GET IN EYE/SKIN/CLOTH.
Other Precautions:ODOROUS/TOXIC FUMES FORM FRM DECOMPO PROD IF STORE @TEMPS IN EXCESS OF 113F FOR EXT PER OF TIME/HEAT SOURCES EXCESS OF 250F USED.EMPTY CNTNR CONTAINS PROD RESIDUE WHIC H MAY EXHIBIT PROD HAZ.DONT FLAME /CUT/BRAZE/WELD NEAR FULL/EMPTY(SUPPLEM)

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR OR MASK TO PREVENT OVEREXPOSURE.AVOID PROL/REP BREATH OF VAPORS.USE SELF-CONTAINED BREATHING APPARATUS FOR ENTRY INTO CONFINED SPACE FOR OTHER POORLY VENTI AREAS & FOR LG SPILL CLEANUP SITES.
Ventilation:USE LOCAL EXHAUST & GENERAL MECHANICAL VENTILATION.
Protective Gloves:CHEMICAL RESISTANT GLOVES
Eye Protection:FACE SHIELD,SAFE GLASSES OR GOGGLES
Other Protective Equipment:LONG SLEEVED SHIRT TO PREVENT CONTACT.
Work Hygienic Practices:LAUNDRY CONTAM CLOTH BEF REUSE.WASH WELL AFT HNDLG.AVOID EYE/PROL/REP SKIN CONTACT.
Supplemental Safety and Health
OTHER PRECAUT:CNTNR.STORE IN COOL VENTI AREA BELOW 140F.KEEP CNTNR CLSD.IMPORTANT:READ MSDS BEF HNDLG/DISPO PROD.PASS INFO ON TO EMPLOYEES/CUSTOMERS/USER OF PRODUCT. FIREFIGHT:PRESSURE BREATH EQPMT.

=====
===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:N/DETERMINE
Melt/Freeze Pt:M.P/F.P Text:NP
Decomp Temp:Decomp Text:NP
Vapor Pres:N/DETERMIN
Vapor Density:N/DETERMIN
Spec Gravity:0.866
pH:NP
Viscosity:NP
Evaporation Rate & Reference:NP
Solubility in Water:NP
Appearance and Odor:RED LIQUID, MILD ADDITIVE ODOR
Percent Volatiles by Volume:0.0
Corrosion Rate:NP

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials t

o Avoid: YES

KEEP AWAY FROM OXIDIZERS.

Stability Condition to Avoid: KEEP AWAY FROM HEAT AND OPEN FLAMES.

Hazardous Decomposition Products: SMOKE, TOXIC FUMES, CO₂, CO UNDER FIRE CONDITIONS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTAINS SARA SEC 313 TOXIC CHEM: TOLUENE 0.01-0.09%; XYLENE 0.00875%; ETHYL BENZENE 0.001675%. NOT CONSIDERED HAZ WASTE WHEN UNCONTAM. DISPO OF ACCORDING TO LOC/STATE/FED REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.