

PIMA VALVE INC -- MOBIL DTE OIL HEAVY MEDIUM -- 9150-00-993-8588

===== Product Identification =====

Product ID:MOBIL DTE OIL HEAVY MEDIUM

MSDS Date:12/07/1994

FSC:9150

NIIN:00-993-8588

MSDS Number: CFRFH

=== Responsible Party ===

Company Name:PIMA VALVE INC

Address:6525 W. ALLISON RD

Box:5010

City:CHANDLER

State:AZ

ZIP:85226-9405

Country:US

Info Phone Num:520-796-1095

Emergency Phone Num:520-796-1

095

CAGE:MO457

=== Contractor Identification ===

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:PIMA VALVE INC

Address:6525 W. ALLISON RD

Box:5010

City:CHANDLER

State:AZ

ZIP:85226-9405

Country:US

Phone:520-796-1095

CAGE:MO457

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE

:0T5C6

=====
Composition/Information on Ingredients
=====

Ingredient Name: PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE EXPOSURE LIMITS ESTABLISHED BY REGULATORY AGENCIES.
RTECS #: 9999999ZZ
Other REC Limits: NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture: ORAL LD50 (RAT) IS >2000 MG/KG
Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards A
cute and Chronic: INGEST: PRACTICALLY NON-TOXIC. EYE/SKIN:
PRACTICALLY NON-IRRITATING AND NON-SENSITIZING. INHAL: NO HAZARD
EXPECTED.
Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1%
WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC OR OSHA.
Effects of Overexposure: NO SYMPTOMS ANTICIPATED.
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid: SKIN: REMOVE CONTAMINATED CLOTHING; WAS
H WITH SOAP AND
WATER. EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN IF
IRRITATION OCCURS. INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN OR
ARTIFICIAL RESPIRATION IF NEEDED. INGEST: NOT EXPECTED TO BE A
PROBLEM. IF MORE THAN 1 PINT IS INGESTED, DO NOT INDUCE VOMITING. GET
PROMPT QUALIFIED MEDICAL ATTENTION. IF CONSCIOUS, GIVE 1-2 GLASSES OF
WATER.

=====
Fire Fighting Measures
=====

Flash Point Method: COC
Flash Point: >400F, >204C
Lower Limits: 0.6
U

ppper Limits:7.0

Extinguishing Media:WATER FOG,DRY CHEMICAL,CARBON DIOXIDE,FOAM.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT(EG.CLAY);PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL;CLEAN SPILL AREA TO REMOVE SLIPPERINESS.AVOID RUNOFF INTO WATER WAYS.REPORT SPIL LS RESULTING IN SHEEN UPON WATER TO 800-424-8802.

Neutralizing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL,DRY,WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NEEDED IN NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION.

Protective Gloves:NOT NEEDED IN NORMAL SERVICE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health

NONE

===== Physical /Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F,>316C

Vapor Pres:41CS@104F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID;LIGHT AMBER;MILD ODOR.

Percent Volatiles by Volume: