View NSN Online: https://aerobasegroup.de/nsn/6810-01-446-5539

Product ID:EPSILON-CAPROLACTAM,99 + %,24059-1 MSDS Date:10/12/1995 FSC:6810 NIIN:01-446-5539 MSDS Number: CFRLP === Responsible Party === Company Name: ALDRICH CHEMICAL CO INC./SUB OF SIGMA-ALDRICH CORP Address:1001 W. ST. PAUL AVE Box:355 City:MILWAUKEE St ate:WI ZIP:53201 Country:US Info Phone Num:414-273-3850/FAX -4979 Emergency Phone Num:414-273-3850 CAGE:60928 === Contractor Identification === Company Name: ALDRICH CHEMICAL CO INC Address:1001 WEST ST PAUL AVE Box:355 City:MILWAUKEE State:WI ZIP:53233 Country:US Phone:414-273-3850 CAGE:60928

Ingred Name:CAPROLACTAM (CERCLA) CAS:105-60-2 RTECS #:CM3675000 Fraction by Wt: >99% Other REC Limits:NONE RECOMMENDED ACGIH TLV:1MG/M3 DUST/5 VAP;95 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

LD50 LC50 Mixture:LD50 (ORAL, RAT) 1210 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, NERVES, RESPIRATORY & GI TRACTS. ACUTE- MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. MAY BE FATAL IF INHALED. CAUSES EYES & SKIN IRRITATION. HIGHL Y TOXIC. INHALATION OF DUST MAY CAUSE UPPER RESPIRATORY TRACT IRRITATION. EXPOSURE CAN CAUSE NAUSEA, VOMITING, HEADACHE. CHRONIC- DERMATITIS Explanation of Carcinogenicity:NONE Effects of Overexposure:IRRITATION, COUGHING, HEADACHE, NAUSEA, VOMITING, ALLERGIC SKIN REACTION, DERMATITIS, SEIZURES

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

==

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES/SKIN:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. ORAL:IF CONSCIOUS, WASH OUT MOU TH WITH WATER. GET MEDICAL ATTENTION.

Flash Point:NONE Lower Limits:1.4% Upper Limits:8% Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. TOXIC FUMES MAY BE PRESENT. Unusual Fire/Explosion Hazard:AS WITH ANY FINELY DIVIDED ORGANIC SOLID, DUST MAY BE EXPLOSIVE IF MIXED WITH AIR IN CRITICAL PROPORTIONS AND IN THE PRESENCE OF AN IGNITION SOURCE.

Spill Release Procedures:WEAR S

ELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS AND HEAVY RUBBER GLOVES. SWEEP UP SPILL. AVOID CREATING DUST. PLACE IN A BAG. HOLD FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER PICKUP I S COMPLETE. Neutralizing Agent:NOT RELEVANT

 Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED.
Other Precautions:HIGHLY TOXIC AND HYGROSCOPIC. DO NOT RAIS E DUST.

AVOID CONTACT WITH EYES, SKIN OR CLOTHING. AVOID INHALATION OF DUST. WASH THOROUGHLY AFTER HANDLING MATERIAL. KEEP OUT OF REACH OF CHILDREN. DO NOT ING EST. USE ONLY IN A CHEMICAL FUME HOOD.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:WEAR A NIOSH-APPROVED DUST RESPIRATOR OR DUST MASK. IN EMERGENCY WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP FUME O R

DUST LEVELS AS LOW AS POSSIBLE.

Protective Gloves: RUBBER

Eye Protection: SAFETY GLASSES WITH SIDE SHIELD/GOGGLES

Other Protective Equipment: EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING AND/OR UNIFORM

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH BEFORE EATING OR DRINKING. Supplemental Safety and Health

HCC:T3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B. P. Text:277F - 280F Melt/Freeze Pt:M.P/F.P Text:158F,70C Vapor Pres: