

FISHER SCIENTIFIC, CHEMICAL DIV. -- CHROMIUM METAL,C-318 -- 6810-01-448-9759

=====
Product Identification
=====

Product ID:CHROMIUM METAL,C-318

MSDS Date:09/29/1994

FSC:6810

NIIN:01-448-9759

MSDS Number: CFRNC

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC, CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100 OR 201-796-7523

Emerge

ncy Phone Num:201-796-7100/800-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO

Address:2000 PARK LN

Box:City:PITTSBURGH

State:PA

ZIP:15275

Country:US

Phone:412-490-8586

CAGE:22527

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====
Composition/Information on Ingredients
=====

Ingred Name:CHROMIUM (SARA 313) (CERCLA)

CAS:7440-47-3
RTECS #:GB4200000
Fraction by Wt: 99.5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:0.5 MG/M3; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN.
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS:LIVER, KIDNEYS. ACUTE-
INHALE:MAY CAUSE RESPIRATORY I
RRITATION. EYES/SKIN:MAY CAUSE
IRRITATION. ORAL:CHROMIUM METAL IS POORLY ABSORBED BY INTESTINAL
TRACT. SOME CHROMIUM COMPOUNDS MAY CA USE INTENSE THIRST, ABDOMINAL
PAIN, UREMIA WHICH MAY BE FATAL. CHRONIC- DERMATITIS, KIDNEY
DAMAGE, ULCER, EYE DAMAGE.
Explanation of Carcinogenicity:CONTAINS CHROMIUM.
Effects of Overexposure:IRRITATION, NAUSEA, VOMITING, TEARNING,
DERMATITIS, PAIN, DIZZINESS, BLOOD CHANGES, PULMONARY
SENSITIZATION, ULCERATION, PERFORATION OF NASAL SEPTUM
M
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN
DISORDERS, EYE PROBLEMS OR IMPAIRED LIVER, KIDNEY OR RESPIRATORY
FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH
AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:IMMEDIATELY FLUSH WITH
WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN:WASH WITH PLENTY OF
SOAP & WATE R.
ORAL:SEEK IMMEDIATE MEDICAL ATTENTION. IF VOMITING
OCCURS, KEEP HEAD BELOW HIPS. DO NOT GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS PERSON.

=====
===== Fire Fighting Measures =====

Flash Point:FLAMMABLE SOLID
Autoignition Temp:Autoignition Temp Text:752 F
Lower Limits:0.230%
Extinguishing Media:SMALL FIRE:DRY SAND OR DRY GRAPHITE. LARGE
FIRE:FOAM, WATER SPRAY, FOG, DRY CHEMICAL, CARBON DIOXIDE OR SAND
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND N

IOSH-APPROVED

SELF-CONTAINED BREATHING APPARATUS. KEEP UPWIND.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE
DUST-AIR MIXTURES.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. WITH A CLEAN DRY
SHOVEL, PLACE SPILL INTO CLEAN, DRY CONTAINER AND COVER. MINIMIZE
GENERATION OF DUST.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling

and Storage Precautions:STORE AWAY FROM INCOMPATIBLE
MATERIALS. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions:AVOID BREATHING DUSTS. DO NOT GET IN EYES, ON SKIN OR
ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR
DRINKING. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED. IF AIRBORNE CONCENTRATION
IS HIGH, WEAR A NIOSH-APPROVED DUST RESPIRATOR OR MASK.

Ventilation:

ADEQUATE

Protective Gloves:RUBBER FOR PROLONGED/REPEATED CONTACT

Eye Protection:SAFETY GLASSES/GOGGLES

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER
AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F8

NRC/State Lic Num:NOT RELEVANT

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT

RELEVANT

Solubility in Water:INSOLUBLE

Appearance and Odor:SHINEY METAL OR STEEL-GRAY POWDER, ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, STRONG ALKALIS, ALKALI CARBONATES, AMMONIUM
NITRATE, BROMINE PENTAFLUORIDE, LITHIUM, SO₂

Stability Condition to Avoid:CONTACT WITH INCOMPATIBLE MATERIALS

Hazardous Decomposition Products:CHROMIC OXIDE

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. REUSING IS RECOMMENDED. EPA HAZARDOUS WASTE
NUMBER: D007. REPORTABLE QUANTITY (RQ): 1 POUND.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims a

liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.