

DON V. DAVIS COMPANY -- CLEAR NITROCELLULOSE LACQUER TT-L-58 TYPE 1 CLASS 1 --  
8010-00-543-7839

=====  
===== Product Identification =====

Product ID: CLEAR NITROCELLULOSE LACQUER TT-L-58 TYPE 1 CLASS 1

MSDS Date: 07/01/1996

FSC: 8010

NIIN: 00-543-7839

MSDS Number: CFWXB

=== Responsible Party ===

Company Name: DON V. DAVIS COMPANY

Address: 4200 NORTH SECOND STREET

City: ST. LOUIS

State: MO

ZIP: 63147

Country: US

|

Info Phone Num: 314-241-2077

Emergency Phone Num: 314-241-2077

CAGE: 09390

=== Contractor Identification ===

Company Name: DON V. DAVIS COMPANY

Address: 4200 NORTH SECOND STREET

Box: City: ST. LOUIS

State: MO

ZIP: 63147

Country: US

Phone: 314-241-2077

CAGE: 09390

=====  
===== Composition/Information on Ingredients =====

Ingred Name: N-BUTYL ACETATE (CERCLA)

CAS: 123-86-4

RTECS #: AF7350000

Fraction by Wt: 9.17%

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 150 PPM

ACGIH TLV: 150 PPM

EPA Rpt Qty: 5000 LB

S

DOT Rpt Qty:5000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA 313) 99%

CAS:67-63-0

RTECS #:NT8050000

Fraction by Wt: 9.16%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

Ingred Name:MEK-SOLVENT

CAS:78-93-9

Fraction by Wt: 8.08%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:200 PPM

ACGIH TLV:200 PPM

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE) (SARA 313) (CERCLA)

CAS:108-10-1

RTECS #:SA9275000

Fraction by Wt: 14.53%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM

ACGIH TLV:50

PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:TOLUENE SOLVENT (SARA 313) (CERCLA)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 35.05%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM

ACGIH TLV:100 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:VOC = 5.75 LBS/GL

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH TLV:NOT RELEVANT

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YE

S Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic: EYE: IRRITATION, REDNESS, SWELLING.

SKIN: IRRITATION, REDNESS, RASH, DRYING, DEFATTING. INHAL:  
IRRITATION, ACUTE NS DEPRESSION, (HEADACHE, DIZZY, CONFUSION,  
NAUSEA, UNCONSCIOUSNESS, ASPHYXIATION). ING EST: GI IRRITATION,  
NAUSEA, VOMIT, CHEMICAL PNEUMONITIS. MAY BE FATAL. CHRONIC:  
BRAIN/NS/LIVER DAMAGE, DERMATITIS.

Medical Cond Aggravated by Exposure: RESPIRATORY DISORDERS & S  
KIN

ALLERGIES.

===== First Aid Measures =====

First Aid: SKIN: WASH W/SOAP & WATER. INHAL: REMOVE TO FRESH AIR.  
RESTORE BREATHING. GET MED AID. INGEST: DONT INDUCE VOMIT. GET MED  
AID. EYES: WASH W/UNBODIED LINSEED OIL. FLUSH W/WATER, GET MED AID.

===== Fire Fighting Measures =====

Flash Point: 16.0F, -8.9C

Extinguishing Media: FOAM, CO2, DRY CHEMICAL & WATER FOG.

Fire Fighting Procedures: USE SCBA & PROTECTIVE CLO  
THING. WATER CAN BE

USED FOR COOLING CONTAINERS.

Unusual Fire/Explosion Hazard: KEEP CONTAINERS CLOSED. KEEP AWAY FROM  
HEAT/OPEN FLAME/ELECTRIC EQUIPMENT. DECOMPOSITION OF MATERIAL MAY  
CAUSE HEALTH EFFECTS.

===== Accidental Release Measures =====

Spill Release Procedures: EVAC AREA. ABSORB W/SWEEPING COMPOUND. VENT  
AREA. ELIMINATE IGNITS. USE NONSPARKING TOOLS.

===== Handling and Storage =====

Handling and Storage P

recautions: STORE IN TIGHTLY CLOSED CONTAINERS.

STORE IN AREAS FOR FLAMMABLE LIQUID. NO SMOKING. DONT STORE >90F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: CANISTER MASK OR NIOSH APPROVED COMBINATION  
CHEMICAL CARTRIDGE/MECHANICAL FILTER RESPIRATOR PREFERRED.

Ventilation: GENERAL DILUTION. LOCAL EXHAUST.

Protective Gloves: RUBBER, POLYETHYLENE, NEOPRENE.

Eye Protection: CHEMICAL GOGGLES W/FULL FACE SHIELD.

Other Protective Equipment: USE SUITS

, SAFETY SHOES & HATS.

Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING OR SMOKING.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:176 TO 260F

Vapor Density:>AIR.

Spec Gravity:.807

Evaporation Rate & Reference: