

SPRAY-ON PRODUCTS INC. -- 1809 SCHOOL BUS YELLOW KD1809 AEROSOL SPECIALTY PRODUCTS -- 8010-01-010-3259

=====
===== Product Identification =====

Product ID:1809 SCHOOL BUS YELLOW KD1809 AEROSOL SPECIALTY PRODUCTS

MSDS Date:08/01/1996

FSC:8010

NIIN:01-010-3259

MSDS Number: CFWZS

=== Responsible Party ===

Company Name:SPRAY-ON PRODUCTS INC.

Address:26300 FARGO AVE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-1

310

Country:US

Info Phone Num:800-832-2541

Emergency Phone Num:216-566-2917

CAGE:IO713

=== Contractor Identification ===

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09800

Company Name:SPRAY-ON PRODUCTS

Address:26300 FARGO AVE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400

CAGE:IO713

=====
===== Composition/Information on Ingredients

=====

Ingred Name:PROPANE (VP = 760)
CAS:74-98-6
RTECS #:TX2275000
Fraction by Wt: 14.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM

Ingred Name:BUTANE (VP = 760)
CAS:106-97-8
RTECS #:EJ4200000
Fraction by Wt: 6.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:800 PPM
ACGIH TLV:800 PPM

Ingred Name:ETHYL BENZENE (SARA 313) (VP = 7.1)
CAS:100-41-4
RTECS #:DA0700000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM/STEL 125
ACGIH TLV:100 PPM/STEL 125
EPA Rpt Qty
:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE (SARA 313) (CERCLA) (VP = 5.9)
CAS:1330-20-7
RTECS #:ZE2100000
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM/STEL 150
ACGIH TLV:100 PPM/150 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)
(VP = 70)
CAS:78-93-3
RTECS #:EL6475000
Fraction by Wt: 4.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:200 PPM/300
ACGIH TLV:200 PPM/STEL 300
EPA Rpt Qty:5000

LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHOXY PROPYLENE ACETATE (VP = 1.80
CAS:108-65-6
RTECS #:AI8925000
Fraction by Wt: 7.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTANOL SARA 313) (CERCLA) (VP = 550)
CAS:71-36-3
RTECS #:EO1400000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE (SARA 313) (CERCLA) (VP = 180
CAS:67-64-1
RTECS #:AL3150000
Fraction by Wt: 38.0%
Other REC Limits:NONE RE
COMMENDED
OSHA PEL:750 PPM/STEL 1000
ACGIH TLV:750 PPM/STEL 1000
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:METHYL ISOBUTYL KETONE (HEXONE) (SARA 313) (CERCLA) (VP =
16)
CAS:108-10-1
RTECS #:SA9275000
Fraction by Wt: 4.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:50 PPM/STEL 75
ACGIH TLV:50 PPM/STEL 75
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports

of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: HEADACHE, DIZZY, NAUSEA, LOSS
OF COORDINATION, RESPIRATORY SYSTEM IRRIT, NS DEPRESSION,
UNCONSCIOUS, DEATH. SKIN: IRRITATION, REDNESS, ITCHING, BURNING.
EYE: IRRITATION, REDNESS, ITCHING, BURNING.

===== First Aid Measures =====

First Aid:INHAL: GET FRESH AIR. RESTORE BREATHING. KEEP WARM/QUIET.
SKIN: WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES, WASH BEFORE
REUSE. EYE: FLUSH W/WATER FOR 15 MINUTES, GET MED AID. INGEST: DONT
INDUCE VOMIT , DRINK SEVERAL GLASSES WATER, GET MED AID.

===== Fire Fighting Measures =====

Flash Point:ETHER
Solubility in Water:NA
Percent Volatiles by Volume:47.18

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NK
Hazardous Decomposition Products:BY FIRE: CARBON DIOXIDE, CARBON
MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DONT INCINERATE. DEPRESSURIZE CONTAINERS.
DISPOSE OF IN ACCORDANCE W/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.