

COURTAULDS AEROSPACE, INC -- EPOXY RESIN BLACK COMPOUND, PR-1826 B-1/2 --
8030-01-290-5137

===== Product Identification =====

Product ID:EPOXY RESIN BLACK COMPOUND, PR-1826 B-1/2

MSDS Date:09/24/1996

FSC:8030

NIIN:01-290-5137

Kit Part:Y

MSDS Number: CFXCM

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Countr

y:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:EPOXY RESIN

CAS:28064-14-4

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:HYDANTOIN EPOXY RESIN

CAS:153

36-82-0
Fraction by Wt: 35.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 4000 MG/KG RAT LC50 *
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRITATION. SKIN: IRRITATION,
ALLERGIC REACTION. INHAL: IRRITATION.
Explanation of Carcinogenicity:CARBON IS LISTED BY IARC AS A
CARCINOGEN.

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER FOR 15 MINUTES, GET MED AID. SKIN: WASH
W/SOAP & WATER, GET MED AID. INHAL: GET FRESH AIR, GET MED AID.
INGEST: DRINK LARGE AMOUNTS OF WATER, DONT INDUCE VOMIT, GET MED
AID.

===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Lower Limits:NE
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.

===== Accidental Release Measures =====

Spill Release Procedures:SCOOP INTO CONTAINERS. CLEAN UP RESIDUE
W/SUITABLE SOLVENT.

===== Exposure Controls/Personal Protection =====

Ventilation:GENERAL
Protective Gloves:RUBBER OR PLASTIC
Eye Protection:SAFETY GLASSES
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING
OR EATING.
Supplemental Safety and Health
* >4.1 MG/M3 AIR LD50 250 MG/MK (RAT)

===== Physical/Chemical Properties =

=====

Boiling Pt:B.P. Text:NONE
Vapor Density:NONVOLATIL
Spec Gravity:1.451
Evaporation Rate & Reference:NONVOLATILE
Appearance and Odor:BLACK PASTE.
Percent Volatiles by Volume:0.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG AMINES.
Hazardous Decomposition Products:OXIDES OF CARBON. OXIDES OF SILICONE
MAY EVOLVE.

===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE, LOCAL & EPA
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility
for the suitability of this information to their
particular situation.