

COURTAULDS AEROSPACE, INC -- PR1425 B-1/2 (1425B1) ACCELERATOR -- 8030-01-348-7547
===== Product Identification =====

Product ID:PR1425 B-1/2 (1425B1) ACCELERATOR

MSDS Date:09/24/1996

FSC:8030

NIIN:01-348-7547

Kit Part:Y

MSDS Number: CFXGZ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone

Num:818-240-2060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:DIMETHYLFORMAMIDE (CERCLA)(VP = 3.7 MMHG)

CAS:68-12-2

RTECS #:LQ2100000

Fraction by Wt: 25.0%

Other REC Limits:NONE RECOMMENDED

OS

HA PEL:10 PPM (SKIN)
ACGIH TLV:10 PPM (SKIN)
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingrid Name:CARBON BLACK (AIRBORNE CONTAMINANT, FULLY ENCAPSULATED)
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 200F,>93C
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE COMPLETE PERSONAL PROTECTION.
Unusual Fire/Explosion Hazard:OXIDIZED.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE & COVER W/NONOXIDIZABLE ABSORBENT. SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON RESIDUE. WORK INTO RESIDUE. SCOOP INTO DISPOSAL CONTAINER. CLEAN AREA W/WATER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID INGESTION. DUE TO TOXICITY BY SKIN ABSORPTION, AVOID ALL SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.

Ventilation:GENERAL VENTILATION

Protective Gloves:*

Eye Protection:CHEMICAL GOGGLES/FULL-FACE SHIELD.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING/EATING.

Supplemental Safety and Health

*NITRILE, BUTYL OR NATURAL RUBBER GLOVES FOR OCCASIONAL CONTACT. GLOVES NOT ADEQUATE PROTECTION FOR IMMERSION. SKIN AREAS SUBJECT TO SPLASH SHOULD BE PROTECTED W/ NITRILE, BUTYL, NATURAL RUBBER OR POLYETHYLENE APRON W/COVERALLS.

===== Physical/Chemical Properties =====

=====

Boiling Pt:B.P. Text:212 TO 307F
Vapor Density:>AIR
Spec Gravity:1.502
Evaporation Rate & Reference: