View NSN Online: https://aerobasegroup.de/nsn/8030-01-357-3567

COURTAULDS AEROSPACE INC -- PR-2911 WHITE PART B -- 8030-01-357-3567

Product ID:PR-2911 WHITE PART B MSDS Date:03/15/1995 FSC:8030 NIIN:01-357-3567 Kit Part:Y MSDS Number: CFXHD === Responsible Party === Company Name: COURTAULDS AEROSPACE INC Address:5430 SAN FERNANDO ROAD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-549-7586 **Emergency P** hone Num:818-549-7586 CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574

Ingred Name:PM ACETATE CAS:108-65-6 RTECS #:AI8925000 Fraction by Wt: 15% Other REC Limits:NONE SPECIFIED OSHA PEL:100 PPM ACGIH TLV:100 PPM

Ingred Name: POLYTHIOETHER POLYMER CAS:8

3346-49-0 Fraction by Wt: 85% Other REC Limits:NOT RECOMMENED

Ingred Name:VOC: 510 GM/L (COMBINED PART A & B) RTECS #:9999999VO Other REC Limits:NOT RECOMMENED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: BURNING/TEARING/REDDENING/CORNEAL INJURY/IRRIT. SKIN: DRYING/CRACKING/DERMATITIS. INHAL: IRRIT TO NOSE,THROAT,UP PER RESPIRATORY TRACT & LIVER/KIDNEY EFFECTS & BRONCHIAL IRRIT (COUGHING/TIGHTNESS IN CHEST/DIFFICULTY IN BREATHING). ASTHMA IN SENSITIZED PERSONS. INGEST: IRRIT DIGESTIVE TRACT, STOMACH.

First Aid:EYE: FLUSH W/WARM WATER FOR 15 MINUTES. GET MED AID. SKIN: WASH THOROUGHLY W/SOAP & WATER. COVER EXPOSED AREAS W/POLYETHYLENE GLYCOL (300-500 MW), REPEAT WASH. DISCARD OR DECONTAMINATE CLOTHING. GET M ED AI

D. INHAL: GET FRESH AIR. GET MED AID. INGEST: GIVE MILK/WATER TO DRINK. GET MED AID.

Flash Point Method:PMCC
Flash Point:116F,47C
Lower Limits:1.5
Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG.
Fire Fighting Procedures:USE AIR-SUPPLIED RESPIRATOR. USE WATER TO COOL CONTAINERS.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS.

======= Accidental R

elease Measures ================

Spill Release Procedures: USE AIR-SUPPLIED RESPIRATOR. COVER
 W/ABSORBANT. ADD DECONTAMINATION SOLUTIONS & ALLOW REACT FOR 10
 MINUTES. CONTAINERIZE & ADD ADDITIONAL DECONTAM SOLUTION* & LOOSELY
 COVER FOR 48 HRS. CLEANUP W/SUITA BLE SOLVENT.
 Neutralizing Agent:*DECONTAMINATION SOLUTION: 5% CONCENTRATED AMMONIA,
 2% DETERGENT, 93% WATER.

Handling and Storage Precautions:KEEP CONT
AINER TIGHTLY CLOSED. DONT
STORE >120F. USE GROUNDING/BONDING PROCEDURE WHEN TRANSPORTING
MATERIAL. AVOID MOISTURE CONTAMINATION. *
Other Precautions:*IT WILL CAUSE CO2 PRESSURE. DONT RESEAL CONTAINER IF
MOISTURE CONTAMINATION IS SUSPECTED. EMPTY DRUMS MAY CONTAIN
EXPLOSIVE VAPORS. DONT CUT/WELD ON/NEAR DRUM. VAPORS ARE >AIR & MAY
COLLECT IN LOW/CO NFINED AREAS. DONT PUNCTURE DRUM.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:US E AN AIR-SUPPLIED RESPIRATOR OR ORGANIC VAPOR CATRIDGE. Ventilation:GENERAL Protective Gloves:SOLVENT RESISTANT Eye Protection:CHEMICAL GOGGLES OR FULL-FACE SHIELD Other Protective Equipment:A FULL, PERMEATION RESISTANT, PROTECTIVE SUIT INCLUDING HEAD COVERING, OVERSHOES. Work Hygienic Practices:WASH THOROUGHLY AFER HANDLING & BEFORE SMOKING OR EATING. Supplemental Safety and Health NK

Boiling Pt:B.P. Text:284F,14 0C Vapor Density:>AIR Spec Gravity:1.12 Evaporation Rate & amp; Reference:UNAVAILABLE Appearance and Odor:AMBER LIQUID Percent Volatiles by Volume:19.5

Stability Indicator/Materials to Avoid:YES WATER, ALCOHOLS, STRONG BASES, AMINES. Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN; POSSIBLE TRACES OF HCN.

Waste Disposal Methods: EPA WASTE NO

. D-001. DISPOSE OF SPILLAGE IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.