View NSN Online: https://aerobasegroup.de/nsn/7045-01-115-7444

Product ID:TEXPAD,TX-801 MSDS Date:06/01/1997 FSC:7045 NIIN:01-115-7444 MSDS Number: CFYFT === Responsible Party === Company Name: ACCTECH LLC, CLEANTEX DIV Address:33 MURRY HILL DRIVE City:NANUET State:NY ZIP:10954 Country:US Info Phone Num:800-284-5577 Emergency Phone Num:800-284-5577 Chemtrec Ind/Ph one:(800)424-9300 CAGE:09ZF6 === Contractor Identification === Company Name: ACCTECH LLC Address:33 MURRY HILL DRIVE Box:City:NANUET State:NY ZIP:10954 Country:US Phone:800-284-5577 CAGE:09ZF6 **Company Name:NINETECH INTL INC** Address:1064 ROSELLE PL Box:City:WOODMERE State:NY ZIP:11598 Country:US Phone:516-887-7943 CAGE:0GKF8

Ingred Name:ISOPROPYL ALCOHOL (SARA 313) CAS:67-63-0 RTECS #:NT8050000 = Wt:91. Other REC Limits:NONE R ECOMMENDED OSHA PEL:400 PPM ACGIH TLV:400 PPM/500STEL;9596

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 = Wt:9. Other REC Limits:NONE RECOMMENDED **OSHA PEL:NOT RELEVANT** ACGIH TLV:NOT RELEVANT LD50 LC50 Mixture:LD50 (ORAL, RAT) IS UNKNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, SKIN, CNS, RESPIRATOR Y & GI TRACTS. ACUTE- EYE CONTACT WILL CAUSE LOCAL **IRRITATION & BURNING SENSATION WITH POSSIBLE INJURY IF NOT REMOVED** PROMPTLY. REPEATED OR PROLONGED CONTACT WI TH THE SKIN MAY PRODUCE **IRRITATION & CAUSE DERMATITIS. EXPOSURE ABOVE THE TLV MAY CAUSE** IRRITATION IF THE RESPIRATORY TRACT AND EYES ALONG WITH HEADACHE, DIZZINESS & CNS EFFECTS. MAY BE HARMFUL IF SWA LLOWED. Explanation of Carcinogenicity:NOT LISTED. Effects of Overexposure: EYES: LOCAL IRRITATION, BURNING SENSATION. SKIN: IRRITATION, DERMATITIS. INHALED: RESPIRATORY IRRITATION, HEADACHE, DIZZINESS, CNS EFFECTS. INGESTED: HARMFUL. Medical Cond Aggravated by Exposure:NOT LISTED. First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:MOVE TO FRESH AIR. RESTORE RESPIRATION/BREATHING. EYES: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: FLUSH WITH WATER. ORAL: IN THE UNLIKELY EVENT OF INGESTION OF A WIPER. IF CONSCIOUS. REMOVE THE OBJECT TO PREVENT CHOKING. ONCE REMOVED, KEEP AFFECTED PERSON AT REST. CALL PHYSICIAN IMMEDIATELY. Flash Point Method:TCC Flash Point:=13.3C, 56.F Extinguishing Media: USE CARBON DIOXIDE, "ALCOHOL" FOAM, OR DRY CHEMICAL. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA

WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-

APPROVED

SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:ISOPROPYL ALCOHOL MAY RELEASE VAPORS WHICH MAY IGNITE AT OR ABOVE THE FLASH POINT. FORMULATION IS CLASSIFIED AS AN OSHA CLASS IB FLAMMABLE LIQUID.

Spill Release Procedures: ISOPROPYL ALCOHOL IS ABSORBED BY APPLICATOR AND THE AMOUNT IS SMALL. IF A SIGNIFICANT AMOUNT OF LIQUID IS RELEASED, CLEAN-UP PERSONNEL SHOULD WEAR PROTECTION FROM LIQUID

CONTACT & VAPOR INHALATION. E LIMINATE SOURCES OF IGNITION. VENTILATEAREA. PICK UP SPILL WITH NON-FLAMMABLE ABSORBENT SUCH AS SAND.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions:STORE IN COOL, DRY, VENTILATED AREA AWAY FROM SOURCES OF IGNITION AND OXIDIZERS. HANDLE & STORE IN A MANNER SUITABLE FOR AN OSHA CLASS IB FLAMMABLE LIQUID. ELECTRICAAL SERVICES MUST

MEET APPLICABLE CO DES. USE NON-SPARKING TOOLS.

Other Precautions: PROVIDE VENTILATION TO MAINTAIN TLV. USE NON-SPARKING TOOLS. AVOID INHALATION OF VAPORS, CONTACT WITH EYES AND REPEATED OR PROLONGED CONTACT WITH SKIN. DO NOT TAKE INTERNALLY.

======= Exposure Controls/Personal Protection ===============

Respiratory Protection:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR SUPPLI

ED AIR RESPIRATOR.

Ventilation:PROVIDE MECHANICAL (GENERAL AND/OR LOCAL EXHAUST, EXPLOSION-PROOF) VENTILATION TO MAINTAIN EXPOSURE BELOW TLV(S). Protective Gloves:RUBBER, NEOPRENE FOR REPEATED CONTACT.

Eye Protection: PREVENT CONTACT WITH EYES. WEAR SAFETY GLASSES/GOGGLES. Other Protective Equipment: NONE SPECIFIED BY MANUFACTURER. DLA-HMIS:

EYE BATH, WASH FACILITIES

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT TAKE INTERNALLY.

Su

pplemental Safety and Health NONE SPECIFIED BY MANUFACTURER. HCC:F3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:=82.2C, 180.F Vapor Pres:33 @ 77F Vapor Density:1 (N-BUTYL ACETATE=1) Solubility in Water:COMPLETE (100%) Appearance and Odor: CLEAR LIQUID (ABSORBED IN PADS) - ALCOHOL ODOR Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, CHLORINATED COMPOUNDS, CAUSTICS, AMINES, ALKANOLAMINES, ALDEHYDES, AMMONIA. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. DLA-HMIS: HIGH HEAT, SPARKS, OPEN FLAMES AND OTHER SOURCES OF IGNITION. Hazardous Decomposition Products:CARBON MONOXIDE. Conditions to Avoid Polymerization: WILL NOT OCCUR. Toxicological Information:NOT AVAILABLE. ================ Ecological Information _____ Ecological:NOT AVAILABLE. Waste Disposal Methods: FOLLOW FEDERAL, STATE AND LOCAL REGULATIONS. Transport Information:NOT REGULATED: DOT/IMDG/ICAO.

SARA Title III Information:SARA TITLE III REPORTING: SECTION 313-NONE LISTED; EHS-NONE LISTED; 302/304/311/312: AC

UTE-YES, CHRONIC-YES, FIRE-YES, PRESSURE-NO, REACTIVITY-NO. Federal Regulatory Information:TSCA: ALL COMPONENTS ARE LISTED IN THE TSCA INVENTORY.

State Regulatory Information: NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expr

essly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.