

GENERAL SEALANTS INCORPORATED -- GS #424 (MIL-S-11030E, TYPE III) -- 8030-00-275-8114  
===== Product Identification =====

Product ID:GS #424 (MIL-S-11030E, TYPE III)  
MSDS Date:10/22/1990  
FSC:8030  
NIIN:00-275-8114  
MSDS Number: CGFBQ  
=== Responsible Party ===  
Company Name:GENERAL SEALANTS INCORPORATED  
Address:300 SOUTH TURNBULL CANYON ROAD  
City:CITY OF INDUSTRY,  
State:CA  
ZIP:91745  
Country:US  
Info Ph  
one Num:818-961-0211  
Emergency Phone Num:818-961-0211  
CAGE:53992

=== Contractor Identification ===  
Company Name:GENERAL SEALANTS INC  
Address:300 S TURNBULL CANYON RD  
Box:3855  
City:CITY OF INDUSTRY  
State:CA  
ZIP:91744  
Country:US  
Phone:818-961-0211  
CAGE:53992

===== Composition/Information on Ingredients =====

Ingred Name:CHLORINATED PARAFFINS  
CAS:68920-70-7  
RTECS #:UZ2996400  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:SOLID MATERIAL MAY BURN AT OR ABOVE  
FLASH POINT. CONCENTRATED AIRBORNE DUST MAY CAUSE IRRITATION TO  
BREATHING IN SENSITIVE INDIVIDUALS.  
Medical Cond Aggravated by Exposure:NA

===== First Aid Measures =====

First Aid:NA

===== Fire Fighting Measures =====

Flas  
h Point:800F,427C  
Extinguishing Media:WATER, CARBON DIOXIDE.  
Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS & TO PROTECT PERSONNEL. RESPIRATORY/EYE PROTECTION  
REQUIRED.  
Unusual Fire/Explosion Hazard:NON-EXPLOSIVE, BUT MAY PRODUCE CO, &  
IRRITATING SMOKE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITS. STOP LEAK IF SAFE. NOTIFY  
AUTHORITIES IF APPROPRIATE.

===== Handling and  
Storage =====

Handling and Storage Precautions:STORE AT 72F.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NA  
Ventilation:NA  
Protective Gloves:USE WHEN MATERIAL IS HOT.  
Eye Protection:NONE  
Other Protective Equipment:NONE  
Work Hygienic Practices:NONE  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:SOLID.  
Melt/Freeze Pt:M.P/F.P Text:

230F,110C

Vapor Pres:SOLID.

Vapor Density: