

MINNESOTA MINING MFG CO DENTAL PROD DIV -- 5905WS SCOTCHBOND MULTIPURPOSE  
ADHESIVE -- 6520-01-394-5421

===== Product Identification =====

Product ID:5905WS SCOTCHBOND MULTIPURPOSE ADHESIVE

MSDS Date:02/26/1997

FSC:6520

NIIN:01-394-5421

Kit Part:Y

MSDS Number: CGKYZ

=== Responsible Party ===

Company Name:MINNESOTA MINING MFG CO DENTAL PROD DIV

Address:3M CENTER

City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

CAGE:76381

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name:MINNESOTA MINING AND MFG CO DENTAL PRODUCTS DIV

Address:3M CENTER

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501

CAGE:0K0U5

===== Composi

tion/Information on Ingredients =====

Ingred Name:BISPHENOL A GLYCIDYLMETHACRYLATE, BIS-GMA  
CAS:1565-94-2  
RTECS #:UD3438000  
Fraction by Wt: 60-70%

Ingred Name:HYDROXYETHYL METHACRYLATE, ETHYLENE GLYCOL METHACRYLATE  
CAS:868-77-9  
RTECS #:OZ4725000  
Fraction by Wt: 30-40%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES:

SEVERE IRRITATION. SKIN:

ALLERGIC REACTION & MILD IRRITATION. INHALATION: UPPER RESPIRATORY  
IRRITATION. INGESTION: GI TISSUE IRRITATION & ORAL MUCOSA  
IRRITATION. VEHICLES CAN ALTER SKIN ABSORPTION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, REDNESS, SWELLING, PAIN, TEARING,  
CLOUDYNESS, IMPAIRED VISION, BLISTERING, ITCHING, SORENESS,  
COUGHING, SNEEZING, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD  
IN VOMITUS & BLOOD IN FECES, BLEEDING.

=====

===== First Aid Measures =====

First Aid:EYES: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: FLUSH  
W/LARGE AMOUNTS OF WATER. INHALATION: REMOVE TO FRESH AIR.  
INGESTION: DRINK 2 GLASSES OF WATER. OBTAIN MEDICAL ATTENTION IN  
ALL CASES.

===== Fire Fighting Measures =====

Flash Point:214F  
Extinguishing Media:CO2, DRY CHEMICAL.  
Unusual Fire/Explosion Hazard:COMBUSTIBLE LIQUID & VAPOR.

===== Accidenta

I Release Measures =====

Spill Release Procedures:VENTILATE AREA. COVER W/ABSORBENT MATERIAL.  
PLACE IN METAL CONTAINER. USE PROTECTIVE GLOVES.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL PLACE AWAY FROM HEAT,  
SPARKS, OPEN FLAME & OTHER SOURCES OF IGNITION. KEEP CONTAINER DRY  
& IN A WELL VENTILATED AREA.

Other Precautions:NO SMOKING WHILE HANDLING THIS MATERIAL. DON'T  
INGEST. AVOID PROLONGED  
BREATHING OF VAPORS. AVOID EYE & SKIN  
CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves:RECOMMENDED  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>95F  
Vapor Pres: