

BELL CITY BATTERY MFR -- DRY CHARGED BATTERY--NO ELECTROLYTE ADDED --
6140-00-984-0159

=====
Product Identification
=====

Product ID:DRY CHARGED BATTERY--NO ELECTROLYTE ADDED

MSDS Date:10/01/1996

FSC:6140

NIIN:00-984-0159

MSDS Number: CGLDS

=== Responsible Party ===

Company Name:BELL CITY BATTERY MFR

Address:915 S. CHARLES

City:BELLEVILLE

State:IL

ZIP:62220

Country:US

Info Phone Num:618-234-7272

Emergency Phone Num:618-234-7272 800-535-5053(INFOTRAK)

CAGE:0ABZ3

=== Contractor Identification ===

Company Name:BELL CITY BATTERY MFG INC

Address:915 S CHARLES ST

Box:City:BELLEVILLE

State:IL

ZIP:62220-2605

Country:US

Phone:618-234-7272

CAGE:0ABZ3

=====
Composition/Information on Ingredients
=====

Ingred Name:LEAD (SARA 313) (CERCLA)

CAS:7439-92-1

RTECS #:OF7525000

Fraction by Wt: 92 - 93%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:SEE 1910.1025

ACGIH TLV:0.05MG/M3, A3; 959

6
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingrid Name:ANTIMONY (SARA 313) (CERCLA)
CAS:7440-36-0
RTECS #:CC4025000
Fraction by Wt: 0.2%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.5 MG/M3
ACGIH TLV:0.5 MG (SB)/M3; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingrid Name:ARSENIC (SARA 313) (CERCLA)
CAS:7440-38-2
RTECS #:CG0525000
Fraction by Wt: 0.003%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:SEE 1910.1018
ACGIH TLV:0.01 MG/M3, A1; 9596
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingrid Name:CALCIUM, MET
AL
CAS:7440-70-2
RTECS #:EV8040000
Fraction by Wt: 0.02%
Other REC Limits:NONE RECOMMENDED

Ingrid Name:TIN
CAS:7440-31-5
RTECS #:XP7320000
Fraction by Wt: 0.06%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:2 MG/M3
ACGIH TLV:2 MG/M3; 9596

Ingrid Name:POLYPROPYLENE
CAS:9003-07-0
RTECS #:TR5000000
Fraction by Wt: 6-8%
Other REC Limits:NONE RECOMMENDED

Ingrid Name:POLYPROPYLENE
CAS:9003-07-0
RTECS #:TR5000000
Fraction by Wt: SEE # 6%
Other REC Limits:NONE RECOMMENDED

Ingrid Name:HARD RUBBER
Fracti

on by Wt: SEE # 6%
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:PRODUCT IS A DRY BATTERY AND IS
CONSIDERED NON-TOXIC. INTERNAL BATTERY PARTS ARE LEAD. LEAD DUST
MAY BE IRRITATING TO RESPIRATORY SYSTEM, SKIN, AND EYES. LEAD DUST
MAY CAUSE NERVOUS SYSTEM DAMAGE IF I NHALED OR
SWALLO
WED.CHRONIC:ANEMIA,NEUROPATHY,KIDNEY AND REPRODUCTIVE DAMAGE.
Explanation of Carcinogenicity:LEAD COMPOUNDS ARE LISTED AS POSSIBLE
CARCINOGENS.
Effects of Overexposure:SKIN/EYES: TEARING, REDNESS, ITCHING.
INHALATION: COUGHING, WHEEZING, SHORTNESS OF BREATH. INGESTION:
ABDOMINAL PAIN, NAUSEA, VOMITING, DIARRHEA, AND SEVERE CRAMPING.
Medical Cond Aggravated by Exposure:PREEXISTING NEUROLOGICAL,LIVER AND
KIDNEY DAMAGE.

=====
First Aid Measures
=====

First Aid:EYES:FLUSH WITH WATER.GET MEDICAL ASSISTANCE.SKIN:WASH WITH
SOAP AND WATER.INHAL:REMOVE FROM EXPOSURE.CALL PHYSICIAN,GIVE
OXYGEN OR MOUTH-TO-MOUTH RESCUSITATION IF NEEDED.INGEST:DO NOT
INDUCE VOMITING .GET PROMPT QUALIFIED MEDICAL ASSISTANCE.IF
CONSCIOUS,GARGLE,WASH NOSE AND LIPS.

=====
Fire Fighting Measures
=====

Lower Limits:4.1(H*2)
Upper Limits:74.2(H*2)
Extinguishing Media:FOAM,CARBON DIOXIDE,DRY CHEMICAL
Fire Fighting P
rocedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
PROTECTIVE CLOTHING.
Unusual Fire/Explosion Hazard:TOXIC FUMES MAY BE GENERATED.EXPLOSIVE
HYDROGEN GAS MAY BE GENERATED DURING CHARGING AND OPERATING
BATTERY.

=====
Accidental Release Measures
=====

Spill Release Procedures:PICK-UP BROKEN PIECES WITH GLOVED HAND AND
PLACE IN A CONTAINER FOR LATER DISPOSAL.LEAD DUST SHOULD BE
VACUUMED WITH A HEPA FILTER;AVOID FUGITIVE DUST.
Neutralizing Agent:N

