View NSN Online: https://aerobasegroup.de/nsn/8465-01-361-4877

Product ID:MK124 MODO SIGNAL, SMOKE & ILLUMINATION MSDS Date:03/14/1994 FSC:8465 NIIN:01-361-4877 Kit Part:Y MSDS Number: CGLHC === Responsible Party === Company Name: KILGORE CORP Address:KILGORE DR **City:TOONE** State:TN ZIP:38381-5000 Country:US Info Phone Num:901-658-5231/800-535-5053 Eme rgency Phone Num:901-658-5231/800-535-5053 CAGE:75324 === Contractor Identification === Company Name: KILGORE CORP Address:KILGORE DR Box:City:TOONE State:TN ZIP:38381-5000 Country:US Phone:901-658-5231/800-535-5053 CAGE:75324 Ingred Name:1-XYLYLAZO-2-NAPHTHOL, SCARLET DYE (SUSPECTED ANIMAL

CARCINOGEN BY IARC - GROUP 3) 95-1 CAS:3118-97-6 RTECS #:QL5850000

Ingred Name:POTASSIUM PERCHLORATE CAS:7778-74-7 RTECS #:SC9700000 Ingred Name:POTASSIUM NITRATE CAS:7757-79-1 RTECS #:TT3700000

Ingred Name:POTASSIUM CHLORATE CAS:3811-04-9 RTECS #:FO0350000

Ingred Name:AMORPHOUS SILICA, AMORPHOUS-DIATOMACEOUS EARTH CAS:61790-53-2 RTECS #:HL8600000 Other REC Limits:20 MCCPF (MSHA) ACGIH TLV:10 MG/CUM DUST

Ingred Name:STRONTIUM (II) NITRATE (1:2); NITRIC ACID, STRONTIUM SALT CAS:10042-76-9 RTECS #:WK9800000

Ingred Name: FLUORINATED SYNTHETIC RUBBER 95-1 CAS: 9011-17-0

Ingred Name:CHLOROETHYLENE POLYMER, POLYVINYLCHLORIDE, P OLYVINYL CHLORIDE CAS:9002-86-2 RTECS #:KV0350000

Ingred Name:BORON CAS:7440-42-8 RTECS #:ED7350000

Ingred Name:C.I. SOLVENT RED 111 CAS:82-38-2

Ingred Name:MAGNESIUM CAS:7439-95-4 RTECS #:OM2100000

Ingred Name:SUCROSE CAS:57-50-1 RTECS #:WN6500000 ACGIH TLV:10 MG/CUM

Ingred Name:GRAPHITE CAS:7782-42-5 RTECS #:MD9659600 Other REC Limits:2.5MG/CUM ACGIH TLV:2 MG/CUM RESP IC

Ingred Name:SILICON CAS:7440-21-3 RTECS #:VW0400000 ACGIH TLV:10 MG/CUM

Ingred Name:LEAD TETROXIDE CAS:1314-41-6

RTECS #:OG5425000 Other REC Limits:0.1 MG(PB)/CUM TWA ACGIH TLV:0.15 MG(PB)/CUM

======================================
LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:HAZARDOUS MATERIAL IS SEALED INSIDE. Explanation of Carcinogenicity:NONE Effects of Overexposure:HAZARDOUS MATERIAL IS SEALED INSIDE.
======================================
First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES.
======================================
Extinguishing Media:LARGE VOLUME OF WATER/SMOTHER W/SAND Fire Fighting Procedures:AVOID INHALING VAPORS, WEAR SELF CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:UNIT GIVES OFF LARGE VOLUMES OF ORANGE SMOKE WHEN BURNING. AUTO-IGNITION TEMP: >350F.
======================================
Spill Release Procedures: HANDLE CAREFULLY TO AVOID ACCIDENTAL IGNITION. DON'T SMOKE IN AREA.
======================================
Handling and Storage Precautions: KEEP AWAY FROM OPEN FLAMES/FLAME

PRODUCING SOURCES. UNITS SHOULD BE HANDLED IN ACCORDANCE W/REGULATIONS GOVERNING DOD HAZARD CLASS 1.4 G EXPLOSIVES. Other Precautions:HANDLE CAREFULLY TO AVOID ACCIDENTAL IGNITION. DON'T SMOKE IN AREA.

====== Exposure Controls/Personal Prote

Ventilation:LOCAL EXHAUST; MECHANICAL (GENERAL) Supplemental Safety and Health KEY1:E2. THIS ENTRY DESCRIBES THE SMOKE AND ILLUMINATION SIGNAL IN THE LIFE-SAVING APPLIANCE KIT. SEE THIS SAME NSN FOR DATA ON THE OTHER THREE HAZARDOUS ITEMS IN KIT; PERSONNEL DISTRESS SIGNAL, FIRE STARTING TOOL, SAFETY MATCHES.

HCC:E2 Net Prop Wt for Ammo:0.20LBS

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:SPARKS, HIGH HEAT/OPEN FLAME

Waste Disposal Methods:OPEN PIT BURNING. DISPOSE OF IN ACCORDANCE W/ LOCAL, STATE & FEDERAL REGULATIONS. UN0191.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in n o manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.