

RHONE-POULENE INC AGRICULTURAL DIVISION -- RHODORSIL FLUID 47V10 -- 9150-00-607-0897

===== Product Identification =====

Product ID:RHODORSIL FLUID 47V10

MSDS Date:09/04/1996

FSC:9150

NIIN:00-607-0897

MSDS Number: CGMVT

=== Responsible Party ===

Company Name:RHONE-POULENE INC AGRICULTURAL DIVISION

Address:BLACK HORSE LANE

Box:125

City:MONMOUTH JUNCTION

State:NJ

ZIP:08852-0125

Country:US

Info Phone

Num:800-334-7577

Emergency Phone Num:800-334-7577- 809-860-4000

Chemtrec Ind/Phone:(800)424-9300

CAGE:1E866

=== Contractor Identification ===

Company Name:NORTH AMERICAN CARBON INC.

Address:ELK RUN AVE

Box:436

City:PUNXSUTAWNEY

State:PA

ZIP:15767

Country:US

Phone:814-938-7450

CAGE:41629

Company Name:NORTH AMERICAN CHEMICALS ZONE SILICONES

Address:CN 7500

City:CRANBURY

State:NJ

ZIP:08612-7500

Country:US

Phone:609-860-4000

CAGE:N0RTH

Company Name:RHONE-POULENE INC AGRICULTURAL DIVISION

Address:BLA

CK HORSE LANE
Box:125
City:MONMOUTH JUNCTION
State:NJ
ZIP:08852-0125
Country:US
CAGE:1E866
Company Name:SALATHE OIL CO INC
Address:2226 PETERS RD
Box:City:HARVEY
State:LA
ZIP:70058
Country:US
Phone:504-366-4542
Contract Num:SP0450-99-M-B108
CAGE:0T5C6
Company Name:SDB CONSULTANTS LTD
Address:401 WHITNEY AVE SUITE 120
Box:City:GRETNA
State:LA
ZIP:70056
Country:US
Phone:504-366-9105
CAGE:0PGK2
Company Name:THE SMITH GROUP INC.
Address:811 E. CAYUGA STREET
Box:City:PHILADELPHIA
State:PA
ZIP:19124-3
893
Country:US
Phone:215-743-8200
Contract Num:SP0450-00-M-C025
CAGE:2B613

===== Composition/Information on Ingredients =====

Ingred Name:POLYDIMETHYLSILOXANE
CAS:63148-62-9
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

LD50 LC50 Mixture:LD 50 LETHAL DOSE 50%. 4996 MG/KG, RAT.
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES:

SLIGHTLY IRRITATING. SKIN: LOW

ACUTE DERMAL TOXICITY. NON-IRRITATING. INHALATION: NO TEST DATA
FOUND FOR PRODUCT. INGESTION: LOW ACUTE ORAL TOXICITY.

Explanation of Carcinogenicity:NONE OF THE INGREDIENTS IN THIS PRODUCT
IS LISTED BY NTP, IARC OR OSHA AS A CARCINOGEN.

Effects of Overexposure:EYES: MAY CAUSE REDNESS, IRRITATION.

===== First Aid Measures =====

First Aid:EYES:IMMEDIATELY ABSORB EXCESS WITH CLEAN CLOTH OR COTTON.
THEN, HOLD E

YELIDS OPEN & FLUSH WITH STEADY, GENTLE STREAM OF
WATER FOR AT LEAST 15 MIN. SEEK MEDICAL ATTENTION IF IRRITATION
DEVELOPS. SKIN :IMMEDIATELY WIPE EXCESS MATERIAL OFF THEN WASH WITH
PLENTY OF SOAP & WATER. SEEK MEDICAL ATTENTION IF IRRITATION
DEVELOPS. INHALATION:REMOVE VICTIM TO FRESH AIR. SEEK MEDICAL
ATTENTION IF RESPIRATORY IRRITATION OR DISTRESS CONTINUES.
INGESTION:IF CONSCIOUS & ALERT, GIVE 1-2 GLASSES OF WATER TO DRINK.
SEEK MEDICALATTENTION. DO NOT LEAVE VI
CTIM UNATTENDED.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:>136.1C, 277.F

WILL BURN

Extinguishing Media:CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures:FIREFIGHTERS SHOULD WEAR NIOSH/MSHA APPROVED
SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING.
COOL CONTAINERS EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard:PRODUCT WILL BURN UNDER FIRE CONDITIONS.
HAZARDOUS DECOMPOSITION MATERIA

LS (UNDER FIRE CONDITIONS):

FORMALDEHYDE, OXIDES OF CARBON, SILICA (CRYSTALLINE).

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE CLOTHING AND EQUIPMENT. SPILLS
SHOULD BE TAKEN UP WITH SUITABLE ABSORBENT AND PLACED IN
CONTAINERS. SPILL AREA CAN BE CLEANED WITH PAINT THINNER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precaut

ions:AVOID BREATHING VAPORS & MISTS. AVOID
DIRECT OR PROLONGED CONTACT. USE NONSPARKING TOOLS & GROUND/BONDED
EQUIPMENT & CONTAINERS WHEN TRANSFERRING. STORE IN TIGHTLY CLOSED
CONTAINERS. STORE IN A DRY WELL-VENTILATED AREA AWAY FROM IGNITION
SOURCES AND INCOMPATIBLE MATERIALS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN RESPIRATORS ARE REQUIRED, SELECT NIOSH/MSHA
APPROVED EQUIPMENT BASED ON ACTUAL
OR POTENTIAL AIRBORNE
CONCENTRATIONS AND IN ACCORDANCE WITH THE LATEST OSHA STANDARD (29
CFR 1910.134) AND/OR ANSI Z 88.2 RECOMMENDATIONS. FOR REASONABLY
FORESEEABLE INDUSTRIAL END USES OF THIS MATERIAL, RESPIRATORY
PROTECTION SHOULD NOT BE NECESSARY.

Ventilation:GENERAL AREA DILUTION/EXHAUST VENTILATION.

Protective Gloves:PLASTIC OR RUBBER GLOVES RECOMMENDED. DURABILITY &
PERMEATION RESISTANCE.

Eye Protection:MINIMUM OF SAFETY GLASSES WITH SIDE SHIELDS WHEN WORKING
IN IN
DUSTRIAL ENVIRON.

Other Protective Equipment:EMERGENCY SHOWERS AND EYE WASH STATIONS
SHOULD BE AVAILABLE. SKIN CONTACT SHOULD BE MINIMIZED THROUGH USE
OF GLOVES & SUITABLE LONG-SLEEVED SHIRTS & PANTS. USE APPROPRIATE
ANSI Z87 APPROVED EQUIPMENT.

Work Hygienic Practices:WASH HANDS AND FACE CAREFULLY BEFORE EATING,
DRINKING, USING TOBACCO, APPLYING COSMETICS, OR USING THE TOILET.

Supplemental Safety and Health

DO NOT STORE, USE, AND/OR CONSUME FOODS, BEVERAGES, TOBACCO PRODUCTS,

OR COSMETICS IN AREAS WHERE THIS MATERIAL IS STORED. WASH EXPOSED
SKIN PROMPTLY TO REMOVE ACCIDENTAL SPLASHES OF CONTACT WITH THIS
MATERIAL.

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:NOT AVAILABLE

Melt/Freeze Pt: