

COURTAULDS AEROSPACE INC -- 159211 POLYETHER POLYOL COMPOUND PR-1592
AMBER,ACCELERATOR -- 5970-01-222-5575

===== Product Identification =====

Product ID:159211 POLYETHER POLYOL COMPOUND PR-1592 AMBER,ACCELERATOR

MSDS Date:12/05/1996

FSC:5970

NIIN:01-222-5575

MSDS Number: CGMXZ

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

Stat

e:CA

ZIP:91209

Country:US

Info Phone Num:818-549-7586

Emergency Phone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:EXTENDED POLYETHER POLYOL

CAS:9069-50-5

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYTETRAMETHYLEN

E GLYCOL
CAS:25190-06-1
Other REC Limits:NONE RECOMMENDED

Ingred Name:CASTOR OIL
CAS:8001-79-4
RTECS #:FI4100000
Other REC Limits:NONE RECOMMENDED

Ingred Name:AROMATIC DIAMINE
CAS:51947-52-5
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:TEMPORARY
DISCOMFORT.SKIN:TEMPORARY DISCOMFORT.INHAL:NOT KNOWN.INGEST:NOT KNOWN.
Effects of Overexposure:EYE/SKIN TEMPORARY DISCOMFORT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYE:FLUSH W/LUKE WARM WATER FOR 15MINS.IF SYMPTOMS PERSIST CONSULT PHYSICIAN.SKIN:WASH W/SOAP/WATER.IF SYMPTOMS PERSIST CONSULT PHYSICIAN.INHAL:REMOVE TO FRESH AIR.IF SYMPTOMS ARE PRESENT CONSULT PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:>200F,>93C
Autoignition Temp:Autoignition Temp Text:NP
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL,FOAM,WATER FOG.
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.USE WATER TO COOL HEAT EXPOSED CONTAINERS.
Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINER.NOT FLAMMABLE.

=====
===== Accidental Release Measures =====

Spill Re

Use Procedures:COVER W/ABSORBANT.SCOOP INTO CONTAINERS.CLEAN UP RESIDUE WITH SUITABLE SOLVENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING.AVOID INGESTION.

Other Precautions:NONE KNOWN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED

Ventilation:GENERAL VENTILATION

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE KNOWN

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Decomp Text:NP

Vapor Pres:NP

Vapor Density:NON-VOLATILE

Spec Gravity:1.07

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NON-VOLATILE

Solubility in Water:

NP

Appearance and Odor:AMBER LIQUID

Percent Volatiles by Volume:0.0

Corrosion Rate:NP

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

INORGANIC ACIDS AND STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NOT KNOWN.

Hazardous Decomposition Products:OXIDES OF CARBON.

=====
Disposal Considerations
=====

Waste Disposal Methods:NOT HAZ WASTE ACCORDING TO EPA REGULATIONS.CONSULT STATE REGS PR

IOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.