

COURTAULDS AEROSPACE INC -- 159211 POLYURETHANE POLYMER PR-1592 AMBER,BASE  
COMPOUND -- 5970-01-222-5575

===== Product Identification =====

Product ID:159211 POLYURETHANE POLYMER PR-1592 AMBER,BASE COMPOUND

MSDS Date:12/05/1996

FSC:5970

NIIN:01-222-5575

MSDS Number: CGMYB

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

Z

IP:91209

Country:US

Info Phone Num:818-549-7586

Emergency Phone Num:818-549-7586

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:POLYURETHANE POLYMER (CONTAINS 1/2% TOLUENE DIISOCYANATE)

CAS:65636-36-4

Fraction by Wt: 100%

Other REC Limits

:NONE RECOMMENDED

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:TOLUENE

DIISOCYANATE-CANC.EYE:ISOCYANATES ARE VERY IRRIT.LEGAL WORKPLACE EXPO LIMITS MUCH LOWER THAN LEVELS WHICH TYPICALLY CAUSE IRRIT.SO EYE IRRIT STRONG INDICATION THAT ONE IS BEING EXPO.SKIN:LOC I

RRIT,DISCOLORATION.MAY CAUSE ALLERGIC RASH IN SENS

INDIVIDUALS.INHAL:IRRIT NOSE/THROAT/LUNGS/EYES.MAY PRODUCE(SUPPLEM)

Explanation of Carcinogenicity:PER MSDS:CONTAINS 1/2% TOLUENE

DIISOCYANATE-IARC(HUMAN SUFFICIENT EVIDENCE),NTP(HUMAN SUSPECT),STATE OF CALIFORNIA.

Effects of Overexposure:VERY EYE IRRIT,LOCAL SKIN

IRRIT,DISCOLORATION,ALLERGIC RASH,IRRIT

NOSE/THROAT/LUNGS/EYES,ASTHMA-LIKE SYMPTOMS,IRRIT/CORRO

MOUTH/STOMACH TISSUE/DIGESTIVE TRACT.

Medical Cond Aggravated

by Exposure:INDIVIDUALS SUFFERING FROM ASTHMA

OR OTHER CHRONIC RESPIRATORY CONDITIONS MAY EXHIBIT HEIGHTENED SENSITIVITY TO ISOCYANATES.

=====  
===== First Aid Measures =====

First Aid:EYE:FLUSH W/LUKE WARM WATER FOR 15MINS.CONSULT

PHYSICIAN.SKIN:WASH W/SOAP/WATER.CONSULT PHYSICIAN.INHAL:REMOVE TO FRESH AIR.OBTAIN MED ATTN.INGEST:GIVE MILK OR WATER TO DRINK.CONSULT PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:NP

Extinguishing Media:CARBON DIOXIDE,DRY CHEMCIAL,FOAM,WATER FOG.

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURE MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINER.NOT FLAMMABLE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COVER W/ABSORBANT MATL.ADD DECONTAMINATION SOLN(5%CONC



W LIQUID

Percent Volatiles by Volume:NONE

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

WATER, ALCOHOL, AMINES, STRONG BASES.

Stability Condition to Avoid:NOT KNOWN.

Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN,  
POSSIBLE TRACES OF HCN.

===== Disposal Considerations =====

Waste Disposal Methods:NOT HAZ WASTE ACCORDING TO EPA  
REGULATIONS.CONSULT STATE REG  
S PRIOR TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.