

FEL-PRO INC DIV OF FELT PRODUCTS MFG CO -- FEL-PRO C-300 PART NO: 51028, 51029, 51030 --
8030-00-111-6266

=====
===== Product Identification =====

Product ID:FEL-PRO C-300 PART NO: 51028, 51029, 51030
MSDS Date:04/03/1989
FSC:8030
NIIN:00-111-6266
MSDS Number: CGNBZ
=== Responsible Party ===
Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO
Address:7450 N MCCORMICK
City:SKOKIE
State:IL
ZIP:60076-404
6
Country:US
Info Phone Num:708-674-7700
Emergency Phone Num:708-674-7700
Preparer's Name:DIANE L. GALLAGHER
CAGE:73165
=== Contractor Identification ===
Company Name:FEL-PRO INC DIV OF FELT PRODUCTS MFG CO
Address:7450 N MCCORMICK
Box:1103
City:SKOKIE
State:IL
ZIP:60076-4046
Country:US
Phone:847-674-7700 OR 312-761-4500
CAGE:73165

=====
===== Composition/Information on Ingredients =====

Ingred Name:AROMATIC PETROLIUM DISTILLATE
CAS:64742-92-6
Fraction by Wt: 35-45%
Other REC Limit

s:NONE RECOMMENDED
OSHA PEL:100 PPM

Ingred Name:TOLUENE (SARA 313)

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 750F IN PRESENCE OF OXYGEN, MATERIAL MAY
DECOMPOSE TO FORM SULFUR OXIDES.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITS. VENT AREA. WIPE UP W/RAGS,
ABSORBENT MATERIAL. COMPLETE CLEANUP W/DETERGENT & WATER OR HIGH
FLASH POINT SOLVENT CLEANER W/ADEQUATE VENT.

===== Handling and Storage =====
=====

Handling and Storage Precautions:USE NORMAL STORAGE/HANDLING. DONT
EXPOSE TO HIGH HEAT, OPEN FLAMES OR STRONG OXIDIZERS.

Other Precautions:KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED ORGANIC VAPOR
RESPIRATOR, IF VENTILATION IS ADEQUATE.

Ventilation:LOCAL EXHAUST/MECHANICAL (GENERAL)

Protective Gloves:IMPERVIOUS

Eye Protection:RECOMMENDED

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:290F,143C

Melt/Freeze Pt:M.P/F.P Text:NA

Vapor Pres:4 @ 58F

Vapor Density: 4.1

Spec Gravity:1.30

Evaporation Rate & Reference:0.6 (BUAC = 1)

Solubility in Water:INSOLUBLE

Appearance and Odor:DARK GRAY PASTE, AROMATIC SOLVENT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS, PEROXIDES, PERMANGANATES, NITRIC ACIDS, ETC

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:PYROLYSIS, MAY YIELD CO, CO2. IN COMPLETELY BURNED HYDROCARBONS & POSSIBLE SOX >750.

===== Disposal Considerations =====

Waste Disposal Methods:USE CONTROLLED INCINERATION OR BURY IN POSTED TOXIC SUBSTANCE LANDFILL IN ACCORDANCE W/FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by

elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.