

3M -- 3M WEATHER STRIP ADHESIVE (P.N. 8011 & 8013) -- 8040-00-455-5359

=====
Product Identification
=====

Product ID:3M WEATHER STRIP ADHESIVE (P.N. 8011 & 8013)

MSDS Date:09/01/1984

FSC:8040

NIIN:00-455-5359

MSDS Number: CGNFD

=== Responsible Party ===

Company Name:3M

Address:3M CENTER

City:ST. PAUL

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-733-1110

P

reparer's Name:DAVID SUTHERLAND

CAGE:0F0U5

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:PACBROOK LTD

Address:15 GOSDITCH ST

City:CIRENCESTER GLOS GL7 2AG

Country:UK

Phone:NONE

CAGE:0F0U5

=====
Composition/Information on Ingredients
=====

Ingred Name:PETROLEUM DISTILLATE

CAS:8030-30-6

RTE

CS #:DE3030000
Fraction by Wt: 63.0%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:200 PPM

Ingred Name:TOLUENE (SARA 313) (CERCLA)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:100 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL ALCOHOL (ETHANOL)
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 0.5%
Other REC Limits:NONE RECOMMENDED
ACGIH TLV:1000.0 PPM

Ingred Name:SYNTHETIC RUBBER, ZINC ROSINATE, HYDRO
Fraction by Wt: 35.0%
Other R
EC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRIT. SKIN: DEFATTING. INHAL:
RESPIRATORY IRRIT, HEADACHE, NAUSEA, DIZZY, UNCONSCIOUS. INGEST: GI
IRRIT, NAUSEA, VOMIT, DIARRHEA.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 10 MINUTES,
GET MED AID. SKIN: WASH
W/SOAP & WATER. INHAL: GET FRESH AIR. INGEST: DONT INDUCE VOMIT.
GET MED AID.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC
Flash Point:-14F,-26C
Lower Limits:1.0
Upper Limits:7.0
Extinguishing Media:CO2, FOAM, DRY CHEMICAL.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:EXTINGUISH IGNITS. AVOID USE OF TOO

LS WHICH

MAY CAUSE SPARKING. COLLECT SPILLED MATERIAL. CLEAN UP RESIDUE &
STORE IN U.S. DOT APPROVED CONTAINER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM IGNITS. USE IN VENTED
AREA. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP OUT OF REACH OF
CHILDREN.

=====
Exposure Controls/Personal Protection
=====

Ventilation:LOCAL EXHAUST
Protective Gloves:NEOPRENE
Eye Protection:CHEMICAL GOGGLES

S
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:140F,60C
Vapor Pres:120 @ 68F
Vapor Density:3.0 AIR=1
Spec Gravity:.82
pH:NA
Viscosity:NA
Evaporation Rate & Reference:2.5 ETHER=1
Solubility in Water:VERY SLIGHT
Appearance and Odor:GRAY MEDIUM PASTE, MILD ODOR.
Percent Volatiles by Volume:65.0

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
NK
Hazardous
Decomposition Products:CO, CO2 AND SMOKE PARTICLES WHEN
SUBJECTED TO EXCESSIVE HEAT OR FLAME.

=====
Disposal Considerations
=====

Waste Disposal Methods:RECLAIM OR INCINERATE IN PERMITTED HAZARDOUS
WASTE FACILITY CAPABLE OF MEETING APPLICABLE REGULATIONS
REQUIREMENTS FOR DESTRUCTION & REMOVAL PREFERRED. DISPOSE IN
ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This info

Information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.