View NSN Online: https://aerobasegroup.com/nsn/8040-01-268-5915

## 3M -- 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE

\_\_\_\_\_\_

MSDS Safety Information

\_\_\_\_\_\_

FSC: 8040

NIIN: 01-268-5915 MSDS Date: 04/08/1996 MSDS Num: CGNJX

Product ID: 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE

MFN: 01

Responsible Party Cage: 0F0U5 Name: 3M

Address: 3M CENTER

City: ST. PAUL MN 55144-1000

ı

nfo Phone Number: 612-737-4114

Emergency Phone Number: 612-737-6501

Published: Y

\_\_\_\_\_\_

Contractor Summary

\_\_\_\_\_\_

Cage: 76381

Name: MINNESOTA MINING AND MFG CO, DBA 3M

Address: 3M CENTER BLDG 224-5S-04 City: SAINT PAUL MN 55144-1000 Phone: 866-556 5712 / 612-733-1110

Cage: 0F0U5

Name: PACEBROOK LTD Address: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK 00000

Country: UK Phone: NONE

-----

Item Description Information

\_\_\_\_\_\_

Item Manager: GSA
Item Name: ADHESIVE

Unit of Issue: CN

Quantitative Expression: 00000000024OZ

UI Container Qty: 0

\_\_\_\_\_

Ingredients

\_\_\_\_\_\_

Cas: 115-10-6

RTECS #: PM4780000 Name: DIMETHYL ETHER

% Wt: 25-35

Other REC Limits: 1000 TWA CMRG OSHA PEL: NOT ESTABLISHED

**ACGIH** 

TLV: NOT ESTABLISHED

-----

Cas: 67-64-1

RTECS #: AL3150000

Name: ACETONE (SARA 313) (CERCLA)

% Wt: 10-20

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 750 PPM/STEL 1000 ACGIH TLV: 750 PPM/STEL 1000

EPA Rpt Qty: 5000 LBS DOT Rpt Qty: 5000 LBS

-----

Cas: 110-82-7

RTECS #: GU6300000

Name: CYCLOHEXANE (SARA 313) (CERCLA)

% Wt: 10-20

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 300 PPM ACGIH TLV: 300 PPM EPA Rpt Qty: 1000 LBS DOT Rpt Qty: 1000 LBS

----

.....

Cas: 109-66-0

RTECS #: RZ9450000 Name: PENTANE % Wt: 10-20

Other REC Limits: NONE RECOMMENDED

OSHA PEL: 600 PPM/STEL 750 ACGIH TLV: 600 PPM/STEL 750

\_\_\_\_\_

Name: NON-VOLATILE COMPOUNDS-NEW JERSEY TRADE SECRET #04499600-5476P (T.S.) ++

% Wt: 10-20

Other REC Limits: NONE RECOMMENDED

OSHA PEL: NOT ESTABLISHED ACGIH TLV: NOT ESTABLISHED

-----

Cas: 108-88-3

RTECS #: XS5250000

Name: TOLUENE (SARA 313) (CERCLA)

% Wt: 15 Other RE C Limits: NONE RECOMMENDED OSHA PEL: 100 PPM/STEL 150

ACGIH TLV: 50 PPM EPA Rpt Qty: 1000 LBS DOT Rpt Qty: 1000 LBS

\_\_\_\_\_

Health Hazards Data

\_\_\_\_\_\_

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYE: IRRIT, REDNESS, SWELLING, PAIN, TEARING, HAZY VISION.

SKIN: IRRIT, REDNESS, SWELLING, ITCHING, INHAL: HARMFUL,

FATAL, CNS

DEPRESSION, HEADACHE, DIZZY, DROWSY, UNCOORDINATED, SLOW REACT TIME, SLUR RED SPEECH, GIDDY, UNCONSCIOUS, RESP IRRIT, SORE NOSE/THROAT, COUGHING, SNEEZING. INGEST: GI TISSUE IRRIT, PAIN, \*

Signs And Symptions Of Overexposure: \* VOMIT, TENDER ABDOMIN, NAUSEA, BLOOD IN VOMIT/FECES.

First Aid: EYE: FLUSH W/WATER. SKIN: FLUSH W/WATER. INHAL: REMOVE TO FRESH AIR. ARTIFICIAL RESPIRATION IF NEEDED. INGEST: DONT INDUCE VOMIT. DRINK 2 GLASSES OF WATER. IN ALL CASES, GET MED AID.

==

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_

Spill Release Procedures: CALL 612-733-1110/612-733-6100, 24 HOUR SPILL ASSISTANCE. VENT AREA. EXTINGUISH ALL IGNITS. COVER W/ABSORBENT MATERIAL. COLLECT, USING NON-SPARKING TOOLS. PLACE IN A U.S. DOT APPROVED CONTAINER. Waste Disposal Methods: INCINERATE IN PERMITTED HAZARDOUS WASTE INCINERATOR IN PRESENCE OF COMBUSTIBLE MATERIAL. FACILITY MUST HANDLING AEROS OL CANS. EMPTY

CANS IN SANITARY LANDFILL. COMPLETELY ABSORBED WASTE PRODUCT IN FACI LITY PERMITTED TO ACCEPT CHEMICAL WASTE.

Handling And Storage Precautions: STORE AT TEMPS BELOW 120F. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: AEROSOL CONTAINERS CONTAIN FLAMMABLE GAS UNDER PRESSURE. KEEP AWAY FROM IGNITS. EXTREMELY FLAMMABLE LIQUID/VAPOR. DON'T PIERCE/BURN CONTAINER EVEN AFTER USE. AVOID STATIC DISCHARGE.

\_\_\_\_\_\_

Fire and Explosio

n Hazard Information

\_\_\_\_\_

Flash Point Method: TCC Flash Point Text: <42F,&lt;6C

Lower Limits: NA

Upper Limits: NO DATA

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: USE FULL PROTECTIVE CLOTHES W/HELMET, SCBA (POSITIVE

PRESSURE), BUNKER COAT & DANTS, BANDS AROUND ARMS, WAIST & DESCRIPTION OF THE PRESSURE PRESSURE, BUNKER COAT & DANTS, BANDS AROUND ARMS, WAIST & DESCRIPTION OF THE PRESSURE P

MASK, PROTECTIVE COVERS FOR HEAD.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT FROM FIRE

MAY

EXPLODE. VAPORS MAY TRAVEL TO IGNITS AND FLASH BACK.

\_\_\_\_\_

**Control Measures** 

\_\_\_\_\_

Respiratory Protection: AVOID BREATHING VAPORS, MISTS OR SPRAY.

Ventilation: USE IN A WELL VENTED AREA. PROVIDE SUFFICIENT VENT TO MAINTAIN

EMISSIONS BELOW EXPOSURE LIMITS.

Protective Gloves: POLYURETHANE/ETHYLENE VINYL ALCOHOL \*\* Eye Protection: VENTED GOGGLE/SAFETY GLASS W/SIDE SHIELD

Supplemental Safety

and Health: \*\*AND TEFFLON

\_\_\_\_\_

Physical/Chemical Properties

\_\_\_\_\_\_

B.P. Text: NA

M.P/F.P Text: NO DATA

Vapor Pres: NA

Vapor Density: NO DATA Spec Gravity: 0.760 WATER=1

PH: NA

VOC Grams/Liter: 648 Viscosity: >100 CPS

Evaporation Rate & Evaporation R

Solubility in Water: NIL

Appearance and Odor: THIN LIQUID IN AEROSOL LIGHT YELLOW, SWEET ODOR.

Percent Volatiles by Volume: 86.0

=======

\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

Stability Indicator: YES

Stability Condition To Avoid: HEAT

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,

HYDROCHLORIDE, PHOSGENE & CHLORINE.

Hazardous Polymerization Indicator: NO

\_\_\_\_\_

Toxicological Information

\_\_\_\_\_\_

\_\_\_\_\_\_

=======================================
Ecological Information ====================================
MSDS Transport Information
Regulatory Information
Other Information
====== Other Information: VOC = 648 G/L
Transportation Information
Responsible Party Cage: 0F0U5 Trans ID NO: 120381 Product ID: 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE MSDS Prepared Date: 04/08/1996 Review Date: 03/16/1998 MFN: 1 Multiple KIT Number: 0 Review IND: Y Unit Of Issue: CN Container QTY: 0 Additional Data: TRANSPORTATION CODES NOT AVAILABLE PER MFR.
Detail DOT Information
DOT PSN Code: ZZZ DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
Detail IMO Information
IMO PSN Code: ZZZ IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
Detail IATA

Information

\_\_\_\_\_

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

\_\_\_\_\_

HAZCOM Label

\_\_\_\_\_

========

Product ID: 3M BRAND SPRAY 80 NEOPRENE CONTACT ADHESIVE

Cage: 0F0U5

Company Name: PACEBROOK LTD

Street: 15 GOSDITCH ST

City: CIRENCESTER GLOS GL7 2AG NK

Zipcode: 00000 Country: UK

Health Emergency Phone: 612-737-6501

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A Origination Code: G

Hazard And Precautions: EYE: IRRIT, REDNESS, SWELLING, PAIN, TEARING, HAZY VISION. SKIN: IRRIT, REDNESS, SWELLING, ITCHING. INHAL: HARMFUL, FATAL, CNS

DEPRESSION, HEADACHE, DIZZY

, DROWSY, UNCOORDINATED, SLOW REACT TIME, SLUR RED

SPEECH, GIDDY, UNCONSCIOUS, RESP IRRIT, SORE NOSE/THROAT, COUGHING, SNEEZING.

INGEST: GI TISSUE IRRIT, PAIN, \*

\_\_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information

to have any application, use or

viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their pa

rticular situation regardless of similarity to a corresponding Department of Defense or other government situation.