

P-T TECHNOLOGIES, INC. -- DEGREASER SOLVENT -- 7930-01-436-7967

===== Product Identification =====

Product ID:DEGREASER SOLVENT

MSDS Date:09/23/1997

FSC:7930

NIIN:01-436-7967

MSDS Number: CGNPS

=== Responsible Party ===

Company Name:P-T TECHNOLOGIES, INC.

Address:108 4TH AVE. S.

City:SAFETY HARBOR

State:FL

ZIP:34695

Country:US

Info Phone Num:800-441-7874

Emergency Phone Num:800-441-7874

CAGE:0JVH6

=== Contractor Identification ===

Company Name:P-T TECHNOLOGIES INC

Address:108 4TH AVENUE, SOUTH

Box:City:SAFETY HARBOR

State:FL

ZIP:34695

Country:US

Phone:813-726-4644

CAGE:0JVH6

===== Composition/Information on Ingredients =====

Ingred Name:ORANGE OIL, TERPENES (NON-HAZARDOUS)

CAS:68647-72-3

Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINIC OILS (NON-HAZARDOUS)

CAS:64771-72-8

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRIT, TEARING, REDNESS. SKIN:  
DEFATTING, DRYNESS, DERMATITIS. INHAL: RESPIRATORY TRACT IRRIT,  
NAUSEA, DIZZY, HEADACHE. INGEST: ACUTE ORAL TOXICITY, NAUSEA,  
VOMIT, GI IRRIT, ASPIRATION INTO LUNGS .

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: WASH  
W/SOAP AND  
WATER. INHAL: GET FRESH AIR. INGEST: DONT INDUCE VOMIT. PRODUCT  
CONTAINS HYDROCARBONS. IN ALL CASES, GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:144F,62C  
Autoignition Temp:Autoignition Temp Text:410F  
Lower Limits:1.3  
Upper Limits:8.9  
Extinguishing Media:CO2, FOAM, DRY CHEMICAL, CLASS B FOR FIRE  
PROCEDURES.  
Fire Fighting Procedures:COMBUSTIBLE LIQUID, CAN FORM COMBUSTIBLE  
MIXTURES AT OR ABOVE FL  
ASH POINT.

===== Accidental Release Measures =====

Spill Release Procedures:LAND SPILL: REMOVE IGNITS, CONTAIN SPILL,  
RECOVER FREE PRODUCTS, ABSORB W/SUITABLE CHEMICAL ABSORBENT FOR  
DISPOSAL. WATER SPILL: REMOVE FROM WATER BY SKIMMING, OR USE  
SUITABLE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:STORAGE TEMPERATURE AMBIENT KEEP AWAY  
FROM HEAT AND IGNITS. KEEP PRODUCT CONTAINER CLOSE

D WHEN NOT IN  
USE.

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL DILUTION VENTILATION RECOMMENDED IN CONFINED  
AREAS, HEATED >AMBIENT TEMPERATURES OR IS AGITATED.

Protective Gloves:SOLVENT RESISTANT

Eye Protection:SAFETY GLASSES

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:380 TO 430F

Vapor Pres:1 AIR=1

Spec Gravity:0.76

VOC Pounds/Gallon:756

pH:NA

Evaporation Ra

te & Reference:3.2 N BUAC = 100

Solubility in Water:NON-MISCIBLE

Appearance and Odor:COLORLESS LIQUID, W/CHARACTERISTIC ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,  
SMOKE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR BURY IN APPROVED  
LANDFILL IN

ACCORDANCE W/STATE, FEDERAL AND LOCAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should see

k competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.