

AIRTECH INTERNATIONAL INC -- FLASHBREAKER 1 -- 7510-01-108-0174

=====
Product Identification
=====

Product ID:FLASHBREAKER 1

MSDS Date:01/01/1994

FSC:7510

NIIN:01-108-0174

MSDS Number: CGQQD

=== Responsible Party ===

Company Name:AIRTECH INTERNATIONAL INC

Address:2542 E DEL AMO BLVD

City:CARSON

State:CA

ZIP:90749

Country:US

Info Phone Num:310-603-9683

Emergency Phone Num:310-603-9683

CAGE:53912

=

== Contractor Identification ==

Company Name:AIRTECH INTERNATIONAL INC

Address:2542 E. DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90749

Country:US

Phone:213-603-9683

CAGE:53912

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS

OSHA PEL:N/K

ACGIH TLV:N/K

=====
Hazards Identification
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of

Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE AND CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Explanation of Carcinogenicity:NOT RELEVANT.
Effects of Overexposure:SEE HEALTH HAZARDS.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:INHAL: REMOVE TO FRESH AIR. SUPPORT BREATHING (GIVE O*2/ARTF RESP) . SKIN CONTACT: NON-IRRITATING - FOR PROLONGED SKIN CONTACT, WASH WITH SOAP AND WATER. IN CASE OF SKIN IRRITATION, CONSULT A PH YSICAN. INGESTION: CALL PHYSICIAN IMMEDIATELY . EYE: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. CONSULT A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Extinguishing Media:CARBON DIOXIDE, WATER SPRAY, FOAM OR DRY CHEMICALS.
Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:EMITS ACETALDEHYDE, CARBON DIOXIDE AND C ARBON MONOXIDE UNDER FIRE CONDITIONS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:TAPE IS A SOLID ROLL; PICK UP AND PUT IN BOXES.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:UNWINDING, WINDING AND PASSAGE OF POLY (ETHYLENE TEREPHTALATE) FILM THROUGH AND OVER ROLLERS WILL TEND TO GENERATE AN ELECTROSTATIC CHARGE ON THE WEB.
Ot her Precautions:STATIC DISCHARGE DEVICES SHOULD BE PROPERLY POSITIONED AT SUCH POINTS TO ELIMINATE THE CHARGE AND TO PREVENT UNCONTROLLED DISCHARGE FROM THE WEB.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE. NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:LOCAL EXHAUST FOR OPERATIONS ABOVE 392F.
Protective Gloves:IMPERVIOUS GLOVES .
Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .
Other Protective Equip

ment:EYE WASH FOUNTAIN & DELUGE SHOWER WHICH MEET
ANSI DESIGN CRITERIA .

Work Hygienic Practices:WASH HANDS AFTER HANDLING TAPE.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

Spec Gravity:>1.4

Solubility in Water:INSOLUBLE

Appearance and Odor:BLUE ADHESIVE COATED CLEAR FILM, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE.

Sta

bility Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:AT 572F AND ABOVE, THE MAIN

DECOMPOSITION PRODUCTS ARE ACETALDEHYDE, CARBON DIOXIDE AND CARBON
MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:TAPE IS A NON-HAZARDOUS SOLID WASTE MATERIAL AND
IS NOT REGULATED BY THE RESOURCE CONSERVATION RECOVERY ACT. DISPOSE
OF OR INCINERATE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situat
ion.