View NSN Online: https://aerobasegroup.de/nsn/6830-00-245-0199

MATHESON GAS PRODUCTS INC -- CARBON DIOXIDE -- 6830-00-245-0199

Product ID:CARBON DIOXIDE MSDS Date:08/31/1997 FSC:6830 NIIN:00-245-0199 MSDS Number: CGWZT === Responsible Party === Company Name: MATHESON GAS PRODUCTS INC Address:530 WATSON STREET City:WHITBY Country:ON Info Phone Num:973-257-1100 Emergency Phone Num:800-424-9300(CHEMTREC)/973-257-1100 CAGE:MATHE === Contractor Identification === Company Name: MATHESON CO DIV OF G D SEARLE MEDICAL PRODUCTS Address:30 SEAVIEW DRIVE Box:City:SCAUCUS State:NJ ZIP:07096 Country:US Phone:201-867-4100 CAGE:96355 Company Name: MATHESON GAS PRODUCTS Address:30 SEAVIEW DRIVE **Box:85** City:SECAUCUS State:NJ ZIP:07096 Country:US Phone:201-867-4100 CAGE:MATHE Company Name: MATHESON GAS PRODUCTS INC Address:530 WATSON STREET E Box:City:WHITBY,ONT, CANADA State:ON Country:CN Phone:905-668-3397 CAGE:50696

====== Co

mposition/Information on Ingredients ==========

Ingred Name:CARBON DIOXIDE CAS:124-38-9 RTECS #:FF6400000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:5000 PPM ACGIH TLV:5000PPM/30000STEL;96

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAJOR HEALTH HAZ:DIFFIC ULTY BREATH.SHORT TERM-INHAL:RINGING IN EARS, NAU, RIREG HEARTBEAT, HEAD, DROWS, DIZZ, TINGLING SENS, VISUAL DISTRUBANCES, SUFFOCATION, CONVUL, COMA. SKIN: BLISTERS, FROSTBITE. EYE: IR RIT, BLUR VISION. INGEST: FROSTBITE. LONG TERM-NO INFOR ON SIGNIFICANT ADVERSE EFFECTS. Explanation of Carcinogenicity:PER MSDS:CARCINOGENICITY(US ONLY):NTP/IARC/OSHA:NO. Effects of Overexposure: DIFFICULTY BREATHING. Medical Cond Aggravated by Exposure: HEART OR CARDIOVASCULAR DISORDERS, RESPIRATORY DISOR DERS.

First Aid:INHAL:WHEN SAF TO ENTER REMOVE FROM EXPO.USE BAG VALVE MASK/SIMILAR DEVICE TO PERFORM ART RESP(RESCUE BREATH)IF NEEDED.KEEP WARM/@REST.GET MED ATTN IMMED.SKIN:WASH IF NEEDED.FROSTBITE/FREEZ/CRYOGENIC BURNS OCCUR WARM AREA IN WARM H2O.NOT AVAI GENTLY WRAP PARTS IN BLANKETS.ALLOW CIRCULATION TO RETURN NATURALLY.GET MED ATTN IMMED.EYE:UNLIKELY EMERG TREAT WILL BE REQUIRED.WASH W/LG AMTS O F H2O(SUPPL)

Flash Point:NON-FLAMMABLE Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NON-FLAMM Upper Limits:NON-FLAMM Extinguishing Media:USE REGULAR FOAM OR FLOOD W/FINE WATER SPRAY. Fire Fighting Procedures:MOVE CNTNR FROM FIRE AREA W/O RISK.COOL CNTNR W/H2O SPRAY TIL WELL AFT FIRE IS OUT.STAY AWAY FROM TANKS ENDS.TK/RAIL CAR/TK TRUCK EVACUATION RADIUS:800M(SUPPLE) Unusual Fire/Explosion Hazard:NEGL FIRE

HAZ.CNTNR MAY RUPTURE/EXPLO IF EXPO TO HEAT.AVOID INHAL OF MATL/COMBUST BY-PROD.STAY UPWIND/KEEP OUT OF LOW AREAS.CONSIDER DOWNWIND EVACUATION IF LEAK

Spill Release Procedures:DONT TOUCH SPILLED MATL.STOP LEAK IF POSSIBLE W/O PERSONAL RISK.KEEP UNNECESSARY PEOPLE AWAY,ISOLATE HAZ AREA & DENY ENTRY.VENTILATE CLOSED SPACES BEF ENTERING. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

ndling and Storage ======= Ha

Handling and Storage Precautions:STORE/HNDL IAW ALL CURRENT REGS/STDS.KEEP SEPARATED FROM INCOMPATIBLE SUBST.SUBJ TO STORAGE REGS:OSHA 29CFR1910.101.

Other Precautions:MEASUREMENT METHOD:GAS COLLECTION BAG;GAS CHROMATOGRAPHY W/THERMAL CONDUCTIVITY DETECTOR;NIOSH III#S249.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:RESP/MAX USE CONC FRM NIOSH &/OR OSHA:10000PPM-ANY SUPP-AIR RESP;ANY SCBA

W/FULL FCPC.ESCAPE-ANY

APPRO ESCAPE-TYP SCBA.UNK CONC/IMMED DANGEROUS TO LIFE/HEALTH-ANY SUPP-AIR RESP W/FULL FCPC OPERATED IN DEMAND/OTH +PRESS MODE W/SEP ESCP(SUPP)

Ventilation: BASED ON AVAI INFO ADDN VENTILATION IS NOT REQUIRED. ENSURE COMPLIANCE W/APPLICABLE EXPOSURE LIMITS.

Protective Gloves:NOT REQUIRED BUT RECOMMENDED.

Eye Protection:NOT REQUIRED BUT RECOMMENDED.

Other Protective Equipment:FOR GAS:PROTECTIVE CLOTHING NOT REQUIRED.FOR LIQ:WEAR APPROP PROTECTIVE COLD INS

ULATING CLOTHING.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

1STAID:NORMAL SALINE TIL NO CHEM EVIDENCE REMAINS(@LEAST 15-20MINS).GET MED ATTN IMMED.INGEST:UNLIKELY EMERG TREAT WILL BE REQUIRE.GET MED ATTN IF NEEDED.NOTE TO DR:FOR INHAL CONSIDER OXY. FIREFIGHT:(1/2MI).APPLY H2O FRM PROT LOCAT/SAF DIST.DONT GET H2O DIRECTLY ON MATL.RED VAP W/H2OSPRAY. RESP:SUPP;ANY SCBA W/FCPC.

========

HCC:G3 Boiling Pt:B.P. Text:N/AVAI Melt/Freeze Pt:M.P/F.P Text:-71F,-57C Decomp Temp:Decomp Text:>3092F,>170 Vapor Pres:43700 @21C Vapor Density:1.5 Spec Gravity:1.522 @21C pH:ACID Viscosity:NP Evaporation Rate & Reference:NA Solubility in Water:SOLUBLE Appearance and Odor:COLORLESS ODORLESS GAS W/SLIGHT ACIDIC TASTE; (ACIDIC IN SOLUTION). Percent Volatiles by Volume:NA Corrosion Rate:NP

Stability Indicator/ Materials to Avoid:YES COMBUSTIBLE MATLS,OXIDZING MATLS,METALS SALTS,REDUCING AGENTS,METAL CARBIDE,METALS,BASES. Stability Condition to Avoid:PROTECT FROM PHYSICIAL DMG/HEAT.CNTNR MAY RUPTURE/EXPLO IF EXPO TO HEAT.AVOID CONTACT W/WATER OR MOISTURE. Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IAW ALL APPLICABLE REGULATIONS.

Disclaimer (provided with this informati on by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.