

VALVOLINE OIL CO -- TECTYL 517 -- 8010-01-127-3683

=====
===== Product Identification =====

Product ID:TECTYL 517
MSDS Date:07/05/1996
FSC:8010
NIIN:01-127-3683
MSDS Number: CGXPH
=== Responsible Party ===
Company Name:VALVOLINE OIL CO
Address:200 E MAIN ST
Box:14000
City:LEXINGTON
State:KY
ZIP:40512
Country:US
Info Phone Num:606-265-7000
Emergency Phone Num:606-265-7000
CAGE:72527
=== Contractor Ident
ification ===
Company Name:ASHLAND INC ASHLAND INDUSTRIAL PRODUCTS DIV
Address:491 RAILROAD ST
Box:City:ROCHESTER
State:PA
ZIP:15074-1905
Country:US
Phone:724-770-1500
CAGE:0XDH2
Company Name:VALVOLINE OIL CO
Address:3499 BLAZER PKY
Box:14000
City:LEXINGTON
State:KY
ZIP:40512
Country:US
Phone:606-357-7206 / 800-274-5263
CAGE:72527

=====
===== Composition/Information on Ingredients =====

Ingred Name:ALIPHATIC HYDROCARBONS (STODDARD TYPE)
CAS:8052-41-3
RTECS #:WJ8925000
Fraction by W

t: 38-48%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

Ingred Name:ALIPHATIC PETROLEUM DISTILLATES
CAS:64742-53-6
RTECS #:PY8036000
Fraction by Wt: 0.0-7.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT DISPERSION
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 0.0-6.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE:
IRRIT/STINGING/TEARS/RED/SWELLING. SKIN:
IRRIT/DRY/RED/BURNING/CRACKING. INHAL: LOW TOXICITY, CNS
DEPRESS/DIZZY/DROWSY/WEAK/FATIGUE/NAUSEA/HEADACHE/UNCONSCIOUS/DEATH
/NOSE THROAT & RESP TRACT IRRIT. INGEST: LOW TOXICITY, LUNG
INFLAM/DAMAGE. GI IRRIT/NAUSEA/VOMIT/DIARRHEA.
Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS,
ASTHMA-LIKE CONDITIONS.

=====
===== First Aid Measures =====

First Aid:EYE: GET FRESH AIR. FLUSH W/WATER LIFTING LIDS. SKIN: REMOVE
CONTAM CLOTHES, WASH BEFORE REUSE. WASH W/SOAP & WATER. INHAL: GET
FRESH AIR. KEEP WARM/QUIET. ARTIF RESP/OXYGEN IF NEEDED. INGEST:
DONT IN DUCE VOMIT. ASPIRATION HAZARD. IF DROWSY/UNCONSCIOUS, PLACE
ON LEFT SIDE, HEAD DOWN. DONT LEAVE UNATTENDED. GET IMMED MED AID
IN ALL CASES.

=====
===== Fire Fighting Measures =====

Fla

sh Point Method:PMCC

Flash Point:106F,41C

Lower Limits:1.0

Extinguishing Media:REGULAR FOAM, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING. USE POSITIVE PRESSURE SCBA W/FULL FACE PIECE. USE TURN-OUT GEAR/CHEMICAL RESIST PERSONAL PROTECTION.

Unusual Fire/Explosion Hazard:VAPORS >AIR & MAY TRAVEL TO IGNITS. NO WELDING, CUTTING ON OR NEAR FULL/EMPTY DRUM. CAN IGNITE EXPLOSIVELY.

===== Accidental Release Measures =====

==

Spill Release Procedures:SM: ABSORB. LG: REMOVE IGNITS. STOP SPILL. PREVENT FROM ENTERING BODIES WATER. PUMP/VACUUM TO CLEAN CONTAINERS FOR RECOVERY. ABSORB UNRECOVERABLE MATERIAL/TRANSFER CONTAM ABSORBENT/SOIL TO CONTAINER F OR DISPOSAL.

===== Handling and Storage =====

Handling and Storage Precautions:EMPTY CONTAINERS CONTAIN RESIDUE. FOLLOW ALL HAZARDOUS PRECAUTIONS.

Other Precautions:BOND & GROUND CONTAINERS WHEN TRANSFERRING ALL 5GL PAILS OR LARGER MATERL CONTAINERS INCLUDING TANK CARS/TRUCKS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE LIMITS EXCEEDED, USE NIOSH/MSHA APPROVED RESPIRATOR. OSHA ALSO PERMITS OTHER NIOSH/MSHA RESPIRATORS FOR NEGATIVE PRESSURE TYPE UNDER SPECIFIC CONDITIONS.

Ventilation:SUFFICIENT MECHANICAL (GENERAL/LOCAL EXHAUST) TO MAINTAIN EXPOSURE BELOW TLV.

Protective Gloves:RESISTANT NEOPRENE/NITRILE RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES/SAFETY GLASSES

Other Protective Equipment:IMPERVIOUS CLOTHES/BOOTS.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:315F,157C

Vapor Pres:2 @ 68F

Vapor Density:>1 AIR=1

Spec Gravity:0.939 @ 77F

pH:NA

Evaporation Rate & Reference:SLOWER THAN ETHYL ETHER

Appearance and Odor:LIQUID, HETEROGENEOUS SOLUTION, OPAQUE BLACK.

Percent Volatiles by Volume:40-45

===== Stability and Reactivity Data

=====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CO, CO₂, VARIOUS HYDROCARBONS.

===== Disposal Considerations =====

Waste Disposal Methods: ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.