

FLEXIBLE PRODUCTS -- FROTH-PAK 110, 180, 600/UTILI FOAM (B COMPONENT) --  
8030-01-146-0980

=====  
===== Product Identification =====

Product ID:FROTH-PAK 110, 180, 600/UTILI FOAM (B COMPONENT)

MSDS Date:05/01/1997

FSC:8030

NIIN:01-146-0980

Kit Part:Y

MSDS Number: CGXPL

=== Responsible Party ===

Company Name:FLEXIBLE PRODUCTS

Address:2050 NORTH BROADWAY

City:JOLLET

State:IL

ZIP:60435

Country:US

Info Phone

Num:815-741-6822

Emergency Phone Num:800-424-9300

Preparer's Name:M. HEROSY

CAGE:22289

=== Contractor Identification ===

Company Name:FLEXIBLE PRODUCTS CO

Address:1007 INDUSTRIAL PARK DR

Box:City:MARIETTA

State:GA

ZIP:30062

Country:US

Phone:770-428-2684

CAGE:22289

=====  
===== Composition/Information on Ingredients =====

Ingred Name:POLYOL BLEND

Fraction by Wt: 40-70%

Other REC Limits:NONE RECOMMENDED

Ingred Name:FLAME RETARDANT

Fraction by Wt: 15-40%

Other REC Limits:NONE RECOMMEN

DED

Ingred Name:CATALYST

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICONE SURFACTANT

Fraction by Wt: 1.0-5.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:CHLORODIFLUOROMETHANE (SARA 313) (CERCLA)

CAS:75-45-6

RTECS #:PA6390000

Fraction by Wt: 10-30%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:3500 MG/M3

Ozone Depleting Chemical:2

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports o

f Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRIT. SKIN: IRRIT. INHAL: MUCOUS  
MEMBRANE IRRIT.

Medical Cond Aggravated by Exposure:PRE-EXISTING ALLERGIES

=====  
===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES, LIFTING LIDS. SKIN: REMOVE  
CONTAM CLOTHES. WASH W/SOAP & WATER. INHAL: GET FRESH AIR. INGEST:  
DRINK LARGE AMOUNTS LIQUIDS. DONT INDUCE VOMIT. GET MED AID IN ALL  
CASE S.

=====  
===== Fire Fighting Measures =====

Flash Point:>200F,>93C

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.

Fire Fighting Procedures:USE SCBA.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:PROVIDE ADEQUATE VENT. USE PROTECTIVE  
CLOTHES/EQUIPMENT. CONTAIN SPILL. COLLECT W/SUITABLE ABSORBENT  
(SAWDUST/VERMICULITE).

=====  
===== Handling and Storage =====

Handling and Storag

e Precautions:KEEP AWAY FROM IGNITS. PROTECT  
CONTAINERS FROM PHYSICAL ABUSE. AVOID DIRECT SUNLIGHT. STORE AT  
75F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE SUITABLE RESPIRATORY PROTECTION.  
Ventilation:WELL-VENTILATED AREA.  
Protective Gloves:REQUIRED  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:USE PROTECTIVE CLOTHES.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

V  
apor Pres:2500 @ 70F  
Spec Gravity:1.2  
Appearance and Odor:BROWN TO LIGHT YELLOW FROTHY LIQUID, MILD ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NK  
Hazardous Decomposition Products:CO, CO2, NITROGEN OXIDES, AMMONIA,  
TRACE AMOUNTS HYDROGEN CYANIDE.

===== Disposal Considerations =====

Waste Disposal Methods:LEAVE UNCOVERED 24 HRS PRIOR TO DISPOSAL.  
RELIEVE ALL PRESSURE. EMPTY CYLINDE  
RS RELIEVED OF PRESSURE CAN BE  
DISPOSED AS NON-HAZARDOUS WASTE. DISPOSE LEFT-OVER CHEMICAL BY  
FOLLOWING INSTRUCTIONS UNDER SPILL/RELEASE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.