

HANLEY PAINTS -- PRIMER COATING, CONDITIONER FOR CHALKING -- 8010-01-285-1329

=====
Product Identification
=====

Product ID:PRIMER COATING, CONDITIONER FOR CHALKING

MSDS Date:01/10/1997

FSC:8010

NIIN:01-285-1329

MSDS Number: CGXPY

=== Responsible Party ===

Company Name:HANLEY PAINTS

Address:6050 LUCKETT ST.

City:EL PASO

State:TX

ZIP:79932

Country:US

Info Phone Num:915-585-2061

Emergency Phone Num

:800-228-5635

Preparer's Name:JAMIE NICHOLS

CAGE:JO927

=== Contractor Identification ===

Company Name:HANLEY PAINTS

Address:6050 LUCKETT ST.

Box:City:EL PASO

State:TX

ZIP:79932

Country:US

Phone:915-585-2061

CAGE:JO927

=====
Composition/Information on Ingredients
=====

Ingred Name:OMYACARB & CALCIUM CARBO.

CAS:1317-85-3

Fraction by Wt: 17.58%

Other REC Limits:NONE RECOMMENDED

Ingred Name:ANHYDROUS ALUMINUM SILICATE NON-TOXIC PARTICULATE DUST MASK

CAS:66402-68-4

Fraction by Wt

: 15.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MAGNESIUM SILICATE HYDRATE
CAS:14807-96-6
RTECS #:MW2700000
Fraction by Wt: 13.19%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SUPREME LINSEED OIL
CAS:8001-25-1
Fraction by Wt: 10.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL SPIRITS
CAS:64742-47-8
Fraction by Wt: 2.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:100 PPM
ACGIH TLV:100 PPM

=====
===== Hazards Identification =====

Routes of Entry: Inh
Absorption: YES Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: EYE: IRRIT. SKIN: IRRIT, DERMATITIS,
DEFATTING. INHAL: NASALL/RESPIRATORY TRACT IRRIT, DIZZY, WEAKNESS,
HEADACHE, UNCONSCIOUS, ASPHYXIATION. INGEST: GI IRRIT, NAUSEA,
VOMIT.

=====
===== First Aid Measures =====

First Aid: EYE: FLUSH W/WATER. SKIN: WASH W/SOAP & WATER. REMOVE CONTAM
CLOTHES, WASH BEFORE REUSE. INHAL: GET FRESH
AIR. INGEST: CALL
POISON CONTROL. IN ALL CASES, GET IMMEDIATE MED AID.

=====
===== Fire Fighting Measures =====

Flash Point: 105F, 41C
Lower Limits: .9
Upper Limits: 7.0
Extinguishing Media: ALCOHOL FOAM, WATER FOAM, WATER FOG, CARBON
DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures: USE SCBA & PROTECTIVE CLOTHES. COVER LIQUID
SPILLS W/FOAM. AVOID SPRAYING WATER DIRECTLY INTO CONTAINERS. USE
WATER TO COOL CONTAINERS.
Unusual Fire/Explosion Hazard: NONE

=====

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE IGNITS. STOP SPILL AT SOURCE. DIKE AREA. PUMP LIQUID TO SALVAGE TANK. ABSORB REMAINING LIQUID ON NONFLAMMABLE ABSORBENT MATERIAL. SHOVEL (NONSPARKING) INTO CONTAINERS. PREVENT RUNOFF TO DRAI NS, SEWER OR STREAMS.

===== Handling and Storage =====

Handling and Storage Precautions:EMPTY CONTAINERS RETAIN RESIDUE. FOLLOW PRECAUTION IN MSDS. STORE W/CONTAINERS CLOSED, AVOID EXCESS UPPER AND LOWER TEMPERATURES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED, USE NIOSH APPROVED RESPIRATORS TO PREVENT OVER-EXPOSURE.
Ventilation:PROVIDE EXHAUST VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.
Protective Gloves:CHEMICAL RESISTANT/NITRILE RUBBER
Eye Protection:SPLASH GOGGLES
Other Protective Equipment:IMPERVIOUS CLOTHES
Work Hygienic Practices:WASH HANDS THOROUGHLY BEFORE EATING, DRINKING & AFTER HANDLING MATERIAL.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NA
Vapor Density:NA
Spec Gravity:1.42 H2O=1
VOC Grams/Liter:2.56
Evaporation Rate & Reference:NA
Solubility in Water:NA
Appearance and Odor:LIQUID

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:KEEP AWAY FROM HEAT,

OPEN FLAMES, IGNIT
SOURCES.

Hazardous Decomposition Products:MAY INCLUDE AND ARE NOT LIMITED TO
CARBON DIOXIDE & CARBON MONOXIDE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:IN ACCORDANCE W/FEDERAL, STATE AND LOCAL
REGULATIONS

=====
===== Other Information =====

=====

Disclaimer (provided with this information by the compiling agencies

):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.