

FISHER SCIENTIFIC -- METHYL ALCOHOL 14280, A947-4 -- 6810-01-365-9554

=====  
Product Identification  
=====

Product ID:METHYL ALCOHOL 14280, A947-4

MSDS Date:09/02/1997

FSC:6810

NIIN:01-365-9554

MSDS Number: CHHDK

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIRLAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:703-527-3887;800

-424-9300(CHEMTREC)

CAGE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METHANOL; (METHYL ALCOHOL) (SARA 313) (CERCLA).

LD50:(ORAL,RAT) 5628 MG/KG.

CAS:67-56-1

RTECS #:PC1400000

Fraction by Wt: >99%

OSHA PEL:200 PPM, S

ACGIH TLV:200 PPM;250 STEL, S

EPA Rpt Qty:

5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SUPDAT:INCOMPAT W/SPECIFIC CHEMS INCL:ACETYL BROMIDE, ALKYL ALUMINUM SALTS, BERYLLIUM DIHYDRIDE, CARBON (ING 3)  
RTECS #:9999999ZZ

Ingred Name:ING 2:TETRACHLORIDE + METALS, CHLOROFORM + HEAT, CHLOROFORM + SODIUM HYDROXIDE, CYANURIC CHLORIDE, DIETHYL ZINC, (ING 4)  
RTECS #:9999999ZZ

Ingred Name:ING 3:NITRIC ACID & POTASSIUM TERTBUTOXIDE. PLEASE REFER TO NFPA FIRE PROTECTION GUIDE FOR ALL SPECIFICS.  
RTECS #:9999999ZZ

Ingred Name:EFTS OF OVERE  
XP:CHRONIC:PRLNG/RPTD SKIN CONT MAY CAUSE  
DERM. CHRONIC INHAL & INGEST MAY CAUSE EFTS SIMILAR TO (ING 6)  
RTECS #:9999999ZZ

Ingred Name:ING 5:THOSE OF ACUTE INHAL & INGEST. TARGET ORGS:KIDNEYS, CNS, LIVER, EYES. TOX INFO:EFTS ON NEWBORN:BEHAVIORAL; (ING 7)  
RTECS #:9999999ZZ

Ingred Name:ING 6:EMBRYO/FETUS:FETOTOXICITY; SPECIFIC DEVEL ABNORMS:CVS, MUSCULOSKELETAL, UROGENITAL; PATERNAL EFTS: (ING 8)  
RTECS #:9999999ZZ

Ingred Name:ING 7:SPERMATOGENESIS; DNA DAMAGE; DNA INHIBITOR.  
RTECS  
#:9999999ZZ

Ingred Name:FIRST AID PROC:TSP OF SYRUP OF IPECAC. INHAL:GET MED AID IMMED. REMOVE FROM EXPOS TO FRESH AIR IMMED. IF NOT (ING 10)  
RTECS #:9999999ZZ

Ingred Name:ING 9:BRTHG, GIVE ARTF RESP. IF BRTHG IS DFCLT, GIVE OXYG. NOTES TO MD:EFTS MAY BE DELAYED. ETHANOL MAY INHIBIT (ING 11)  
RTECS #:9999999ZZ

Ingred Name:ING 10:METABOLISM. ANTIDOTE:NO SPECIFIC ANTIDOTE EXISTS.  
RTECS #:9999999ZZ

Ingred Name:OTHER PREC:STORAGE AREA. HARMFUL IF INHALED. POISON-CANNOT BE MADE NON-POI

SONOUS. KEEP OUT OF REACH OF CHILDREN.(ING 13)

RTECS #:9999999ZZ

Ingred Name:ING 12:IN CASE OF ACCIDENT/IF YOU FEEL UNWELL, SEEK MED  
ADVICE IMMED (SHOW LBL WHERE POSS). KEEP CNTNR TIGHTLY CLOSED.

RTECS #:9999999ZZ

===== Hazards Identification =====

LD50 LC50 Mixture:SEE INGREDIENT 1.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE:EYE:CAUSES MOD IRRIT. VAP

S MAY

CAUSE IRRIT. MAY CAUSE PAINFUL SENSIT TO LIGHT. SKIN:MAY CAUSE  
IRRIT. MAY BE ABSORBED IN HARMFUL AMTS. INGEST:MAY CAUSE IRRIT OF  
DIGEST TRACT. MAY CAUSE CNS DEPRES S, CHARACT BY EXCITEMENT,  
FOLLOWED BY HDCH, DIZZ, DROW & NAUS. ADVANCED STAGES MAY CAUSE  
COLLAPSE, (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:UNCON, COMA & POSS DEATH DUE TO RESP  
FAILURE. MAY CAUSE KIDNEY FAILURE. INHAL:MAY CAUSE RESP TRACT  
IRRIT. MA

Y CAUSE LIVER & KIDNEY DMG. MAY CAUSE ADVERSE CNS EFTS

INCL HDCH, CONVLS & POSS DEATH. MAY CAUSE VISUAL IMPAIRMENT & POSS  
PERM BLINDNESS. MAY CAUSE EFTS SIMILAR TO THOSE DESCRIBED FOR  
INGEST. (ING 5)

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES:FLUSH W/PLENTY OF WATER FOR AT LST 15 MINS, OCCAS  
LIFTING UPPER & LOWER LIDS. GET MED AID IMMED. DO NOT ALLOW VICTIM  
TO RUB/K

EEP EYES CLSD. SKIN:FLUSH W/PLENTY OF SOAP & WATER FOR AT  
LST 25 MINS WHILE REMOVING CONTAM CLTHG & SHOES. GET MED AID IF  
IRRIT DEVELS/PERSISTS. INGEST:IF VICTIM IS CONSCIOUS & ALERT, GIVE  
2-4 CUPFULS OF MILK/WATER. GET MED AID IMMED. INDUCE VOMIT BY  
GIVING 1 (ING 9)

===== Fire Fighting Measures =====

Flash Point:53.6F,12.0C

Lower Limits:6%

Upper Limits:31%

Extinguishing Media:FOR SMALL FIRES, USE DRY CHEMICAL, CARBON DIOXIDE,  
WATER SPRAY

OR ALCOHOL-RESISTANT FOAM.

Fire Fighting Procedures:USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT . USE WATER TO COOL FIRE-EXPOSED CONTAINERS. WATER MAY BE INEFFECTIVE.

Unusual Fire/Explosion Hazard:CNTNRS CAN BUILD UP PRESS IF EXPOS TO HEAT &/OR FIRE. VAPS CAN TRAVEL TO SOURCE OF IGNIT & FLASH BACK. DURING FIRE, IRRIT & HIGHLY TOX GASES MAY BE (SUPP DATA)

===== Accidental Release Measures =====

Spill Release Procedures:USE PROPER PPE AS INDICATED IN EXPOS CONTROLS, PERSONAL PROT SECTION. SCOOP UP W/NONSPARKING TOOL, THEN PLACE INTO SUITABLE CNTNR FOR DISP. USE WATER SPRAY TO DISPERSE GAS/VAP. REMOVE ALL SOURCES OF I GNIT. ABSORB SPILL USING ABSORB, NON- (SUPP DATA)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:USE W/ADEQUATE VENT. EMPTY CONTAINERS RETAIN PRODUCT RESIDUE (LIQUID &/OR VAPOR) & CAN BE DANGEROUS . DO

NOT GET ON SKIN/IN EYES. DO NOT INGEST/INHALE.

Other Precautions:DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND/EXPOSE EMPTY CNTNRS TO HEAT, SPKS/OPEN FLAMES. KEEP AWAY FROM SOURCES OF IGNIT-NO SMOKING. STORE IN COOL, DRY, WELL-VENTED AREA AWAY FROM INCO MPAT SUBSTANCES. STORE IN FLAMMS(ING 12)

===== Exposure Controls/Personal Protection =====

Respiratory Protection:FOLLOW OSHA RESPIRATOR REGULATIONS FOUND IN 29 CFR 1910.134. ALWAYS USE A NIOSH APPROVED RESPIRATOR WHEN NECESSARY.

Ventilation:USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP AIRBORNE CONCENTRATIONS BELOW PELS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGS .

Other Protective Equipment:ANSI APPROVED EYE WASH FOUNTAIN & DELUGE SHOWER . WEAR APPROPRIATE PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING. REMOVE CONTAMINATED CLOTHING & WASH BEFORE REUSE.

Supplemental Safety and Health

EXPLO HAZ:GENERATED BY THERMAL DECOMP/COMBUST. FLAMM LIQ. CAN RELS VAPS THAT FORM EXPLO MIXTS AT TEMPS ABOVE FLASHPOINT. SPILL PROC:COMBUST MATL SUCH AS EARTH, SAND/VERMICULITE. MATLS TO AVOID:SODIUM HYPOCHLORITE), ACTIVE METALS (SUCH AS POTASSIUM & MAGNESIUM). SUBSTANCE IS ALSO (ING 2)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:148F,65C  
Melt/Freeze Pt:M.P/F.P Text:-144F,-98C  
Vapor Pres:96  
Vapor Dens  
ity:1.1  
Spec Gravity:0.7910  
Evaporation Rate & Reference:5.2 (ETHER=1)  
Solubility in Water:MISCIBLE  
Appearance and Odor:CLEAR, COLORLESS LIQUID; SLIGHT ALCOHOL-LIKE ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
OXIDANTS (SUCH AS BARIUM PERCHLORATE, BROMINE, CHLORINE, HYDROGEN PEROXIDE, LEAD PERCHLORATE, PERCHLORIC ACID, (SUPDAT)  
Stability Condition to Avoid:HIGH TEMPERATURES, INCOMPATIBLE MATERIALS, IGNITION SOURCES.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE, FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN A MANNER CONSISTENT W/FEDERAL, STATE & LOCAL REGULATIONS. RCRA WASTE NUMBER:U154 (IGNITABLE WASTE). THIS MATERIAL IS BANNED FROM LAND DISPOSAL ACCORDING TO RCRA.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.