

SPECIALTY DIVISION -- ZBT0172 BATTERY TERMINAL CLEANER -- 6850-01-332-7633

===== Product Identification =====

Product ID:ZBT0172 BATTERY TERMINAL CLEANER

MSDS Date:06/02/1995

FSC:6850

NIIN:01-332-7633

MSDS Number: CHHVC

=== Responsible Party ===

Company Name:SPECIALTY DIVISION

Address:26300 FARGO AVENUE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146-5000

Country:US

Info Phone Num:216-292-7400

Emergency P

hone Num:216-566-2917

CAGE:IO952

=== Contractor Identification ===

Company Name:ALL-SAFE INC

Address:4767 LANGTON RD

Box:116

City:HILLIARD

State:OH

ZIP:43026

Country:US

Phone:614-876-4041

CAGE:2X264

Company Name:BADGER TRUCK CENTER INC

Address:2326 W ST PAUL AVE

Box:1530

City:MILWAUKEE

State:WI

ZIP:53201

Country:US

Phone:414-344-9500

Contract Num:SP0 450-99-MC 070

CAGE:06YZ5

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

C



ENTS MAY CAUSE ADVERSE EFFECTS TO LIVER,  
URINARY, CARDIOVASCULAR & REPRODUCTIVE SYSTEMS. REPEATED &  
PROLONGED OVEREXPOSURE TO SOLVENTS MAY CAUSE PERMANENT BRAIN &  
NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION, UNCONSCIOUSNESS, HEADACHE,  
DIZZINESS, NAUSEA, LOSS OF COORDINATION, REDNESS, ITCHING, BURNING  
SENSATION.

=====  
First Aid Measures  
=====

First Aid:INHALATION: REMOVE TO FRESH AIR. RE  
STORE BREATHING. KEEP WARM  
& QUIET. SKIN: THOROUGHLY WASH AFFECTED AREA W/SOAP & WATER. EYES:  
FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. INGESTION: DON'T INDUCE  
VOM ITING. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.  
GIVE SEVERAL GLASSES OF WATER. OBTAIN MEDICAL ATTENTION IN ALL  
CASES.

=====  
Fire Fighting Measures  
=====

Flash Point:120F. DON'T TAKE INT ERNALLY. KEEP OUT OF REACH OF CHILDREN.

=====  
Exposure Controls/Pers  
onal Protection  
=====

Respiratory Protection:WEAR A PROPERLY FITTED NIOSH/MSHA APPROVED  
ORGANIC VAPOR/PARTICULATE RESPIRATOR IF PERSONAL EXPOSURE CAN'T BE  
CONTROLLED