

EASTMAN KODAK COMPANY -- 813 5048 3000 FIXER AND REPLENISHER, PART A --
6750-01-363-8343

===== Product Identification =====

Product ID:813 5048 3000 FIXER AND REPLENISHER, PART A

MSDS Date:02/25/1998

FSC:6750

NIIN:01-363-8343

MSDS Number: CHHVX

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3

194 MSDS :800- 242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

===== Composition/Information on Ingred

ients =====

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 40-45%
Other REC Limits:NONE RECOMMENDED

Ingred Name:AMMONIUM THIOSULFATE
CAS:7783-18-8
RTECS #:XN6465000
Fraction by Wt: 40-45%
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM ACETATE
CAS:127-09-3
RTECS #:AJ4300010
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:BORIC ACID
CAS:10043-35-3
RTECS #:ED4550000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG BORATE
S/M3
ACGIH TLV:5 MG BORATES/M3

Ingred Name:AMMONIUM SULFITE (CERCLA)
CAS:10196-04-0
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ACETIC ACID (CERCLA)
CAS:64-19-7
RTECS #:AF1225000
Fraction by Wt: 1-5%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM
ACGIH TLV:10 PPM/15 STEL; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:SODIUM BISULFITE (SASA III) (CERCLA)
CAS:7631-90-5
RTECS #:VZ2000000
Fraction by Wt: < 1%
Other

REC Limits:NONE RECOMMENDED
OSHA PEL:5 MG/M3
ACGIH TLV:5 MG/M3; 9596
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 RAT > 2540 MG/KG
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION
HAZARD. MAY LIBERATE SULFUR DIOXIDE GAS WHICH IS IRRITATING TO
RESPIRATORY TRACT. MAY CAUSE
TRANSIENT EYE IRRITATION. MAY BE
ABSORBED IN TOXIC AMOUNTS THROUGH DAMAGED S KIN. MAY BE HARMFUL IF
SWALLOWED.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:RESPIRATORY TRACT IRRITATION, EYE IRRITATION,
SKIN IRRITATION, DIFFICULT BREATHING, SKIN SENSITIZATION, CHEST
TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS, DIARRHEA.
BASED ON REP
EATED-DOSE ING ESTION STUDIES IN ANIMALS, MAY CAUSE
ADVERSE REPRODUCTIVE & DEVELOPMENTAL EFFECTS.
Medical Cond Aggravated by Exposure:SOME ASTHMATICS OR
SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE WHEEZING, CHEST
TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS & DIARRHEA.

===== First Aid Measures =====

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL
ATTENTION IF SYMPTOMS PERSIST. EYES: ANY MATERIAL THAT CONTACTS
EYES SHOULD BE WASHED OUT IMEEDIATELY WITH WATER. GET MEDICAL
ATTENTION IF SY MPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET
MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: ONLY INDUCE
VOMITING AT THE INSTRUCTION OF MEDICAL PERSONNEL. CALL PHYSICIAN OR
POISON CONTROL ASAP.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE.
F

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:MAY REQUIRE NEUTRALIZATION. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER.OTHERWISE, ABSORB SILL W/VERMICULITE OR OTHER INERT MATL.THEN PLACE IN CNTNR FOR CHEMICAL WASTE.CLEAN

SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. KEEP FROM CONTACT WITH OXIDIZING MATERIALS.

Other Precautions:KEEP CONTAINER TIGHTLY CLOSED. KEEP FROM CONTACT WITH INCOMPATIBLE SUBSTANCES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED. A FULL-FACE POSITIVE-PRESSURE AIR-SUPPLIED RESPIRATOR MUST BE WORN IF HAZARDOUS DECOMPOSITION PRODUCTS ARE LIKELY TO BE RELEASED OR HAVE BEEN RELEASED.

Ventilation:GOOD GENERAL VENTILATION(TYPICALLY 10AIR CHANGES/HR)SHOULD BE USED.VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:IMPERVIOUS GLOVES FOR RE/PROL CONTACT.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS.

Other Protective

Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

KEY1: C3.

===== Physical/Chemical Properties =====

HCC:C1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Va

por Pres:18MM
Vapor Density:0.6
Spec Gravity:1.32
pH:5.0
Evaporation Rate & Reference:NOT GIVEN
Solubility in Water:COMPLETE.
Appearance and Odor:LIQUID, LIGHT YELLOW, SLIGHT SULFUR & ACETIC ACID
ODOR.
Percent Volatiles by Volume:40-45

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
BASES, SODIUM HYPOCHLORITE (BLEACH), STRONG OXIDIZING AGENTS, STRONG
ACIDS. CONTACT W/BASE LIBERATES FLAMM MATL.
Stability Condition to Avo
id:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:AMMONIA, NITROGEN OXIDES (NOX), SULFUR
DIOXIDE, CHLORAMINE, CARBON MONOXIDE, CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compil
ing agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.