

VERBATIM CORPORATION -- EP-N LASER TONER CARTRIDGE (NX) -- 6850-01-398-2398

=====  
Product Identification  
=====

Product ID:EP-N LASER TONER CARTRIDGE (NX)

MSDS Date:10/28/1994

FSC:6850

NIIN:01-398-2398

MSDS Number: CHHXC

=== Responsible Party ===

Company Name:VERBATIM CORPORATION

Address:1200 W.T. HARRIS BLVD

City:CHARLOTTE

State:NC

ZIP:28262

Country:US

Info Phone Num:704-547-6500

Emergency Phone N

um:704-547-6500/800-424-9300(CHEMTREC)

CAGE:0E6G7

=== Contractor Identification ===

Company Name:VERBATIM CORP

Address:1200 W. T. HARRIS BOULEVARD

Box:City:CHARLOTTE

State:NC

ZIP:28213

Country:US

Phone:704-547-6500

CAGE:0E6G7

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STYRENE ACRYLATE COPOLYMER

CAS:25153-46-2

Fraction by Wt: 55-60%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: NP

Other REC Limits:

NONE RECOMMENDED  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name:METAL AZO DYE  
CAS:84179-66-8  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYOLEFIN WAX  
CAS:25322-69-4  
RTECS #:TR5250000  
Fraction by Wt: 1-5%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:SILICA  
CAS:112945-52-5  
RTECS #:VV7310000  
Fraction by Wt: NP  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:6 MG/M3  
ACGIH TLV:10 MG/M3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NONE  
Effects of Overexposure:NONE  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYE:FLUSH W/WATER.INHAL:REMOVE FROM EXPOSURE.SKIN:WASH  
W/SOAP/WATER.ORAL:DRINK SEVERAL GLASSES OF WATER.

=====  
Fire Fighting Measures  
=====

=

Flash Point:NA  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:WATER, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:AVOID BREATHING SMOKE.  
Unusual Fire/Explosion Hazard:EXCESS DUST IN AIR CAN FORM EXPLOSIVE  
MIXTURE:COMBUSTIBLE.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:NONE  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
Handling and Storage  
=====

=

Handling and Storage Precautions:NONE SPECIFIED BY MANUFACTURER.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:NONE  
Protective Gloves:NONE  
Eye Protection:NONE  
Other Protective Equipment:NONE  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NA  
Mel  
t/Freeze Pt:M.P/F.P Text:>248F,>120C  
Decomp Temp:Decomp Text:NP  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.1  
pH:NP  
Viscosity:NP  
Evaporation Rate & Reference:NA  
Solubility in Water:INSOLUBLE  
Appearance and Odor:FNE BLACK POWDER/RESIN ODOR  
Percent Volatiles by Volume:NA  
Corrosion Rate:NP

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:PRODUCTS OF COMBUSTIO  
N ARE TOXIC.AVOID  
SMOKE INHALATION.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DO NOT INCINERATE.DISPOSE OF IN ACCORDANCE WITH  
LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate an

d

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.