

GARD CORPORATION -- GARD HIGH PERFORMANCE MOTOR OIL SAE 10W-30 -- 9150-01-413-6990  
===== Product Identification =====

Product ID:GARD HIGH PERFORMANCE MOTOR OIL SAE 10W-30

MSDS Date:03/24/1998

FSC:9150

NIIN:01-413-6990

MSDS Number: CHHXY

=== Responsible Party ===

Company Name:GARD CORPORATION

Address:2727 ROE LANE

City:KANSAS CITY

State:KS

ZIP:66103

Country:US

Info Phone Num:913-236-5000

Emergenc

y Phone Num:913-236-5000

CAGE:3K676

=== Contractor Identification ===

Company Name:UNIMARK OIL COMPANY (FORMERLY GARD OIL)

Address:2727 ROE LANE

City:KANSAS CITY

State:KS

ZIP:66103-1543

Country:US

Phone:913-236-5000; FX 913-236-4419

CAGE:3K676

===== Composition/Information on Ingredients =====

Ingred Name:PARAFINNIC DISTILLATE

RTECS #:1002828PD

Fraction by Wt: 80-90%

Other REC Limits:5 MG/M3

Ingred Name:PROPRIETARY ADDITIVES

RTECS #:1009204PA

Fraction by Wt: 10-20%

Other REC

Limits:NONE RECOMMENDED

Ingred Name:PHOSPHORODITHOIC ACID, O-O-D1 C1-14-ALKYL ESTERS, ZINC  
SALTS (2:1) (ZDDP)  
CAS:68649-42-3  
RTECS #:1007710PT  
Fraction by Wt: < 0.5%  
Other REC Limits:5 MG/M3 OIL MIST

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION. MAY  
CAUSE  
SKIN IRRITATION. HOT VAPORS MAY CAUSE RESPIRATORY IRRITATION.  
HARMFUL IF SWALLOWED. ASPIRATION MAY LEAD TO CHEMICAL PHEUMONITIS.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:EYE IRRITATION, DERMATITIS, SKIN DRYNESS/  
CHAPPING/REDDENING OF SKIN, NAUSEA, HEADACHE, WEAKNESS, PULMONARY  
EDEMA, HEMORRHAGE, DEATH, INCREASED RESPIRATORY RATE, INC  
REASED  
HEART RATE, BLUISH DISCOLORA TION OF THE SKIN, ABDOMINAL CRAMPS,  
DIARRHEA.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS  
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.  
WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL  
ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING.  
GET  
MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. IMMEDIATELY  
GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH IF  
UNCONSCIOUS. GET MD.

=====  
===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:410F,210C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extinguishing Media:USE DRY CHEMICAL, FOAM, WATER FOG, CARBON DIOXIDE.  
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE BUT MAY BE USED TO  
COOL CONTAINERS EXPOSED TO HEAT O

R FLAME. CAUTION SHOULD BE EXERCISED WHEN USING WATER OR FOAM; FROTHING MAY OCCUR. Unusual Fire/Explosion Hazard: DENSE SMOKE MAY BE GENERATED WHILE BURNING. TOXIC FUMES, GASES OR VAPORS MAY EVOLVE ON BURNING. HEAVY FLAMMABLE VAPORS MAY TRAVEL TO LOW AREAS AND IGNITE.

===== Accidental Release Measures =====

Spill Release Procedures: IMMEDIATELY TURN OFF ANY SOURCE OF IGNITION. EVACUATE AREA AND VENTILATE. CONTAIN MATERIAL AND COLLECT FOR DISPOSAL. P

REVENT MATERIAL FROM ENTERING SEWERS OR WATERWAYS. IF A LARGE SPILL OCCURS NOTIFY APPROPRIATE AUTHORITIES.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT TRANSFER TO UNMARKED CONTAINERS. FIRE EXTINGUISHERS SHOULD BE KEPT READILY AVAILABLE.

Other Precautions: SEE NFPA 30 AND OSHA 1910.106--FLAMMABLE AND COMBUSTIBLE LIQUIDS. EMPTY

CONTAINERS RETAIN PRODUCT RESIDUE WHICH MAY EXHIBIT HAZARDS OF MATERIAL, THEREFORE DO NOT PRESSURIZE, CUT, GLAZE, WELD OR USE FOR ANY OTHER PURPOSES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE REQUIRED IF AIRBORNE CONCENTRATIONS ARE MAINTAINED BELOW THRESHOLD LIMITS. OTHERWISE A RESPIRATORY PROTECTION PROGRAM MEETING OSHA REQUIREMENTS MUST BE FOLLOWED.

Ventilation: LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQ

UIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves: NEOPRENE OR NITRILE RUBBER.

Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

COMSUMPTION OF FOOD AND DRINK SHOULD BE AVOIDED IN WORK

AREAS WHERE  
PRODUCT IS PRESENT.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:NOT GIVEN

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:NEGLIGIBLE

Vapor Density:> 1

Spec Gravity:0.877

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:AMBER, CLEAR FLUID, MILD PETROLEUM HYDROCARBON ODOR

Percent Volatiles by Volume:NIL

===== Stability and Reactivity

Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH ACIDS AND OXIDIZING MATERIALS.

Stability Condition to Avoid:AVOID HIGH TEMPERATURES AND PRODUCT  
CONTAMINATION.

Hazardous Decomposition Products:OXIDES OF CARBON ZINC, CALCIUM,  
MAGNESIUM, PHOSPHORUS AND SULFUR, HYDROGEN SULFIDE, ALKYL  
MERCAPTANS, OTHER SULFIDES.

===== Disposal Considerations =====

Waste Disposal Methods:ALL DISPOSALS MUST COMPLY WITH FEDERAL, STATE

AND LOCAL REGULATIONS. THE MATERIAL IF SPILLED OR DISCARDED MAY BE  
A REGULATED WASTE. REFER TO STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek c

ompetent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.