

ACCTECH LLC, CLEANTEX DIV (READ/RIGHT PRODUCTS) -- PC DUSTER 2, OFFICEDUSTER 3, OFFICEDUSTER JR. -- 6850-01-434-1193

=====
Product Identification
=====

Product ID:PC DUSTER 2, OFFICEDUSTER 3, OFFICEDUSTER JR.

MSDS Date:03/01/1998

FSC:6850

NIIN:01-434-1193

MSDS Number: CHHZC

=== Responsible Party ===

Company Name:ACCTECH LLC, CLEANTEX DIV (READ/RIGHT PRODUCTS)

Address:33 MURRY HILL DRIVE

City:NANUE

T

State:NY

ZIP:10954

Country:US

Info Phone Num:800-284-5577

Emergency Phone Num:800-284-5577/800-424-9300(CHEMTREC)

CAGE:09ZF6

=== Contractor Identification ===

Company Name:ACCTECH LLC

Address:33 MURRY HILL DRIVE

Box:City:NANUET

State:NY

ZIP:10954

Country:US

Phone:800-284-5577

CAGE:09ZF6

Company Name:SIGMA TECH ENTERPRISES INC

Address:90 GLEN WAY SUITE 16

Box:City:SAN CARLOS

State:CA

ZIP:94070

Country:US

Phone:415-591-2510

CAGE:04KF9

=====
Composition/Information on Ingredients
=====

=====

Ingred Name:1,1,1,2-TETRAFLUOROETHANE (R134A)

CAS:811-97-2

Fraction by Wt: 100%

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: VAPORS REDUCE OXYGEN LEVELS IN AIR TO 12-14%. MAY CAUSE ASPHYXIATION, CARDIAC SENSITIZATION, CARDIAC ARRHYTHMIAS. SKIN: MAY CAUSE IRRITATION, FROSTBITE. EYES: VAPORS CAN PRODUCE MILD IRRITATION. LIQUID CAN RESULT IN SEVERE IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:ASPHYXIATION, LOSS OF COORDINATION, INCREASED PULSE RATE, DEEPER RESPIRATION, IRRITATION, DEFATTING, FROSTBITE,

Medical Cond Aggravated by Exposure:PRE-EXISTING DISEASES OF CNS, CARDIOVASCULAR SYSTEM, ANEMIA, ASTHMA/DERMAL SENSITIVITY.

===== First Aid Measures =====

First Aid:EYES: IRRIGATE W/WATER FOR 15 MINS. SKIN: FLUSH W/WATER.

TREAT FOR FROSTBITE. INHALATION: REMOVE TO FRESH AIR. RESTORE/SUPPORT BREATHING AS NEEDED. GIVE OXYGEN IF BREATHING IS DIFFICULT. OBTAIN MEDICAL ATTENTION IN ALL CASES. NOTE TO PHYSICIAN: BECAUSE OF A POSSIBLE DISTURBANCE OF CARDIAC RHYTHM, CATECHOLAMINE DRUGS SUCH AS EPINEPHRINE, SHOULD BE USED W/SPECIAL CAUTION IN EMERGENCY LIFE SUPPORT.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NONE

Fire Fighting

Procedures:SELF-CONTAINED BREATHING APPARATUS MAY BE REQUIRED IF CANS RUPTURE/CONTENTS RELEASED UNDER FIRE CONDITIONS.

Unusual Fire/Explosion Hazard:CONTAINERS MAY RUPTURE UNDER ELEVATED TEMP CONDITIONS. IRRITATING & TOXIC GASES MAY BE PRODUCED.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA IN LOW PLACES WHERE HEAVY VAPORS MIGHT COLLECT. REMOVE OPEN FLAMES. LARGE: USE SELF-CONTAINED BREATHING APPARATUS.

=====

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN A CLEAN, COOL, VENTILATED
AREA AWAY FROM SOURCES OF IGNITION AND OXIDIZING AGENTS. MAINTAIN
TEMPERATURE AT LESS THAN 120F. CLASS 1 AEROSOL.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:SELF CONTAINED BREATHING APPARATUS IS REQUIRED
IF LARGE RELEASE OCCURS.

Ventilation:LOCAL EXHAUST WHEN LARGE AMOUNTS RELEASED. MECHA
NICAL

VENTILATION SHOULD BE USED IN LOW PLACES.

Protective Gloves:LINED NITRILE/NATURAL RUBBER

Eye Protection:CHEMICAL SPLASH GOGGLES

Supplemental Safety and Health

NONE

=====
Physical/Chemical Properties
=====

HCC:G3

Boiling Pt:B.P. Text:-16F,-27C

Vapor Pres:84

Vapor Density:4.34

Spec Gravity:1.21

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUIFIED GAS W/SLIGHT ETHEREAL ODOR

Percent Volatiles by Volume:100

=====
Stability and Reacti
vity Data
=====

Stability Indicator/Materials to Avoid:YES

ALKALI/ALKALINE EARTH METALS, POWDERED ALUMINUM, ZINC

Stability Condition to Avoid:OPEN FLAMES, HIGH TEMPERATURES, GLOWING
METAL SURFACES

Hazardous Decomposition Products:HYDROCHLORIC & HYDROFLUORIC ACIDS,
POSSIBLY CARBONYL HALIDES

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE W/LOCAL, STATE &
FEDERAL REGULATIONS.

Disclaimer (provided with

this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.