

TACC INTERNATIONAL CORP. -- SOLVENTBORNE NEOPRENE ADHESIVE -- 8040-00-262-9005

=====  
Product Identification  
=====

Product ID:SOLVENTBORNE NEOPRENE ADHESIVE

MSDS Date:08/22/1996

FSC:8040

NIIN:00-262-9005

MSDS Number: CHKGQ

=== Responsible Party ===

Company Name:TACC INTERNATIONAL CORP.

Address:AIR STATION INDUSTRIAL PARK

Box:390

City:ROCKLAND

State:MA

ZIP:02370

Country:US

Info Phone Num:617-878-70

15

Emergency Phone Num:617-878-7015

CAGE:0HZU1

=== Contractor Identification ===

Company Name:TACC INTERNATIONAL CORP

Address:AIR STATION INDUSTRIAL PARK

Box:City:ROCKLAND

State:MA

ZIP:02370

Country:US

Phone:781-878-7015

CAGE:0HZU1

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE (SARA 313) (CERCLA) VP = 22 @ 68F CEILING LIMIT 300  
PPM, PEAK 500 PPM

CAS:108-88-3

RTECS #:XS5250000

Fraction by Wt: 1-5%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:100 PPM/

STEL 150  
ACGIH TLV:50 PPM/STEL 150  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:HEXANE (SARA 313) (CERCLA) VP = 2  
CAS:110-54-3  
RTECS #:MN9275000  
Fraction by Wt: 20-50%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:50 PPM  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1 LB  
DOT Rpt Qty:1 LB

Ingred Name:ACETONE (SARA 313) (CERCLA) VP = 0  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 5-20%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:750 PPM/STEL 1000  
ACGIH TLV:750 PPM/STEL 1000  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty  
:5000 LBS

Ingred Name:METHYL ETHYL KETONE (SARA 313) (CERCLA) VP = 0  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 5-20%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM/STEL 300  
ACGIH TLV:200 PPM/STEL 300  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: IRRITATION. SKIN: REMOVAL OF

SKIN OILS, IRRITATION, DERMATITIS, SENSITIZATION. INHAL: HEADACHE, DIZZY, NAUSEA, UPPER RESP DRYNESS/IRRIT, DROWSY, MENTAL DEPRESSION, NARCOSIS, DIFFICULT BREATHING. INGEST: MAY BE HARMFUL/FATAL IF SWALLOWED.

Effects of Overexposure:CHRONIC: COULD LEAD TO NS SYSTEM DAMAGE, BODY ORGANS OR BRAIN DAMAGE. USE W/ADEQUATE VENTILATION.

=====  
===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. SKIN: WASH W/MILD SOAP & WATER. APPLY MILD CREAM. INHAL: GET FRESH AIR. INGEST: CALL POISON CONTROL CENTER IMMED.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:0F,-18C

Lower Limits:1.1

Upper Limits:12.8

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR FOG.

Fire Fighting Procedures:AVOID BREATHING SMOKE. USE AIR SUPPLIED RESCUE EQUIPMENT FOR ENCLOSED AREA. WATER SPREADS BURNING LIQUID IF LARGE AMOUNTS USED.

Unusual Fire/E

xplosion Hazard:VAPORS IGNIT EXPLOSIVELY, CAUSE FLASH FIRES. ELIM IGNIT SOURCE. USE ADEQUATE CROSS VENT. ELECTRICALLY GROUND ALL CONTAINERS DURING TRANSFER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES MAY BE ABSORBED W/APPROPRIATE ABSORBENT.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. STORE AT 60-95F OUT OF THE SUN. USE ADEQUATE VENTILATION. AVOID BREATHING VAPORS. GROUND EQUIP WHEN HANDLING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED SELF CONTAINED ORGANIC MASK.

Ventilation:SUFFICIENT TO MAINTAIN BELOW TLV.

Protective Gloves:CHEMICAL RESISTANT

Eye Protection:SAFETY GLASSES OR FACE SHIELD.

Other Protective Equipment:BARRIER CREAM FOR SENSITIVE SKIN.

Supplemental Safety and Health

NK

=====  
===== Physical/Chemical Properties ==

=====

Boiling Pt:B.P. Text:133 TO 231F

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NA

Vapor Pres:NA

Vapor Density:>AIR

Spec Gravity:0.87755

pH:NA

Viscosity: