

SANCHEM INC -- NO-OX-ID"A SPECIAL" -- 8030-00-285-1570

===== Product Identification =====

Product ID:NO-OX-ID"A SPECIAL"

MSDS Date:06/21/1989

FSC:8030

NIIN:00-285-1570

MSDS Number: CHKGS

=== Responsible Party ===

Company Name:SANCHEM INC

Address:1600 S. CANAL

City:CHICAGO

State:IL

ZIP:60616

Country:US

Info Phone Num:312-733-6100

Preparer's Name:JOHN W. BILLER

CAGE:LO152

=== Contractor Identific

ation ===

Company Name:SANCHEM INC

Address:1600 S. CANAL

Box:City:CHICAGO

State:IL

ZIP:60616

Country:US

Phone:312-733-6100

CAGE:LO152

Company Name:SANCHEM INC

Address:1600 S. CANAL ST

Box:City:CHICAGO

State:IL

ZIP:60616

Country:US

Phone:312-733-6100

CAGE:56086

===== Composition/Information on Ingredients =====

Ingred Name:PARAFFIN WAX,PETROLEUM

CAS:64742-51-4

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

Ingred Name:REFINED PETROLEUM OILS

CAS:64742-62-7

Fraction b

y Wt: 21.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:MINERAL SPIRITS
CAS:64742-86-7
Fraction by Wt: 8.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM
ACGIH TLV:100 PPM

Ingred Name:REFINED PETROLEUM OIL
CAS:64742-63-8
RTECS #:PY8038000
Fraction by Wt: 15.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:FATTY ACID ESTER
CAS:61791-48-8
Fraction by Wt: 1.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFIN WAX
CAS:8002-74-2
RTECS #:RV0350000
Fraction by Wt: 20.0%
Other REC Limits
:NONE RECOMMENDED

Ingred Name:MICROCRYSTALLINE WAX
Fraction by Wt: 15.0%
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:NONE
Effects of Overexposure:MAY CAUSE MINOR SKIN IRRITATION.
Medical Cond Aggravated by Exposure:NA

===== First Aid Measures =====

First Aid:WASH W/SOAP & WATER. IF INGESTED, INDUCE VOMITING.

=

=====
Fire Fighting Measures
=====

Flash Point Method:COC
Flash Point:250F,121C
Lower Limits:0.9
Upper Limits:6.0
Extinguishing Media:DRY CHEMICAL, FOAM, SAND.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:SCOOP UP AND WASH AREA W/SOAP & WATER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STOR
E IN COOL, DRY AREA AWAY FROM OPEN
FLAMES AND HEAT.
Other Precautions:NA

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NOT REQUIRED
Ventilation:NA
Protective Gloves:RUBBER
Eye Protection:GOGGLES
Other Protective Equipment:NA
Work Hygienic Practices:WASH HANDS BEFORE EATING.
Supplemental Safety and Health
NK

=====
Physical/Chemical Properties
=====

Boiling Pt:B.P. Text:450F,232C
Melt/Freeze Pt:M.P/F.P Text:140F,60C
D
ecomp Temp:Decomp Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:0.0
pH:NA
Viscosity:NA
Evaporation Rate & Reference:NA
Solubility in Water:DOES NOT SOLVE.
Appearance and Odor:LIGHT TO DARK BROWN GREASE, ODORLESS.
Percent Volatiles by Volume:NA
Corrosion Rate:NA

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING MATERIALS
Stability Condition to Avoid:OPEN FLAME OR EXCESSIVE HEAT.
Hazardous Decomposition Pro

ducts:NA

===== Disposal Considerations =====

Waste Disposal Methods:NORMAL SCAVENGER. STORE IN SEALED DRUMS FOR
DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing t
his
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.