

EMERSON CUMING INC. -- CATALYST 24LV -- 5970-01-015-2097

=====
Product Identification
=====

Product ID:CATALYST 24LV

MSDS Date:01/17/1996

FSC:5970

NIIN:01-015-2097

Kit Part:Y

MSDS Number: CHKYB

=== Responsible Party ===

Company Name:EMERSON CUMING INC.

Address:55 HAYDEN AVE

City:LEXINGTON

State:MA

ZIP:02173

Country:US

Info Phone Num:617-402-9100/617-861-6600

Emergency Phone Num:800-424-9300(CHEMTR
EC)

Preparer's Name:DAVID HAAS

CAGE:0B562

=== Contractor Identification ===

Company Name:EMERSON & CUMING

Address:55 HAYDEN AVE

Box:City:LEXINGTON

State:MA

ZIP:02173

Country:US

Phone:617-861-6600

CAGE:0B562

Company Name:GRACE W R & CO EMERSON & CUMING DEWEY & ALMY CHEM

Address:869 WASHINGTON ST

City:CANTON

State:MA

ZIP:02021-2513

Country:US

Phone:617-935-4850

CAGE:04552

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIAMINE

Fraction by Wt: 100%

Othe

r REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:CORRO,BURNS,CORNEAL INJURY.PERM

IMPAIRMENT OF VISION,BLINDNESS.SKIN:CORRO,SEVERE

BURNS,BLISTERING.SKIN SENS/ALLERGIC RX-SEVERE IN CERTAIN

PEOPLE.HARMFUL IF ABSORBED THRU SKIN.INHAL:VAP IRRIT,

NAU,H

EADACHE.INEST:HARMFUL,BURNS MOUTH/UPPERGASTROINTESTINAL

TRACT.CHRONIC:NONE KNOWN.

Effects of Overexposure:EYE CORRO,BURNS,CORNEAL INJURY,PERM IMPAIRMENT

OF VISION,BLINDNESS.SKIN CORR,SEVERE BURNS,BLISTERING.SKIN

SENS/ALLERGIC RX.NAU,HEADCHE.HARMFUL IF INGEST,BURNS MOUTH/UPPER GI

TRACT.

Medical Cond Aggravated by Exposure:EXPOSURE MAY AGGRAVATE PRE-EXISTING

SKIN &/OR EYE DISORDERS.

=====
===== First Aid Measures =====
=====

First Aid:EYE:I

MMED FLUSH WELL W/H2O @LEAST 15MINS WHILE EYELIDS

OPN.GET IMMED MED ATTN.SKIN:IMMED FLUSH W/LOTS OF H2O WHILE REMOVE

CONTM CLOTH/SHOES.THEN WASH WELL W/SOAP/H2O.AVOID SCRUB-INCR

ABSORPT/WORSEN EF FECT.GET MED ATTN.INHAL:MOVE TO FRESH

AIR.CONSC/ALERT DIL BY GIVING H2O TO DRINK.NEVER GIVE ANYTHING BY

MOUTH IF DROWSY/UNCONSC/CONVULS.GET IMMED MED ATTN.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:PMCC

Flash Point:260F,127C

Lower Limit

s:NE

Upper Limits:NE

Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures:FIREFIGHTERS/RESCUE PERSONNEL SHOULD WEAR

+PRESSURE SCBA & FULL PROT EQPMT.COOL EXPO CNTNRS W/WATER-PREVENT

PRESSURE BUILDUP.LG QUANT MATL INVOLVED (SUPPLEMENT)

Unusual Fire/Explosion Hazard:DECOMPO/COMBUST PROD MAY BE TOXIC.CLOSED

CONTAINERS MAY VIOLENTLY RUPTURE UNDER FIRE CONDITIONS.

=====
===== Accidental Release Measures =====
=====

Spill Release

Procedures:RESPONSE OPERATION MUST BE CONDUCTED IAW PROVISIONS OF 29CFR1910.120.REVIEW ENTIRE MSDS BEF PROCEEDING W/RESPONSE.ACTIVATE AVAI EXHAU VENTI IN IMMED AREA.WIPEUP/ABSORB W/VERMI/SIMILAR MATL.WASH AREA W /SOAPY H2O-REMOVES RESIDUE.COLLECT ABSORBED (SUPP)

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY LOCATION W/ADEQU VENTI.KEEP CNTRN TIGHTLY SE AL WHEN NOT IN USE.KEEP AWAY FRM OPN FLAME/HEAT SOURCES.

Other Precautions:CONSULT PROD TECHN BULLETIN FOR DETAIL STORAGE INFO.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE APPROPRIATE PROPERLY FITTED RESPIRATOR IF EXPOSURES EXCEED PEL/TLV VALUES.TYPE OF PROTECTION SELECTED(SCBA,AIR-PURIFYING,ETC)WILL DEPEND UPON CONDITIONS OF USE.OBSERVE OSHA REGS FOR RESPIRATORY PR OTECTION (29CFR1910.134).

Ventilation:PROVIDE SUFFI MECH EXHU VENTI-DRAW VAP/MIST/FUME FRM PROCESSES AWAY FRM WORKER,ESPEC HI TEMP WORK.

Protective Gloves:APROPR PROTECTIVE GLOVES

Eye Protection:FCSHLD W/SPLA PROOF CHEM GOG/CHEM SAF GL

Other Protective Equipment:PROPER CHEM-RESIST APRON,ADDN IMPERV CLOTH.EMERG EYEWASH FACI,SAFETY SHOWER AVAI.WASH BEF EAT/DRINK/SMOKE.

Work Hygienic Practices:DONT REUSE CONTAM CLOTH TIL PROPERLY CLEAN.CONTAM LEATHER ART/SHOES CANT BE DECONTAM-DESTROY.WASH HAND/FC WELL AFT HNDLG

Supplemental Safety and Hea

lth

FIREFIGHT:EVACUATE AREA,FIGHT FIRE FROM SAFE DISTANCE. DECOMPO PRODS:WILL VARY DEPENDING ON COMBUST CONDITIONS. SPILL:MATL/WATER RINSES IN APPROP CNTNR.DISPO OF IAW CURRENT FED/STATE/LOC REGS.LG:LIMIT ACCESS.SHUT OFF W/O RISK.ACTIVATE VENTI.DIKE/PREVENT ENTRY SEWER/DRAIN/WATERWAYS.COLLECT/DISPO IAW CURRENT FED/STATE/LO

=====
===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>480F,>249C

Melt/Freeze Pt:M.P/F.P Text:NP

Decomp Temp:Deco

mp Text:NP
Vapor Pres:AIR
Spec Gravity:1.00
pH:NP
Evaporation Rate & Reference:NP
Solubility in Water:SOLUBLE
Appearance and Odor:AMBER LIQUID, AMINE ODOR
Percent Volatiles by Volume:ND
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS,ACIDS,BASES,EPOXIDES.
Stability Condition to Avoid:AVOID STORAGE IN OPN CNTNR,EXPO TO OPN
FLAMES,UNCNTRLD EXPO TO HEAT/UNCNTRLD MIX W/EPOXIES OR EXPO TO
|
NCOMPAT SUBSTANCE
Hazardous Decomposition Products:CO,CO2,OXIDES OF NITROGEN,AMINES,OTHER
ORG SUBST MAY BE FORM DURING COMBUST.CHEM NATURE/QUANT OF DECOMPO
BYPRODS(SUPPLE)
Conditions to Avoid Polymerization:UNCONTROLLED MIXING
W/AMINES,ANHYDRIDES,MERCAPTANS,IMIDAZOLES MAY CAUSE HAZ
POLYMERIZATON.

===== Disposal Considerations =====

Waste Disposal Methods:DOESNT CONTAIN ANY SUBSTANCES REG BY SARA SEC
313.DISPOSE OF IAW CURRENT LOCAL, STATE AND
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to th
eir
particular situation.