View NSN Online: https://aerobasegroup.de/nsn/9545-00-904-8550

ALFA AESAR (A JOHNSON MATTHEY CO) -- SILVER WIRE, 11434 -- 9545-00-904-8550

Product ID:SILVER WIRE, 11434 MSDS Date:12/07/1995 FSC:9545 NIIN:00-904-8550 MSDS Number: CHVNP === Responsible Party === Company Name: ALFA AESAR (A JOHNSON MATTHEY CO) Address:30 BOND ST City:WARD HILL State:MA ZIP:01835-0747 Country:US Info Phone Num:978-521-6300 **Emergency Phone Num:800** -424-9300 (CHEMTREC) CAGE:MO202 === Contractor Identification === Company Name: ALFA AESAR (A JOHNSON MATTHEY CO) Address:30 BOND ST Box:City:WARD HILL State:MA ZIP:01835-0747 Country:US Phone:978-521-6300 CAGE:MO202 Company Name: JOHNSON MATTHEY CATALOG CO INC ALFA AESAR Address:30 BOND ST Box:City:WARD HILL State:MA ZIP:01835-0747 Country:US Phone:978-521-6300 CAGE:0JVJ1

Ingred Name:SILVER (SARA 313) (CERCLA) CAS:7440-22-4 RT Fraction by Wt: 100% OSHA PEL:0.01 MG/M3 ACGIH TLV:0.1 MG/M3 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: ACUTE: INGEST: MAY CAUSE ARGYRIA. SKIN: NONE KNOWN. EYES: POWDER/DUST MAY CAUSE IRRIT. INHAL: POWDER/DUST MAY CAUSE IRRI T, PIGMENTATION OF NASAL SEPTUM & MILD BRONCH. CHRONIC: ABSORPTION OF SILVER CMP DS BY INGEST, INHAL/THRU SKIN CAN CAUSEARGYRIA, A PERMANENT BLUISH-GREY DISCOLORATION OF SKIN, (EFTS OF OVEREXP) Explanation of Carcinogenicity:NOT RELEVANT. Effects of Overexposure: HLTH HAZ: CONJUNCTIVA & MUC MEMBS. GENERALIZED ARGYRIA DEVELOPS AFTER 2-25 YRS OF EXPOS. THERE ARE NO SYSTEMIC EFTS/SYMPS & NO PHYSICAL DISABILITY. SILVER IS CONSIDERED AN EXPERIMENTAL EQUIVOCAL TUMOR IGENIC AGENT BY RTECS CRITERIA. Medical Cond Aggravated by Exposure:NONE KNOWN.

First Aid:INGESTION: OBTAIN MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING, FLOOD SKIN WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS SEEK MEDICAL ATTENTION. EYES: IMMEDIATELY FLUSH, INCLUDING UNDER EYELIDS, WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. CALL MD. INHALATION: OBTAIN MEDICAL ATTENTION.

\_\_\_\_\_

ECS #:VW3500000

- Extinguishing Media: IF METAL IS BURNING USE DRY CHEMICAL, DRY SAND OR DRY GROUND DOLOMITE. ONLY POWDER FORMS ARE LIKELY TO BE FIRE HAZARD.
- Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT . NO SPECIAL FIREFIGHTING PROCEDURES NEEDED. IF WITHOUT RISK, REMOVE MATERIAL FROM FIRE AREA.
- Unusual Fire/Explosion Hazard:ONLY POWDER FORMS ARE LIKELY TO BE FIRE HAZARD.

========== Accidental Release Me

Spill Release Procedures:WEARING FULL PROTECTIVE EQUIPMENT, COVER SPILL WITH DRY SAND OR VERMICULITE. MIX WELL AND CAREFULLY TRANSFER TO A CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. STORE IN A COOL, DRY, WELL-VENTILATED AREA. Other Precautions: NOT KNOWN TO BE HAZARDOUS IN SOLID FORM.

Respiratory Protection: FOR FINE POWDER NIOSH APPROVED DUST MASK RESPIRATOR.

Ventilation:LABORATORY FUME HOOD. FOR FINE POWDERS USE A GLOVE BAG OR BOX WITH DRY INERT ATMOSPHERE.

Protective Gloves: RUBBER GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGGLES .

Other Protective Equipment: ANSI APPROVED EMERGENCY EYEWASH & DELUGE SHOWER . WEAR LAB COAT, FLAME & CHEMICAL RESISTANT COVERALLS. Work Hygienic Practices: WASH THOROUGHLY AFTER USE.

Supplemental Safety and Health

MATLS TO AVOID: ETHANOL + NITRIC ACID, ETHYLENE OXIDE, ETHYL HYDROPEROXIDE, IODOFORM, OZONIDES, PEROXOMONOSULFURIC ACID, PEROXYFORMIC ACID. SILVER MAY REACT WITH ACETYLENE, ACETYLENE COMPOUNDS OR AM MONIA TO FORM SHOCK SENSITIVE SOLIDS.

Boiling Pt:B.P. Text:4010F,2210C Melt/Freeze Pt:M.P/F.P Text:1761F,961C Vapor Pres:0 Vapor Density:10.49 Spec Gravity:10.491 (H\*2O=1) Solubility in Water:INSOLUBLE Appearance and Odor:SOFT, DUCTILE, LUSTROUS WHITE METAL WITH NO ODOR. Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES
ACETYLENE, ACETYLENE CMPDS, AMMONIA, BROMOAZIDE, CHLORINE TRIFLUORIDE, ETHYLENE IMINE, HYDROGEN PEROXIDE, OXALIC ACID, TARTARIC ACID, MINERAL ACIDS, OXIDIZERS, 3-BROMEPROPYNE, CARBOXYLIC ACIDS, COPPER + ETHYLENE GLYCOL, ELE
Stability Condition to Avoid:HEAT, SPARKS, AND FLAME FOR POWDER.
Hazardous Decomposition Products:SILVER OXIDES.

Waste Disposal Methods:CONSULT STATE, LOCAL OR FEDERAL EPA REGULATIONS FOR PROPER DISPOSAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informa tion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.