

LUBRICATION TECHNOLOGY INC -- CHRISTO-LUBE,MCG 200

MSDS Safety Information

FSC: 9150

NIIN: 00-567-0597

MSDS Date: 09/14/1998

MSDS Num: CHWYQ

Product ID: CHRISTO-LUBE,MCG 200

MFN: 01

Responsible Party

Cage: 0JRD3

Name: LUBRICATION TECHNOLOGY INC

Address: 310 MORTON ST

City: JACKSON OH 45640

Inf

o Phone Number: 740-286-2644

Emergency Phone Number: 740-286-2644

Item Description Information

Item Manager: S9G

Item Name: GREASE,AIRCRAFT AND INSTRUMENT

Specification Number: MIL-PRF-83261B(USAF)

Type/Grade/Class: NONE

Unit of Issue: CN

Quantitative Expression: 10000000065LB

UI Container Qty: 0

Type of Container: GALLON CAN

Ing

redients

Name: FLUORINATED POLYSILOXANE (MSDS HAS CAS 69430-43-9)
> Wt: 50.

Cas: 64742-52-5

RTECS #: PY8035000

Name: SB-DIALKYLDITHIOCARBAMATE
< Wt: 7.

Cas: 9002-84-0

RTECS #: KX4025000

Name: POLYTETRAFLUOROETHYLENE
< Wt: 50.

Health Hazards Data

LD50 LC50 Mixt

ure: LD50 (ORAL, RAT) IS NOT KNOWN.
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: ACUTE: NONE. CHRONIC: NONE.
Explanation Of Carcinogenicity: NONE.
Signs And Symptoms Of Overexposure: PROLONGED EXPOSURE CAUSES NO KNOWN ADVERSE EFFECTS.
Medical Cond Aggravated By Exposure: NO KNOWN MEDICAL CONDITIONS THAT MIGHT BE AGGRAVATED BY EXPOSURE.
First Aid: INHALATION-REMOVE TO FRESH AIR, GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. EYES-FLUSH WITH WATER AND CONSULT PHYSICIAN. SKIN-WASH WITH SOAP AND WATER; IF IRRITATION OCCURS, CALL PHYSICIAN. INGESTION-DRINK MILK OR WATER; DO NOT INDUCE VOMITING, CALL PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.
Neutralizing Agent: NOT PROVIDED
Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
Handling And Storage Precautions: STORE IN COOL WELL VENTILATED AREA OF LOW FIRE RISK; AVOID BREATHING VAPORS; USE SELF-CONTAINED BREATHING APPARATUS IF OVER 1,000 PPM TLV.
Other Precautions: TOXIC VAPORS MAY EVOLVE ABOVE 550F; PROVIDE ADEQUATE VENTILATION IF HEATED ABOVE THIS TEMPERATURE.

=====
Fire and Explosion Hazard Information
=====

Autoignition Temp: >315.6C, 600.
F
Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER SPRAY.
Fire Fighting Procedures: WEAR NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS. USE WATER TO COOL CONTAINERS AND FLUSH SPILLS. AVOID BREATHING SMOKE.
Unusual Fire/Explosion Hazard: TOXIC FLUORINE GASSES MAY EVOLVE IF HEATED ABOVE 600 DEG F.

=====
Control Measures
=====

Respiratory Protection: NOT REQUIRED.
Ventilation: LOCAL EXH

AUSE NOT REQUIRED. MECHANICAL (GENERAL) RECOMMENDED.
Protective Gloves: PLASTIC DISPOSABLE.
Eye Protection: SAFETY GLASSES, GOGGLES OR FACE SHIELD.
Other Protective Equipment: PLASTIC OR FABRIC DISPOSABLE APRON OR COVERALLS RECOMMENDED.
Work Hygienic Practices: DO NOT CONTAMINATE SMOKING MATERIALS OR FOOD WITH PRODUCT.
Supplemental Safety and Health: FREE OF OZONE DEPLETION COMPOUNDS (ODCS).

=====

Physical/Chemical Properties

=====

=====

HCC: V6
Melt/Freeze Pt: >260.C, 500.F
Vapor Pres: < 5
Spec Gravity: 1.30
Viscosity: NOT RELEVANT
Solubility in Water: NIL
Appearance and Odor: YELLOW , FAINT ODOR.

=====

Reactivity Data

=====

Stability Indicator: YES
Materials To Avoid: OXIDIZING MATERIALS CAN CAUSE A REACTION.
Hazardous Decomposition Products: FLUORINE PRODUCTS, SILICON DIOXIDE, CO
2,
TRACES OF INCOMPLETELY BURNED CARBON.
Hazardous Polymerization Indicator: NO

=====

Toxicological Information

=====

Toxicological Information: CONTAINS NO TOXIC MATERIALS. PRODUCT DOES NOT
CONTAIN ANY KNOWN CARCINOGENS.

=====

Ecological Information

=====

Ecological: NOT PROVIDED

=====

=====

MSDS Transport Information

=====

Transport Information: NOT PROVIDED

=====

Regulatory Information

=====

Sara Title III Information: NOT PROVIDED
Federal Regulatory Information: FREE OF OZONE DEPLETION COMPOUNDS (ODCS).
State Regulatory Information: NOT PROVIDED

=====

=====

Other Information

=====

Other Information: NO SPECIAL LABEL OR HAZARD WARNINGS ARE REQUIRED UNDER OSHA
29 CFR 1910.

=====

Transportation Information

=====

Responsible Party Cage: 0JRD3

Trans ID NO: 77065

Product ID: CHRISTO-LUBE,MCG 200

MSDS Prepared Date: 09/14/1998

Review Date: 08/14/1999

MFN: 1

Net Unit Weight: 6.5 LBS/CN

Multi

ple KIT Number: 0

Review IND: Y

Unit Of Issue: CN

Container QTY: 0

Type Of Container: GALLON CAN

Additional Data: TYPE II, SHELF LIFE 24 MONTHS.

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail AFI Information

=====

AFI PSN Code: ZZZ

AFI Proper Shipping Na

me: NOT REGULATED BY THIS MODE OF TRANSPORTATION

HAZCOM Label

Product ID: CHRISTO-LUBE,MCG 200

Cage: 0JRD3

Company Name: LUBRICATION TECHNOLOGY INC

Street: 310 MORTON ST

City: JACKSON OH

Zipcode: 45640

Health Emergency Phone: 740-286-2644

Label Required IND: Y

Date Of Label Review: 05/09/2000

Status Code: C

MFG Label NO: UNKNOWN

Label Date: 10/23/1998

Year Procured: 2000

Origination

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: NO

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: NO KNOWN ACUTE AND CHRONIC HAZARDS LISTED BY MANUFACTURER. EYE/ SKIN:IRRITATION. INHALE/ORAL: NO SPECIFIC INFORMATION IDENTIFIED. STORE AWAY FROM OXIDIZERS. PICK-UP SPILL WITH NON-FLAMMABLE ABSORBENT. FIRST AID- GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED: MOVE TO FRESH AIR

R. EYES: FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. SKIN: WIPE OFF EXCESS & WASH SKIN WITH MILD SOAP & WATER. IF INJECTED UNDER SKIN, CONTACT A PHYSICIAN IMMEDIATELY. ORAL: DO NOT INDUCE VOMITING. IF CONSCIOUS, DRINK MILK OR WATER. CALL PHYSICIAN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional

ssional advice to verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.