

CENTURY LUBRICANTS CO -- CHEMPLEX FM/AW #0 - #2 -- 9150-01-209-6868

===== Product Identification =====

Product ID:CHEMPLEX FM/AW #0 - #2

MSDS Date:10/17/1997

FSC:9150

NIIN:01-209-6868

Status Code:A

MSDS Number: CHXBW

=== Responsible Party ===

Company Name:CENTURY LUBRICANTS CO

Address:2140 S. 88TH STREET

City:KANSAS CITY

State:KS

ZIP:66111-8701

Country:US

Info Phone Num:913-791-3645/800-800-6457

Emergency Phone Num:913-791-3645

CAGE:0BF03

=== Contractor Identification ===

Company Name:CENTURY LUBRICANTS CO, NFO TECHNOLOGIES DIV

Address:2140 S. 88TH STREET

Box:City:KANSAS CITY

State:KS

ZIP:66111-8701

Country:US

Phone:913-422-4022/ 800-800-6457

CAGE:0BF03

Company Name:NONFLUID OIL CORP/NFO TECHNOLOGIES, INC

Address:298 DELANCY ST

City:NEWARK

State:NJ

ZIP:07105-3009

Country:US

Phone:201-344-3451/800-424-9300(CHEMTREC)

CAGE:76736

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUIT

E 120  
Box:City:GRETNA  
State:LA  
ZIP:70056  
Country:US  
Phone:504-366-9105  
CAGE:0PGK2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL OIL, WHITE  
CAS:8042-47-5  
RTECS #:PY8047000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PERFORMANCE ADDITIVES  
Other REC Limits:3 MG/M3 PER MFR

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Repo  
rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE CONTACT CAN CAUSE IRRITATION. SKIN  
CONTACT CAN CAUSE IRRITATION WITH PROLONGED EXPOSURE. INHALATION OF  
MIST MAY CAUSE IRRITATION. NOT EFFECTS EXPECTED FROM INGESTION.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:EYE IRRITATION, SKIN IRRITATION, RESPIRATORY  
TRACT I  
RRITATION.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH WATER. SEE PHYSICIAN. SKIN: WASH WITH SOAP  
AND WATER. IF HIGH PRESSURE, GET IMEEDIAE MEDICAL ATTENTION.  
INHALATION: REMOVE FROM CONTAMINATED AREA.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC  
Flash Point:420F,216C  
Lower Limits:NOT GIVEN  
Upper Limits:NOT GIVEN  
Extin

quishing Media:FOAM, CARBON DIOXIDE, DRY CHEMICAL  
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF CONTAINED  
BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND  
CONTAINERS EXPOSED TO FIRE WITH WATER.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:ADD ABSORBENT TO SPILL AREA. KEEP PETROLEUM  
PRODUCTS OUT OF SEWERS AND WATERWAYS. ADVISE AUTHORITIES IF THEY DO  
ENTER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN  
USE. DO NOT HANDLE NEAR HEAT, FLAMES, SPARKS. DO NOT WELD OR HEAT  
EMPTY CONTAINERS.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.  
Ventilation:GENERAL ADEQUATE. USE LOCAL MECHANICAL TO INSURE TLV'S NOT  
SURPASSED WHERE APPLICABLE.  
Protective Gloves:CHEMICALLY RESISTANT.  
Eye Protection:GOGGLES OR FACESHIELD  
Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO  
PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE  
AVAILABLE.  
Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER  
BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.  
Supplemental Safety and Health  
REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE  
.

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:NOT GIVEN  
Melt/Freeze Pt:M.P/F.P Text:356F,180C  
Decomp Temp:Decomp Text:NOT GIVEN  
Vapor Pres:< 0.1  
Vapor Density:NOT GIVEN  
Spec Gravity:< 1.0  
Viscosity:NOT GIVEN  
Evaporation Rate & Reference:NOT GIVEN  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:OFF WHITE SEMI-SOLID GEL, MILD PETROLEUM ODOR  
Percent Volatiles by Volume:NIL

===== Stability and Reactivity Data =====

===

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HIGH TEMPERATURES, SPARKS, OPEN FLAMES

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,  
UNIDENTIFIED ORGANIC COMPOUNDS

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF AT APPROPRIATE WASTE FACILITY IN  
ACCORDANCE WITH REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This informatio

n is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.