

MOBIL OIL CORP -- EAL ARTIC 68 -- 9150-01-443-9390

===== Product Identification =====

Product ID:EAL ARTIC 68

MSDS Date:12/16/1996

FSC:9150

NIIN:01-443-9390

MSDS Number: CHXDW

=== Responsible Party ===

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

City:FAIRFAX

State:VA

ZIP:22037-0001

Country:US

Info Phone Num:800-662-4525/212-883-4411 (HEALTH)

Emergency Phone Num:703-849-3265/CHEMTREC 800-4
24-9300

CAGE:6G112

=== Contractor Identification ===

Company Name:MOBIL OIL CORP

Address:3225 GALLOWS RD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525, 856-224-4644

CAGE:6G112

Company Name:SALATHE OIL CO INC

Address:2226 PETERS RD

Box:City:HARVEY

State:LA

ZIP:70058

Country:US

Phone:504-366-4542

CAGE:0T5C6

===== Composition/Information on Ingredients =====

Ingred Name:MANUFACTURER LISTS NOTHING UNDER "INGREDIENTS" IMPLYING
THAT THERE ARE NO HAZARDOUS IN

INGREDIENTS PER HAZ COM STD.

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:PRODUCT ASSESSED IN ACCORDANCE WITH
OSHA 29 CFR 1910.1200 AND DETERMINED NOT TO BE HAZARDOUS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION
OF 0.1%

OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:NOT IRRITATING ACCORDING TO US & EC GUIDELINES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES-FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION
IF IRRITATION OCCURS. SKIN-WASH WITH MILD SOAP & WATER.

INHALED-REMOVE TO FRESH AIR. ADMINISTER OXYGEN OR ARTIFICIAL
RESPIRATION AS

NEEDED. GET MEDICAL ATTENTION IF ANY SYMPTOMS

OCCUR. INGESTED-IF GREATER THAN 1 PINT INGESTED, GIVE 1-2 GLASSES
WATER & CALL PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL
CENTER. DO NOT INDUCE VOMITING

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:450F,232C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:WATER FOG, CARBON DIOXIDE, DRY CHEMICAL, FOAM.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING

APPARATUS AND

FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON FIRE RETARDANT MATERIAL. SHOVEL UP
AND PLACE IN A CONTAINER FOR LATER DISPOSAL. PREVENT SPILLS FROM
ENTERING STORM SEWERS OR DRAINS AND CONTACT WITH SOIL. IF ENTERS
WATERWAYS/DRAINS, NOTIFY NATIONAL RESPONSE CENTER AT 800-424-8802.

