

NILES CHEMICAL PAINT CO. -- N-6237A 2K GREEN PRIMER T-III #150 -- 8010-01-302-3608

=====
Product Identification
=====

Product ID:N-6237A 2K GREEN PRIMER T-III #150

MSDS Date:12/03/1997

FSC:8010

NIIN:01-302-3608

Kit Part:Y

MSDS Number: CHXSN

=== Responsible Party ===

Company Name:NILES CHEMICAL PAINT CO.

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Info Phone Num:616-

683-3377

Emergency Phone Num:219-236-5856

Preparer's Name:MICHAEL LICHATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name:NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

=====
Composition/Information on Ingredients
=====

Ingred Name:TALC (CONTAINING ASBESTOS)

CAS:14807-96-6

RTECS #:MW2700000

Fraction by Wt: 41%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:2MG/M3

ACGIH TLV:2MG/

M3

Ingred Name:N-BUTYL ALCOHOL (SARA 313) (CERCLA)

CAS:71-36-3

RTECS #:EO1400000

Fraction by Wt: 27%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:50 PPM

ACGIH TLV:50 PPM (SKIN)

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:POLYAMIDE ADUCT RESIN

Fraction by Wt: 18%

Other REC Limits:NONE RECOMMENDED

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Fraction by Wt: 8%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NONE

ACGIH TLV:NONE

Ingred Name:YELLOW IRON OXIDE

Fraction by Wt:

2%

Other REC Limits:NONE RECOMMENDED

Ingred Name:AMIDO-AMINE-RESIN

CAS:68443-08-3

Fraction by Wt: 1%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: SEVERE IRRITATION, LACRIMATION,
REDNESS, BLURRED VISION; SKIN: HARMFL IF ABSORBD, CAN BE ABSORBD IN
TOXIC AMNTS FROM PROLONGD REPT EXPO

S. INHALE: NASAL/RESP

IRRITATION, CNS DEPRESSION, NAUSEA, HEADACHE, VERTIGO,
UNCONSCIOUSNESS, ASPHYXIATION; SWALLOWING: GI IRRITATION, ABDOMINAL
PAIN, NAUSEA, VOMITING, DIARRHEA.

Explanation of Carcinogenicity:NO

Effects of Overexposure:RESPIRATORY TRACT HAZARD, CORNEAL
INFLAMMATION, PHOTOPHOBIA,

=====
First Aid Measures
=====

First Aid:INHALE: REMOVE TO FRESH AIR IMMEDIATELY; GIVE CPR; GET MEDICAL AID
ASAP. SKIN: ** EYE: IMMEDIATELY FLUSH WITH MUCH
WATER AT LEAST 15 MINUTES

LIFTING UPPER/LOWER LIDS; GET MEDICAL AID IMMEDIATELY; DO NOT WEAR CONTACT
LENSES WHILE WORKING. INGEST: DRINK 1 OR 2 GLASSES OF WATER; DO
NOT INDUCE VOMITING; GET MEDICAL AID IMMEDIATELY; TREAT SYMPTOMATICALLY.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC

Flash Point:101F,38C

Lower Limits:1.7

Upper Limits:11.0

Extinguishing Media:DRY CHEMICAL, FOAM, CO2

Fire Fighting Procedures:WEAR SCUBA WITH FULL FACEPIECE IN POSITIVE
PRESSURE

MODE; FULL PROTECTIVE CLOTHING; WATER MAY BE USED TO COOL
CONTAINERS TO PREVENT EXPLOSION.

Unusual Fire/Explosion Hazard:KEEP CONTAINERS TIGHTLY CLOSED; ISOLATE
FROM ALL IGNITABLES; CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO
HEAT; EXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE HAZARDS.*

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE ALL IGNITABLES; MINIMIZE ALL CONTACT
WITH PRODUCT;DIKE; AVOID RUNOFF INTO SOIL, SEWERS, OR
WATERWAYS.

ABSORB WITH INERT MATERIAL SUCH AS CLAY, SOIL, OR A COMMERCIAL
AVAILABLE ABSORBENT; SHOVEL INTO SALVAGE DRUMS FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:AVOID STORAGE IN HIGH TEMPERATURE
AREAS OR NEAR IGNITABLES; KEEP CONTAINERS CLOSED; AVOID ROUGH
HANDLING.

Other Precautions:EMPTY CONTAINERS MAY BE HAZARDOUS; DO NOT WELD/FLAME
CUT ON EMPTY DRUMS; SHOCK FROM DROPPING MAY SPLIT CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN APPROPRIATE (TYPE TC-23C-75) PROPERLY
FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR (NIOSH/MSHA).

Ventilation:SUFFICIENT VENTILATION REQUIRED; REMOVE DECOMP PRODUCTS
FORMED DURING WELDING/FLAME CUTTING.

Protective Gloves:CHEMICAL RESISTANT NITRILE/VITON

Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD.

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING.

Work Hygienic Practices:WASH

IMMED UPON CONTAMINATION; REMOVE ANY WET

CLOTHING AND WASH BEFORE REUSE; WASH BEFORE EATING, SMOKING, USING
TOILET

Supplemental Safety and Health

VAPORS ARE HVR THAN AIR AND MAY TRAVEL ALONG GROUND TO AN IGNITION
SOURCE **SKIN: IMMED FLUSH W/MUCH WTR. IMMED REMOVE CONTAM

CLOTHING. FLUSH SKIN W/WTR. GET MED AID WASH CLOTHING AND
DECONTAM SHO ES BEFORE REUSE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:242F,100C

Vapor Density:>

AIR

Spec Gravity:1.384

VOC Grams/Liter:3.19

Viscosity:100-112 KU

Evaporation Rate & Reference: