

NILES CHEMICAL PAINT CO. -- N-6483A 2K RED PRIMER T-IIIF#156 -- 8010-01-350-4745

===== Product Identification =====

Product ID:N-6483A 2K RED PRIMER T-IIIF#156

MSDS Date:12/03/1997

FSC:8010

NIIN:01-350-4745

Status Code:A

MSDS Number: CHXTB

=== Responsible Party ===

Company Name:NILES CHEMICAL PAINT CO.

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Info Phone Num:616-683-

3377

Emergency Phone Num:219-236-5856

Preparer's Name:MICHAEL LICHATOWICH

CAGE:02388

=== Contractor Identification ===

Company Name:NILES CHEMICAL PAINT

Address:225 FORT STREET

Box:307

City:NILES

State:MI

ZIP:49120

Country:US

Phone:616-683-3377/219-236-5856

CAGE:02388

===== Composition/Information on Ingredients =====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION_INGREDIENT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES

Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: EYES: SEVERE IRRITATION, LACRIMATION, REDNESS, BLURRED VISION; SKIN: REDNESS/IRRITATION, DEFATTING, LEADING TO DERMOTITIS INHALE: NASAL/RESP IRRITATION, CNS DEPRESSION, NAUSEA, HEADACHE, VERTIGO, UNCONSCIOUSNESS, ASPHYXIATION; SWALLOWING: GI IRRITATION, ABDOMINAL PAIN, NAUSEA, VOMITING, DIARRHEA.
Explanation of Carcinogenicity: NO
Effects of Overexposure: LIVER/KIDNEY/CNS/LUNG HAZARDS. DUST MAY CAUSE PNEUMOCONIOSIS AND PLURAL THICKENING

===== First Aid Measures =====

First Aid: INHALE: REMOVE TO FRESH AIR IMMEDIATELY; GIVE CPR; GET MEDICAL AID ASAP. SKIN: ** EYE: IMMEDIATELY FLUSH WITH MUCH WATER AT LEAST 15 MINUTES LIFTING UPPER/LOWER LIDS; GET MEDICAL AID IMMEDIATELY; DO NOT WEAR CONTACT LENSES WHILE WORKING. INGEST: DRINK 1 OR 2 GLASSES OF WATER; DO NOT INDUCE VOMITING; GET MEDICAL AID IMMEDIATELY; TREAT SYMPTOMATICALLY.

=====
===== Fire Fighting Measures =====

Flash Point Method: TCC
Flash Point: 107°F, 38°C
Lower Limits: 1.9
Upper Limits: 12.0
Extinguishing Media: DRY CHEMICAL, FOAM, CO2
Fire Fighting Procedures: WEAR SCUBA WITH FULL FACEPIECE IN POSITIVE PRESSURE MODE; FULL PROTECTIVE CLOTHING; WATER MAY BE USED TO COOL CONTAINERS TO PREVENT EXPLOSION.
Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED; ISOLATE FROM ALL IGNITABLES; CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT; EXPOSURE TO DECOMPOSITION PRODUCTS MAY CAUSE HAZARDS.*

===== Accidental Release Measures =====

Spill Release Procedures: ELIMINATE ALL IGNITABLES; MINIMIZE ALL CONTACT WITH PRODUCT; DIKE; AVOID RUNOFF INTO SOIL, SEWERS, OR WATERWAYS. ABSORB WITH INERT MATERIAL SUCH AS CLAY, SOIL, OR A COMMERCIALY AVAILABLE ABSORBENT; SHOVEL INTO SALVAGE DRUMS FOR DISPOSAL.

===== Handling and Storage =====

Handling and Storage

Precautions:AVLOID STORAGE IN HIGH TEMPERATURE
AREAS OR NEAR IGNITABLES; KEEP CONTAINERS CLOSED; AVOID ROUGH
HANDLING.
Other Precautions:EMPTY CONTAINERS MAY BE HAZARDOUS; DO NOT WELD/FLAME
CUT ON EMPTY DRUMS; SHOCK FROM DROPPING MAY SPLIT CONTAINER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN APPROPRIATE (TYPE TC-23C-75) PROPERLY
FITTED HALF-MASK OR FULL FACEPIECE RESPIRATOR (NIOSH/MSHA).
Ventilation:SUFFICIENT VENTILATIO
N REQUIRED; REMOVE DECOMP PRODUCTS
FORMED DURING WELDING/FLAME CUTTING.
Protective Gloves:CHEMICAL RESISTANT NITRILE/VITON
Eye Protection:CHEMICAL SAFETY GOGGLES/FACE SHIELD.
Other Protective Equipment:CHEMICAL RESISTANT CLOTHING.
Work Hygienic Practices:WASH IMMED UPON CONTAMINATION; REMOVE ANY WET
CLOTHING AND WASH BEFORE REUSE; WASH BEFORE EATING, SMOKING, USING
TOILET
Supplemental Safety and Health
VAPORS ARE HVR THAN AIR AND MAY TRAVEL ALONG GROUND TO AN IGNITION
SOURCE **S
KIN: IMMED FLUSH W/MUCH WTR. IMMED REMOVE CONTAM
CLOTHING. FLUSH SKIN W/WTR. GET MED AID WASH CLOTHING AND
DECONTAM SHO ES BEFORE REUSE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:242F,100C
Vapor Density:>AIR
Spec Gravity:1.216
Evaporation Rate & Reference: