View NSN Online: https://aerobasegroup.de/nsn/6810-00-262-8587

CITY CHEMICAL CORPORATION (FORMER NEW YORK NY LOCATION) -- SODIUM CHLORATE -- 6810-00-262-8587

Product ID:SODIUM CHLORATE MSDS Date:09/01/1998 FSC:6810 NIIN:00-262-8587 Status Code:A **MSDS Number: CJDQS** === Responsible Party === Company Name: CITY CHEMICAL CORPORATION (FORMER NEW YORK NY LOCATION) Address:100 HOBOKEN AVE City: JERSEY CITY State:NJ ZIP:07310 Count ry:US Info Phone Num:201-653-6900/800-424-9300(CHEMTREC) Emergency Phone Num:908-859-2151/800-248-2436 Chemtrec Ind/Phone:(800)424-9300 CAGE:83628 === Contractor Identification === Company Name: CITY CHEMICAL CORPORATION Address:100 HOBOKEN AVE City: JERSEY CITY State:NJ ZIP:07310 Country:US Phone:201-653-6900/800-248-2436 Contract Num:SP045098MCN88 CAGE:83628 Ingred Name: CHLORIC ACID, SODIUM SALT; (SODIUM CHLORATE) CAS:7775-09 -9 RTECS #:FO0525000 = Wt:100. Other REC Limits:NONE RECOMMENDED LD50 LC50 Mixture:LD50 (ORAL, RAT) 1200 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS: EYES, SKIN, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE - VERY DANGEROUS IN CASE OF SKIN CONTACT (IRRITANT), OF EYE CONTACT (IRRITANT), OF INHALATION . VERY

SLIGHTLY TO SLIGHTLY DANGE ROUS IN CASE OF SKIN CONTACT (CORROSIVE, PERMEATOR). THIS PRODUCT IS A SEVERE EYE IRRITANTAND CAUSE INFLAMMATION. PROLONGED EXPOSURE MAY RESULT IN SKIN, INFLAMMATION, BURNS AND ULCERATION. OVER-EXPOSUR E BY INHALATION MAY CAUSE RESPIRATORY IRRITATION. HARMFUL IF INGESTED. CHRONIC -UNKNOWN.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEVERE IRRITATION, NAUSEA, VOMITING, TEARING,

BLURRED VISION, DRY SKIN, BLISTE

RING, REDDENING, ITCHING, COUGHING

Medical Cond Aggravated by Exposure:NOT KNOWN TO AGGRAVATE PREEXISTING MEDICAL CONDITION.

First Aid:CALL PHYSICIAN IF SYMPTOMS PERSIST. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. CALL PHYSICIAN. SKIN: WASH WITH A DISINFECTANT SOAP AND WATER. COVER THE CONTAMINATED SKIN WITH AN ANTI-BACTERIA CREAM. INHALED: REMOVE TO FRESH AIR. LOOSEN TIGHT CLOTH

ING. IF BREATHING IS DIFFICULT, ADMINISTER

OXYGEN. IF THE VICTIM IS NOT BREATHING, PERFORM MOUTH-TO-MOUTH RESUSCITATION. SEEK M EDICAL ATTENTION. INGESTION: IF CONSCIOUS, DRINK SEVERAL GLAASES OF MILK OR WATER. INDUCE VOMITING BY STICKING FINGER IN THROAT. SEEK IMMEDIATE MEDICAL ATTENTION. NEVER GIVE FLUID OR INDUCE VOMITING I F PATIENT IS UNCONSCIOUS.

Flash Point:NOT COMBUSTIBLE

Unusual Fire/Explosion Haz

ard:STRONG OXIDIZER. INCREASES FLAMMABILITY

OF COMBUSTIBLE SUBSTANCES. IN CONTACT WITH EASILY OXIDIZABLE SUBSTANCES, IT MAY REACT RAPIDLY ENOUGH TO IGNITE/EXPLODE.

Spill Release Procedures:OXIDIZING MATERIAL. STOP LEAK IF WITHOUT RISK. AVOID CONTACT WITH A COMBUSTIBLE MATERIAL (WOOD, PAPER, OIL CLOTHING). WEAR DUST RESPIRATOR IF NEEDED. KEEP SUBSTANCE DAMP USING WATER SPRAY. DO NOT TOUC H SPILLED MATERIAL. SWEEP UP AND

TRANSFER INTO A SEALABLE WASTE CONTAINER. MINIMIZE GENERATION OF DUST. WASH SPILL AREA THOROUGHLY WITH WATER. PREVENT ENTRY INTO SEWERS OR CONFINED AREAS. Neutralizing Agent:REDUCING MATERIAL

Handling and Storage Precautions:OXIDIZING MATERIALS SHOULD BE STORED IN A SEPARATE SAFETY STORAGE CABINET OR ROOM. STORE IN A COOL, DRY, VENTILATED AREA AWAY FROM IGNITION SOURCES, AND INCOMPATIBLES. Oth

er Precautions:DO NOT GENERATE DUST. AVOID BREATHING DUST. DO NOT GET IN EYE, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE ATING OR DRINKING. USE WITH ADEQUATE VENTILATION. KEEP OUT OF REACH OF CHILDREN. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. IF YOU FEEL UNWE LL, SEE A DOCTOR.

Respiratory Protection:NONE NEEDED IN NORMAL LABORATORY HANDLING. IF DU

STY SITUATIONS PREVAIL, WORK IN VENTILATION HOOD OR WEAR NIOSH-APPROVED DUST RESPIRATOR OR MASK.

Ventilation: USE GENERAL OR LOCAL EXHAUST VENTILATION TO KEEP DUST LEVELS AS LOW AS POSSIBLE.

Protective Gloves:RUBBER

Eye Protection: CHEMICAL SAFETY GLASSES OR GOGGLES

Other Protective Equipment:FULL SUIT, BOOTS, EYE BATH, WASHING FACILITY Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. WASH AFTER HANDLING AND BEFORE EATING, DRINKING OR SM

OKING.

Supplemental Safety and Health

HCC:D1 Boiling Pt:B.P. Text:DECOMPOSES Melt/Freeze Pt:=248.C, 478.4F Decomp Temp:=300.C, 572.F Spec Gravity:2.5(WATER=1) Solubility in Water:SOLUBLE IN COLD WATER Appearance and Odor:SOLID

Stability Indicator/Materials to Avoid:NO EXTREMELY REACTIVE OR INCOMPATIBLE WITH ACIDS. HIGHLY REACTIVE WITH REDUCING AGENTS, C OMBUSTIBLE MATERIALS, ORGANIC MATERIALS. Hazardous Decomposition Products: EMITS TOXIC FUMES OF CHLORINE & SODIUM OXIDE WHEN HEATED TO DECOMPOSITION.

OXIDE WHEN HEATED TO DECOMPOSITION.	

Ecological: THE PRODUCTS OF DEGRADATION ARE MORE TOXIC.

Waste Disposal Methods:WHATEVER CANNOT BE SAVED FOR RECLAMATION OR RECYCLING MAY BE DELIVERED TO A RCRA APPROVED WASTE DISPOSAL FACILITY. ENSUR

E COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

State Regulatory Information:LISTED BY THE STATE OF PENNSYLVANIA AND MASSACHUSETTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and d

isclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.